



REPORT


Tyrone Stockpile Stability Analysis for 2013 Closure Close-Out Plan Update

Tyrone, New Mexico

Submitted to:

Mandy Lilla

Freeport McMoRan Tyrone Inc.
PO Drawer 571
Tyrone, New Mexico 88065



Submitted by:

Golder Associates Inc.

595 Double Eagle Court, Suite 1000
Reno, Nevada, USA 89521

+1 775 828-9604

18106417.001.R.REV0

July 26, 2019



Table of Contents

1.0 INTRODUCTION.....	1
2.0 SUMMARY OF PREVIOUS WORK COMPLETED.....	1
2.1 Closure/Closeout Plan Addendum.....	2
2.2 Characterization of Re-Mined Stockpiles.....	3
2.3 2004 Rotosonic Stockpile Drilling Program.....	3
2.4 2005 1A Stockpile Rotosonic Drilling Program.....	4
2.5 Materials Characterization Studies.....	4
2.6 2006 Stability Memorandums.....	5
2.7 9A/9AX Test Pit Investigation.....	6
3.0 SITE CONDITIONS.....	6
3.1 Stockpile Descriptions.....	6
3.2 Climate.....	7
3.3 Geology.....	7
3.3.1 Lithology.....	7
3.3.2 Structure.....	8
3.3.3 Alteration.....	8
4.0 TEST DATA.....	8
4.1 Field Testing Data.....	8
4.2 Laboratory Testing Data.....	9
4.2.1 Grain Size.....	9
4.2.1.1 Extended Grain Size Curves.....	9
4.2.2 Atterberg Limits.....	10
4.2.3 Shear Strength.....	10
4.3 Summary of the Impacts of Weathering.....	12
5.0 DEVELOPMENT OF MODEL PARAMETERS.....	13
5.1 Summary of Material Parameters Applied in the Stability Analyses.....	13

5.2	Material Parameters for Leach Ore and Waste Rock Stockpiles	14
5.3	Material Parameters for Stockpile Foundations	15
5.3.1	Precambrian Granite	16
5.3.2	Monzonite	16
5.3.3	Gila Conglomerate	16
5.3.4	Quaternary Alluvium	16
5.4	Hydrogeologic Conditions	18
5.4.1	Stockpile Moisture Conditions	18
5.4.2	Perched Alluvial and Regional Bedrock Groundwater Conditions	19
5.5	Seismic Coefficient	19
6.0	STABILITY ANALYSIS METHOD	21
6.1	Selection of Critical Cross Sections	21
6.2	Loading Conditions	22
6.3	Evaluation of Liquefaction Potential	22
7.0	STABILITY ANALYSIS RESULTS	22
7.1	1A, 1B, and 1C Stockpiles	24
7.1.1	1A Leach Stockpile	24
7.1.2	1B Leach Stockpile	25
7.1.3	1C Waste Stockpile	25
7.2	2A and 2B Stockpiles	26
7.2.1	2A Leach Stockpile	27
7.2.2	2B Waste Stockpile	27
7.3	3A and 3B Stockpiles	27
7.3.1	3A Leach Stockpile	28
7.3.2	3B Waste Stockpile	28
7.4	2C, 4C, and 7B Stockpiles	29
7.4.1	2C Leach Stockpile	29
7.4.2	4C Leach Stockpile	29

7.4.3	7B Waste Stockpile	30
7.5	3C (5A) and 5B (5A) Stockpile	30
7.5.1	5A (3C) Waste Stockpile North	30
7.5.2	5B Waste Stockpile	31
7.6	6B and 6C Stockpiles	32
7.6.1	6B Leach Stockpile	32
7.6.2	6C Leach Stockpile	32
7.7	7A Stockpiles.....	33
7.7.1	7A East Waste Stockpile.....	33
7.7.2	7A West Waste Stockpile.....	33
7.7.3	7A Far West Waste Stockpile	34
7.8	9A and 9AX Stockpiles.....	34
7.8.1	9A Waste Stockpile	34
7.8.2	9AX Waste Stockpile	35
7.9	Little Rock In-Pit Stockpile	36
7.9.1	Little Rock In-pit Waste Stockpile	36
7.9.2	Little Rock North In-pit Waste Stockpile	36
7.10	South Rim In-Pit Stockpile (4A).....	37
7.11	San Salvador In-Pit Stockpile (4B).....	37
8.0	CONCLUSIONS	38
9.0	REFERENCES	39

TABLES

Table 1: Tyrone Mineral Assemblage Classifications.....	4
Table 2: Laboratory Shear Strength Test Results	11
Table 3: Summary of Material Parameters.....	13
Table 4: Correlation of SPT Blow Counts to Compactness and Friction Angle	17
Table 5: Stability Analysis Results Summary	23
Table 6: 1A, 1B and 1C Stability Analysis Summary.....	26

Table 7: 2A and 2B Stability Analysis Summary	27
Table 8: 3A and 3B Stability Analysis Results	29
Table 9: 2C, 4C and 7B Stability Analysis Summary	30
Table 10: 3C (5A) and 5B Stability Analysis Summary	32
Table 11: 6B and 6C Stability Analysis Summary	33
Table 12: 7A Stability Analysis Summary	34
Table 13: 9A and 9AX Stability Analysis Summary	35
Table 14: Little Rock In-Pit Stability Analysis Summary	36
Table 15: South Rim In-Pit Stability Analysis Summary	37
Table 16: San Salvador In-Pit Stability Analysis Summary	38

FIGURES

FIGURE 1	GEOLOGIC SITE MAP
FIGURE 2	STOCKPILE CRITICAL STABILITY SECTIONS (1 OF 5)
FIGURE 3	STOCKPILE CRITICAL STABILITY SECTIONS (2 OF 5)
FIGURE 4	STOCKPILE CRITICAL STABILITY SECTIONS (3 OF 5)
FIGURE 5	STOCKPILE CRITICAL STABILITY SECTIONS (4 OF 5)
FIGURE 6	STOCKPILE CRITICAL STABILITY SECTIONS (5 OF 5)
FIGURE 7	CRITICAL STABILITY SECTION PROFILES (1 OF 3)
FIGURE 8	CRITICAL STABILITY SECTION PROFILES (2 OF 3)
FIGURE 9	CRITICAL STABILITY SECTION PROFILES (3 OF 3)

APPENDICES

APPENDIX I - 2005 Interim Report

APPENDIX II – 2005 Compositional Model

APPENDIX III - Previously Unreported Testing

APPENDIX IV - Laboratory Testing Summary

APPENDIX V - Liquefaction and Foundation Investigation Borehole Logs

APPENDIX VI - Stability Output

1.0 INTRODUCTION

New Mexico Environment Department (NMED) issued a Supplemental Discharge Permit for closure (DP-1341) to Freeport-McMoRan Tyrone Inc. (Tyrone) on April 8, 2003. Per DP-1341 Condition 78, Tyrone submitted a Work Plan for Supplemental Slope Stability Analyses dated December 12, 2003. Tyrone submitted a series of stability assessment memorandums during 2006 and 2007 that addressed the stability of the Tyrone stockpiles.

The purpose of this report is to update the previous stockpile stability assessments to specifically address the Copper Rule criteria. The Copper Rule states that:

At closure, tailing impoundment(s) not regulated by the office of the state engineer, leach stockpile(s) or waste rock stockpile(s) shall be constructed to promote the long-term stability of the structure. Closure of all critical structures at a copper mine facility shall be designed for a long-term static factor of safety of 1.5 or greater and non-critical structures shall be designed for a long-term static factor of safety of 1.3 or greater. The units being closed shall also be designed for a factor of safety of 1.1 or greater under pseudo-static analysis. A stability analysis shall be conducted for the unit and shall include evaluation for static and seismic induced liquefaction.

“Critical Structure” means earthen or rock structures or embankments (such as the outslope of a rock stockpile), that are likely to cause an exceedance of applicable groundwater standards or undue risk to property in the event of a significant unexpected slope movement

This report provides a comprehensive report of the stability of the reclaimed configurations of the Tyrone leach and waste rock stockpiles, including stockpiles not addressed by the previous memorandums. The stability assessment applies consistent criteria for all stockpiles and updates data applied during the 2006-2007 stability assessments where new information is available.

2.0 SUMMARY OF PREVIOUS WORK COMPLETED

New Mexico Environmental Department (NMED) issued a Supplemental Discharge Permit for Closure (DP-1341) dated April 8, 2003 to Phelps Dodge Tyrone Inc. (now Freeport-McMoRan Tyrone Inc. [Tyrone]) for the Tyrone Mine. To comply with the New Mexico Water Quality Act (WCA) and the New Mexico Water Quality Control Commission (WQCC) regulations, Tyrone was required to conduct scientific studies that address a number of conditions specified under Section III of DP-1341. A slope stability study commenced, and the results were submitted in the memorandums issued during 2006-2007. These memorandums addressed Condition 78. Condition 78 states:

Tyrone shall perform a supplemental stability study on the Waste Rock Piles and Leach Ore Stockpiles at the Tyrone Mine Facility. In accordance with the schedule approved under Condition 74, Tyrone shall submit to NMED for approval a work plan including an implementation schedule for the supplemental stability study to evaluate the long-term physical stability of Waste Rock Piles and Leach Ore Stockpiles after closure. The study shall evaluate and quantify changes in the engineering parameters resulting from the natural weathering process of the Waste Rock Pile and Leach Ore Stockpile materials that may ultimately affect long-term stability. At a minimum, the work plan shall propose methods and analyses to account for changes in chemical and physical properties of the stockpile materials from the time of deposition to present day and to a specified time during post-closure. The study shall include an evaluation of the recently reported data for materials interior to the stockpiles and whether additional data collection is warranted to evaluate long-term stability.

A Work Plan for Supplemental Slope Stability Analyses dated December 12, 2003 was submitted which was intended to address the supplemental stability requirements of Condition 78. The Work Plan had four primary objectives.

- Further characterize the internal composition, structure, chemical and physical state and engineering parameters of the leach ore stockpiles and waste stockpiles.
- Further characterize the geological and engineering parameters of the foundation materials of the leach stockpiles and waste stockpiles.
- Quantify the effects of chemical weathering/cementation on the engineering parameters of the stockpile materials with respect to long-term slope stability.
- Re-evaluate the stability of the stockpiles based on the more detailed geologic/geotechnical model and engineering parameters.

The following sections summarize the various investigations and studies that have been completed to address Condition 78. These included a number of memorandums that addressed the stability of individual stockpile facilities that were included as appendices to the construction design quality assurance plans (CDQAP) for the reclamation designs of those facilities as discussed in Section 2.6.

Several stockpile characterization programs and slope stability assessments of the waste rock piles and leach stockpiles at the Tyrone mine have been completed per Condition 78. Much of the information collected from those studies was summarized in the Interim Report for DP-1341, Condition 78 (Golder, 2005) which is included in Appendix I of this report. The drill hole and test pit locations are provided on the Figures 2 through 5. The previous stockpile assessment activities are summarized in the following sections. In 2019, Tyrone performed an additional test pit investigation at the 9A/9AX stockpile. This investigation is summarized in Section 2.7.

2.1 Closure/Closeout Plan Addendum

Golder completed a slope stability analysis of stockpiles at the Tyrone Mine and reported the results of those analyses in a report titled; Closure/Closeout Plan Addendum, Slope Stability Analysis, Phelps Dodge Tyrone Inc. dated February 24, 2000. The Closure/Closeout Plan Addendum study provided a description of the existing site conditions, stockpile descriptions, characterization of stockpile materials, determination of mechanical properties of the stockpile materials, and assessment of the stability of the stockpile slopes in terms of a factor of safety.

The stockpile materials that were characterized during this study were obtained from 14 surface excavations that were typically 15 feet deep. The test pit locations are shown on Figures 2 through 5 (GTP series). The percentage of oversized (>3 inch) rock fragments in each test pit was estimated visually. The stockpile soils (minus 3-inch fraction) at each site were logged according to ASTM (D2488) standards. Point load tests were performed on oversize rock fragments to quantify the strength of the cobbles. Approximately 10 point-load tests were performed for each test pit. Nuclear gauge moisture and density measurements were obtained from each test pit to develop stockpile density values. Bulk samples were collected from seven of the test pits and were subjected to grain size analyses and Atterberg limits testing. Two samples were also selected for triaxial shear testing. Staged triaxial shear testing was performed in a four-inch diameter triaxial cell, scalped of fragments larger than $\frac{3}{4}$ inch, under consolidated, undrained conditions with pore pressure measurements to allow the determination of both the drained and undrained shear strength parameters.

2.2 Characterization of Re-Mined Stockpiles

During closure hearings with the State of New Mexico, Tyrone received comments concerning the lack of geotechnical characterization of the interior portions of the stockpiles. The comments addressed the impact that leaching by low pH process solutions and long-term weathering may have on the long-term shear strength and, consequently, the long-term stability of the stockpiles and that the interior portions of the stockpiles may be more impacted by leaching and weathering than the surface. To address these comments, Golder conducted a field investigation during October 2001 to augment the previous stockpile characterization study.

Tyrone identified several stockpiles that had been partially re-mined, exposing the interiors. This work was reported previously in an Interim Report (Golder, 2005) which is included as Appendix I of this current report. Golder collected samples and classified the stockpile soils at 12 sites. Sample locations are shown on the figures (TYTP01 series). The percentage of oversize material (plus 3-inch fraction) was estimated visually and the visual estimates were verified or adjusted using scaled photographic images. The stockpile soils (minus 3-inch fraction) at each site were logged according to ASTM (D2488) standards.

Soil samples collected from each site were subjected to sieve analysis (ASTM C117/C136), and Atterberg Limits determination (ASTM D-4318). Extended grain size curves were prepared by combining the laboratory grain size curves with the visual estimates of the gradation of the oversize fraction. Four staged, consolidated, undrained triaxial shear tests were performed using a four-inch diameter triaxial cell with the soil scalped of fragments larger than $\frac{3}{4}$ inch.

During 2004, Tyrone re-mined a portion of the 1C Stockpile exposing the interior portions of this stockpile. Golder performed a site investigation to characterize the interior portions of the 1C stockpile in September 2004. The characterization was completed in the same manner as the October 2001 program. Soil samples were collected from eight locations in the interior of the 1C Stockpile. The locations are shown on Figure 2 (GA04-TY series). The samples were subjected to sieve analysis (ASTM C117/C136), hydrometer analysis (ASTM D422) and Atterberg Limits determination (ASTM D-4318). Large-scale (6-inch shear box) direct shear tests were performed under saturated conditions. The direct shear test samples were scalped of fragments larger than one-inch.

Observations of the stockpile interiors showed that the internal layering on dump faces varied in orientation on each successive, approximately 50-foot lift so that there is not continuous slope-parallel layering over the entire slope height.

2.3 2004 Rotosonic Stockpile Drilling Program

A rotosonic drilling program was completed during the fall of 2004. The locations of the drill holes are provided on Figures 2 through 5. Boreholes TSGT-1 through TSGT-3 were terminated within the stockpile. Borehole TSGT-4 extended approximately 15 feet into the foundation soils.

The drill holes were logged for geologic and geotechnical information and samples were collected for laboratory testing. Geotechnical and geological logs and laboratory testing results were provided in the 2005 Interim Report (Appendix I). Estimates of the moisture content were made but do not reflect in situ conditions because the samples were stored for seven months prior to geotechnical logging. The core recovery and percentage of fragments greater than 3-inches were also recorded. The estimates of the oversize fraction from the rotosonic core are considered less representative than from the test pits because of the relatively small diameter of the core.

After completion of each roto sonic core hole, a down-hole geophysical survey was performed. Geophysical logging included:

- Cased Density Log
- Natural Gamma Ray Spectrometry Tool
- Epithermal Neutron Log

The results of the geophysical logging were reported in Greystone, 2004.

2.4 2005 1A Stockpile Rotosonic Drilling Program

During September 2005, Tyrone undertook a roto sonic drilling program of the 1A Stockpile to verify the condition prior to re-mining the slopes back to reclamation slope angles. Five roto sonic drill holes (S1A-1 through S1A-5 [referred to as T-1 through T-5 in the laboratory test results]) were completed to depths of 110 to 200 feet. Borehole locations are shown on the figures. A Golder engineer was present during drilling of roto sonic holes S1A-3 through S1A-5 to complete geotechnical logging and sampling of those holes. Hole S1A-3 penetrated through the base of the stockpile into the underlying Gila Conglomerate and encountered two feet of organic soil. The geotechnical logs are provided in Appendix B.3 of the Interim Report (Appendix I). Geologic logs prepared by Tyrone are provided in Appendix B.4. Nineteen samples were collected and subjected to sieve analysis (ASTM C117/C136), hydrometer analysis (ASTM D422) and Atterberg Limits determination (ASTM D-4318). The laboratory test results are provided in Appendix C.5 of the Interim Report (Appendix I) and are summarized in Table IV-1 of Appendix IV.

2.5 Materials Characterization Studies

EnviroGroup (2005) summarized materials characterization studies completed on the leached ore and waste rock stockpiles at the Tyrone mine to fulfil the requirements of the Condition 80 of DP-1341.

Golder reviewed stockpile cross sections prepared by EnviroGroup (formally Greystone) from historical mine maps to determine the year that various stockpiles were placed, and the mineral assemblages placed in the stockpiles. An abbreviated compilation of the compositional model cross sections is provided in Appendix II. Cross sections that have been included in Appendix II were selected to show the test pit and borehole locations which have been projected into the cross sections. The complete compositional model cross-sections were provided in EnviroGroup (2005). We have not use updated compositional models for this stability update as the drilling and sampling occurred on the older stockpile surfaces. The compositional models are based on a mineral assemblage (MA) classification system applied by Tyrone geologists that is summarized in Table 1.

Table 1: Tyrone Mineral Assemblage Classifications

Mineral Assemblage	Description
MA-0	Gila Conglomerate
MA-1	Leach Capping
MA-2	Oxide Copper

Mineral Assemblage	Description
MA-3	Mixed Oxide and Chalcocite
MA-4	Chalcocite and Pyrite
MA-5	Mixed Chalcocite and Chalcopyrite
MA-6	Chalcopyrite and Pyrite
MA-7	Mixed Oxide and Chalcopyrite
MA-8	Native Copper and Cuprite

Table IV-1 in Appendix IV summarizes the sample locations, the age, and depth in the stockpiles. A characterization of mineral assemblage type in each stockpile was provided in Appendix E of the Preliminary Materials Characterization Report (DBS&A, 1997a) and the Supplemental Materials Characterization Report (DBS&A, 1997b). Those reports also include pit development maps, plan view stockpile distribution maps, and stockpile development cross sections. This information was used for determination of the placement history of each stockpile.

The materials near the base of the 1A Stockpile have been subjected to leaching for the longest duration of any of the stockpiles at Tyrone.

2.6 2006 Stability Memorandums

Golder prepared a number of stockpile stability reports in 2006 and 2007 for the stockpiles at Tyrone to provide an assessment of the stability of the stockpiles for the CDQAPs for stockpile reclamation and to address supplemental stability analyses requirements of Condition 78 of DP-1341.

Reports prepared included:

- No. 1 Stockpile
- No. 1C Stockpile and 7A Waste Stability Analysis, dated May 4, 2006
- No. 1A and 1B Stockpiles Stability Analyses, dated July 14, 2006
- No. 2A – 2B Stockpile Stability Analysis, dated April 6, 2007
- No. 3A Stockpile Stability Analysis, dated April 6, 2007
- 4C Stockpile Stability Analysis, dated May 11, 2007
- 3C and 5A Waste Stockpiles Stability Analyses, dated May 11, 2007
- Stability of Interior and In-Pit Stockpiles (1A-1B, 2B, 2C, 5A, 3B, 7B, 8C), dated May 11, 2007
- Addendum to the No. 1A and 1B Stockpile Stability Analysis, dated September 15, 2008

In addition to these reports, several State comment letters and response to comments letters were issued including:

- Response to NMED Comments Dated May 11, 2007, Conditional Approval, No. 3A Stability Analysis, dated June 18, 2007
- Response to NMED Comments Dated May 11, 2007 Conditional Approval No, 2A-2B Stockpile Stability Analysis, dated June 18, 2007

2.7 9A/9AX Test Pit Investigation

Placement of waste rock at the 9A/9AX stockpiles began after completion of the previous stockpile stability analyses. Two test pits were completed in December 2018 at the 9A and 9AX stockpiles to support this 2019 CCP update. Samples were analyzed for grain size, Atterberg limits, and a direct shear test was completed on a composite sample from the two test pits. The laboratory test results are provided in Appendix III. The sample locations are shown on Figure 5.

3.0 SITE CONDITIONS

3.1 Stockpile Descriptions

The current mode of open pit mining began in 1967 and waste rock stockpile placement began at that time. The Tyrone Stockpiles are generally situated near and within the Main, Gettysburg, Valencia, Little Rock, and other mine pits. The No. 1 Stockpile is located approximately one-mile east of the open pit. Reclamation of that stockpile is complete, and the stability is not addressed in this report. The stockpile crest elevations of the mine area stockpiles are generally between 6,200 and 6,700 feet and the stockpiles range in height between 350 to 600 feet from crest to toe. Stockpiles were placed at angle-of-repose with occasional set-backs resulting in overall slopes typically between 30° and 35°. The stockpiles were generally constructed by end dumping the materials in 30 to 50-foot lifts from the bottom up.

Limited leaching operations began in 1972, coincident with the opening of the precipitation plant. Mine-wide leaching operations began in 1984 after the commissioning of the solution extraction electrowinning (SX-EW) plant.

The following stockpiles which are designated on Figure 1, comprise the Tyrone Stockpile system addressed in this report. For naming consistency, the previous study stockpile names are listed below, and their current name is in parenthesis. A table has also been added to the Tyrone Closure/Closeout Plan to reconcile the names.

- 1A, 1B Leach, and 1C Waste
- 2A and 2C Leach and 2B Waste
- 3A Leach and 3B Waste
- 3C (5A) Waste
- 4C Leach
- 5B Waste (5A)
- 6B and 6C Leach

- No. 7A Waste (7A East, 7A West, and 7A Far West)
- No. 7B Leach
- No. 9A and 9AX
- Little Rock In-Pit Waste Stockpile
- Little Rock North In-Pit Waste Stockpile
- 4A (South Rim In-Pit)
- 4B (San Salvador In-Pit)

Cross sections from the compositional model (Appendix II) located near drill hole and other sampling points are included in Appendix II.

Figures 1 through 6 illustrate the existing topography with the planned final reclamation grading of the stockpiles, overlain on the bedrock geology map. Cross sections on Figures 7 through 9 show the final reclaimed ground surfaces with the original ground surface and underlying geology.

3.2 Climate

The Tyrone Mine area is in a semi-arid region with elevations ranging from about 5,800 to 6,300 feet above mean sea level (amsl). The climate is warm and dry with mean annual precipitation of about 16 inches and a mean annual temperature near 50° F (Golder, 2007g). Precipitation falls mainly as rain, but snow may occur from November to March. Most precipitation falls during monsoon period from July through October in the form of short intense thunderstorms. About 60% of the precipitation falls during the monsoon. Annual evaporation greatly exceeds annual precipitation.

3.3 Geology

The geologic base map shown on Figures 1 through 6 was prepared by Golder (2007g) from a variety of sources that are listed on Figure 1. The mining district is in the northwest-striking Burro Mountain uplift. The mineralization is in and around the Quartz Monzonite of Tyrone (Tqm) stock, a 53 to 57 million-year-old Paleocene quartz monzonite porphyry (DuHamel et al., 1995) emplaced into the Precambrian Burro Mountain Granite (pCg). Paleozoic strata that are present north and east of Silver City and Cretaceous units present elsewhere in the Burro Mountains are not present in the Tyrone Mine area. Miocene-Pliocene-Pleistocene fan, sheet flood deposits, and older fan deposits (Qfo/Qtg), which includes the Gila Conglomerate (also referred to locally as the Mangas Conglomerate) are in direct contact with the crystalline basement rocks.

3.3.1 Lithology

The distribution of the lithologic units is shown on Figure 1. The bedrock units that are present below the Tyrone stockpiles include the Precambrian-age Burro Mountain Granite, containing dikes of quartz monzonite, rhyolite and diabase. The Burro Mountain Granite is described by Paige (1922) as a light-gray, medium grained, granular granite containing 20-40% perthitic microcline, 30-50% sodic oligoclase, 30-38% quartz and 2% biotite.

The Burro Mountain Granite is intruded by the Paleocene Quartz Monzonite of Tyrone. The quartz monzonite is a very light gray to pinkish-gray, medium-grained, granular rock containing 15% orthoclase, 60% oligoclase 20% quartz 4% biotite. The quartz monzonite is locally porphyritic.

The Pliocene-Pleistocene Gila Conglomerate (Qfo/QTg) is present around the margins of the crystalline basement exposed in the Burro Mountain uplift. The Gila Conglomerate is a well-consolidated basin fill and fan deposit ranging from sand to conglomerate. It is often cemented by caliche. Where exposed in the east wall of the main pit it forms steep bench slopes and maintains stable 50° slope angles.

The Mangas Conglomerate and Gila Conglomerate have been used interchangeably by various workers. Over most of the mine area where these units occur, Tyrone identifies the Upper and Lower Mangas units and assigns them a late Tertiary to Quaternary age. Hedlund identified Gila Conglomerate only in localized exposures northeast of the mine area, while he mapped the majority of the cemented alluvium and conglomerate in and adjacent to the mine area as older conglomerate deposits (Qfo), Hedlund reports the Qfo as being derived from the underlying Gila Conglomerate. Where Hedlund mapped Qfo, others have mapped the Upper and Lower Mangas Conglomerate.

Griffin (2001) described the Lower Mangas as sediments eroded from the Big Burro Mountains and Silver City Range that were deposited in a graben system during the late Neogene. The Upper Mangas fan deposits were formed upon reactivation of basin and range faults which bisected the older graben forming the Mangas half-graben as described by Griffin.

Younger alluvium (Qa) is present along alluvial valleys in Brick Kiln Wash, Oak Grove Wash, Niagara Wash, and Mangas Wash and their tributaries. The alluvium is typically a relatively loose to compact sand to clayey sand. Local occurrences of Quaternary Fan (Qf) and Talus (Qt) are included in the Qa unit.

3.3.2 Structure

The main fault systems in the Tyrone Mine area trend northwest and northeast and are shown on Figure 1. The main northwest trending faults include the Mangas and Townsite Faults. Northeast trending faults include the West Main, Gettysburg Entry, Crusher, and San Salvador Faults. The northwest trending Mangas Fault is southwest dipping normal fault that has preserved a wedge of the Gila Conglomerate in the down-dropped block, being thickest at the fault and thinning to the southwest.

3.3.3 Alteration

Porphyry copper mineralization is related to the intrusion of the quartz monzonite with phyllic, propylitic, and argillic primary alteration zoned around the intrusion. The primary alteration is overprinted by supergene alteration and secondary copper enrichment.

Sericite is the most abundant hydrothermal alteration product, Intensive kaolinization appears to have obliterated hypogene clay minerals in the higher levels of the ore body. Propylitic alteration has been observed at the periphery of the deposit in the Gettysburg area. Argillization occurs in the southeast corner of the Racket area but appears localized. Silicification is prevalent in the granite -quartz monzonite contact zone. A zone of clay may be present at the base of the enrichment zone (Kolessar, 1982). The crystalline bedrock units are generally competent, brittle rock units

4.0 TEST DATA

4.1 Field Testing Data

Point load testing was performed on stockpile rock fragments during the test pit program carried out for the 2000 Closure/Closeout Addendum and the results were contained in Appendix B.2 of that report (Golder, 2000). Approximately 10 tests were performed at each of the 14 test pits. The point load index was multiplied by a

typical conversion factor of 24 (ASTM, 2016) to estimate the uniaxial compressive strength (UCS). The averaged values from each test pit ranged from a UCS of 4,621 pounds per square inch (psi) corresponding to a medium strong rock according to the International Society for Rock Mechanics (ISRM, 1985) to 22,481 psi which corresponds to a very strong rock.

Field nuclear density testing was also performed during the 2000 program. Three tests were completed at each test pit and the density values for test pits completed on each stockpile were average. The average moist density ranged from 123.4 pounds per cubic foot (pcf) to 133.8 pcf and moisture contents ranged from 4.4% to 6.7%.

4.2 Laboratory Testing Data

The laboratory testing data collected from the previous stockpile stability assessments as well as the 2018 9AX test pit program, are compiled on Table IV-1 in Appendix IV.

4.2.1 Grain Size

Grain size data is available from a total of 81 stockpile samples that have been collected during the various stockpile stability assessments described in Section 2.0. These include 18 waste rock samples and 63 leached ore samples. Hydrometer analyses were completed for 60 of the samples providing size gradation data for the fines fraction (<0.075 mm) to 1.4 microns.

Figures IV-1 and IV-2 in Appendix IV plot the grain size distribution for leach and waste stockpile material respectively. The curves on the figures are for reference to compare the gradation of the leach and waste materials. The leach material has a larger percentage of test results above the reference line indicating the leach material is generally finer grained than the waste material. Although, the waste material generally falls within the size gradation range of the leach material.

Figures IV-3 and IV-4, in Appendix IV, plot the variations in the percent fines (<0.075 mm) and percent sand plus fines (<9.5 mm) respectively as a function of depth. Leach and waste materials are distinguished by different symbols. Linear trend lines are included. The results show no recognizable systematic trend in the grain size with the depth in the heap. Depth in the heap is also a relative measure of the time since placement.

4.2.1.1 Extended Grain Size Curves

The distribution of the various-sized particles plays a significant role in determining the physical properties of stockpiles. The strength of a soil with oversized particles may be characterized by the strength of the matrix material if the oversized particles are in a floating state. Conversely, the strength of the soil may be characterized by the properties of the oversized material if there is sufficient oversized particle to particle contact. The strength properties of a soil having less than 40% oversized material are controlled primarily by the soil matrix and that the strength properties of a soil with more than 65% oversized material is controlled primarily by the properties of the oversized material. The strength properties of soils having between 40% and 65% oversized material are influenced by both the soil matrix and the oversized material (Fragaszy, et al. 1992).

For the purposes of assessing the strength of a rockfill material and the influence of the oversize fraction, the oversize fraction is defined as the size larger than that included in laboratory testing apparatus. Triaxial testing was performed on materials finer than $\frac{3}{4}$ inch. The large-scale direct shear tests were performed on the minus 1-inch fraction. The percentages of the fragments larger than 3-inches (cobbles and boulders) were visually estimated from test pits completed in the re-mined leach stockpiles that were mapped in 2001 and the 1C Waste

Stockpile in 2004. The logs from the mapping are included in Appendix A-2 and A-3 of the Interim Report included as Appendix I of the current report.

Extended grain size curves were prepared that shift the laboratory plots and include the greater than 3-inch fraction. The extended grain size curves for the leach ore and waste material are provided in Figures IV-5 and IV-6, respectively, in Appendix IV. Strength tests on leach ore samples were done entirely using the triaxial cell. Four out of five of the strength tests performed on the waste material were done in the shear box. Therefore, oversize fraction for leach ore is $>3/4$ inch and for waste rock it is >1 inch. Estimates of the oversize fraction for the sonic boreholes are considered less reliable because of the relatively small diameter of the sonic core compared to the grain size of the stockpile and were not included in the extended grain size plots.

The oversize fraction was estimated to generally fall in the transitional range with 40% to 65% larger than the matrix size, i.e. $<3/4$ inch or <1 inch for the leach ore and waste rock material. Therefore, the laboratory shear strength tests results from of the stockpile matrix is considered to underestimate the actual stockpile shear strength.

4.2.2 Atterberg Limits

Atterberg limits testing was performed on all 81 of the stockpile samples. Atterberg limits testing is performed on the <0.425 mm size fraction and is used to assess the plasticity of the soil. More plastic soils are composed of higher percentage of clay minerals and/or more active clay minerals. Clay minerals adsorb water into their mineral structure and more active clays (e.g. montmorillonite) can adsorb more water than less active clays (e.g. kaolinite). Soils with higher percentages of clay or active clays tend to have lower shear strengths.

The average plasticity index (PI) of the leach material is 13 with a standard deviation of 4, indicating fairly consistent PI values. Waste materials have a slightly higher average plasticity index value of 16 with a standard deviation of 2. These results suggest that leaching stockpiles has not caused the formation of clay or more active clay minerals which might cause an associated reduction in the shear strength.

Figure IV-7 in Appendix IV shows the variability of the PI as a function of depth (age). No recognizable systematic trend in the PI with depth in the stockpiles is evident.

The activity of a clay mineral is taken as the PI divided by the percentage of the clay size fraction (i.e. <2 micron). Activity has been used for engineering property correlations especially for inactive and active clays. Higher activities are indicative of more active clay minerals.

Figure IV-8 plots the clay activity with respect to depth with different symbols used for leach and waste samples. There is no tendency for higher activities for leach materials or with increase in depth (age) of the stockpile material, also suggesting that leaching or weathering in acid conditions does not lead to formation of more active clay minerals that might lead to a reduction in the shear strength of the stockpile materials.

4.2.3 Shear Strength

A total of 11 laboratory shear strength tests have been completed during the course of the various stockpile assessments. As discussed previously, seven tests were completed in a four-inch diameter triaxial cell and four were done in a 6-inch shear box. Six strength tests were completed on leach ore material and five strength tests were done on waste material. Each test method has advantages and disadvantages. The direct shear tests can accommodate larger size fragments and can be carried out to larger displacements. The triaxial tests better model higher confinement stresses. All six tests on leach ore material were triaxial tests. Four of the five tests on

waste rock were direct shear tests. The shear strength test results are provided in Table 2 below. The Mohr-Coulomb (M-C) parameters friction angle (ϕ) and, cohesion (c) for the triaxial tests are reported at 5% strain. The direct shear test results reported in Table 2 are residual, large displacement, results. The laboratory reports from SGI (Appendix D-3 of the Interim Report included as Appendix I of this report) do not specify the amount of displacement that occurred at the reported residual strength, although the Golder direct shear test laboratory reports in Appendix III were run to a 20% strain and the SGI tests were likely run to that amount of displacement as well. The tested samples do not exhibit brittle behavior and the large-strain residual strengths are close to the peak strength.

Triaxial tests were performed in a 4-inch diameter cell on remolded samples that were scalped of material larger than $\frac{3}{4}$ inch. Samples were remolded to a dry density of generally between 120 and 125 pcf. Triaxial tests were performed under consolidated, undrained conditions with pore pressure measurements at confining loads of 25 to 100 psi simulating failure surface depths of 27 to 110 feet.

The direct shear tests were performed on remolded samples that were scalped of material larger than 1-inch. The material was nominally compacted and tested under inundated conditions and were allowed to consolidate at each normal load. Tests were done at normal loads of 40, 100, and 300 psi simulating failure surface depths of approximately 45 to 325 feet.

The direct shear test results from primarily waste rock samples shows considerable curvilinear strength envelop shape and were performed to a higher confining load compared to the triaxial tests. Therefore, the resulting linear M-C fit to the curvilinear envelopes for waste rock samples has lower ϕ angles and higher c values than the triaxial test results performed on leach ore samples.

Table 2: Laboratory Shear Strength Test Results

Sample Number	Stockpile	Year Placed	Depth (ft)	Soil Classification	Method	Effective Friction Angle (ϕ°)	Effective Cohesion (c [psi])
GTP-03/02	5A (3C) Waste	1998	10	SC	Triaxial	34.6	5.8
GTP-06/03	2A Leach	1998	10	GP-GC	Triaxial	32.8	8.3
TYTP1-2	Copper Mtn. Leach	1978	400	GW-GC	Triaxial	36.2	0.6
TYTP1-4	Copper Mtn. Leach	1986	100	GC	Triaxial	35.5	0.4
TYTP1-7	Savanna Leach	1989	300	SC	Triaxial	36.9	0.6
TYTP1-9	Gettysburg Leach	1967	40	GC	Triaxial	34.1	2.2
TSGT-4	2A Leach	1973	265	SM	Triaxial	38.4	0
GA04-TY-1	1C Waste	1998	50	GC	DS	31.0	10.4
GA04-TY-5	1C Waste	1978	250	GC	DS	32.0	11.8
GA04-TY-8	1C Waste	1978	150	GC	DS	29.0	8.8

Sample Number	Stockpile	Year Placed	Depth (ft)	Soil Classification	Method	Effective Friction Angle (ϕ°)	Effective Cohesion (c [psi])
TY18-01/02	9A/9AX Waste	2017	10	GW-GC	DS	28.1	20.5
Average Leach Material						35.65	2.02
Average Waste Material						30.9	11.5

4.3 Summary of the Impacts of Weathering

Condition 78 required an evaluation of the changes in the stockpile strength parameters and long-term stability resulting from the natural weathering processes. Key attributes that can affect the strength of stockpile materials include the gradation, durability (i.e. resistance to degradation over time), strength of rock fragments, fines content, clay content, and density (Hawley and Cuning, 2017). A well-graded soil gradation improves stockpile shear strength. The strength, angularity and durability of the rock fragments also tends to increase the shear strength. High fines and clay content tends to reduce rockfill strength. Potential causes of reductions in the shear strength over time due to weathering include weakening of inter-mineral bonds resulting in the physical breakdown of rock fragments and reduction of the oversize fraction, increase in the clay content or formation of more active clay minerals, and increase in the fines fraction. Potential causes of increases in the shear strength of stockpiles over time include settlement and increase in the density and cementation.

The assessment of the long-term impacts of chemical weathering were addressed by the Supplemental Materials Characterization study prepared by EnviroGroup (2005). The effects of stockpile weathering and leaching were investigated by examination of the material characteristic trends as a function of age, roughly translated as depth in the stockpiles. Trends in pH, acid-base potential, pyritic fraction, sulphate fraction, and meteoritic water mobility procedure extract parameters; acidity, Al, Cu, Fe, and SO₄ were plotted as functions of stockpile age. The pyritic sulfur fraction diminished with age of the stockpile material indicating that pyrite is reacting in the stockpiles and is being depleted as they age. No other distinct trends in these parameters could be discerned as a function of age.

X-ray diffraction studies by Envirogroup showed there is a weak trend for muscovite and kaolinite to increase as feldspar decreases and the abundance of these minerals appears to be controlled by the degree of hydrothermal alteration that occurred during the time of mineralization rather due to changes after placement in the stockpile. Muscovite (illite) is formed under conditions of hydrothermal alteration and is not a product of stockpile weathering and leaching. Kaolinite can form under weathering conditions, but the downhole trends seen in the boreholes did not appear to be related to progressive weathering of the stockpile materials.

The depth trends with respect to amorphous clay, goethite, jarosite and pyrite were also evaluated by EnviroGroup. The amorphous clay in the stockpile samples was compared to the age (depth) and there was no evidence for a correlation of amorphous clay abundance with pyrite or jarosite content. Furthermore, the amorphous clay content in the waste rock stockpile samples range as high as those found in the leach ore stockpiles. This suggests that acidic conditions and leaching reactions are not resulting in the breakdown of the rock to amorphous clay components.

Golder evaluated the impacts of weathering on the physical parameters of the stockpile materials by evaluating the trends in the grain size, Atterberg limits, and shear strength as functions of depth in the stockpiles. The results presented in this section and the figures in Appendix IV indicate that there is no clear relationship between the fines content, PI, clay activity, or other factors potentially attributable to weathering that might negatively influence the stockpile shear strength with the age or leach history of the stockpiles. The results also do not indicate significant formation of clay minerals, formation of more plastic fines, or more active clay minerals with time or leach history.

The gradation curves in Figures IV-1 and IV-2 in Appendix IV show the leach stockpiles to be more fine-grained which may be the result of chemical weathering resulting in a breakdown in the rock fragment size. However, EnviroGroup have also noted that the finer grained nature of the leach ore compared to the waste rock may result from different blasting parameters that increase fragmentation to enhance ore recovery. Similar studies completed at the Chino mine stockpiles (Golder, 2008b) noted some tendency for the stockpiles to become finer grained with depth and this was attributed to particle crushing, downward migration of fines, and/or chemical weathering in the older (deeper) parts of the stockpiles. However, this tendency is not apparent from the Tyrone data. The Stockpiles at Tyrone are relatively young compared to the Chino stockpiles and the trends may not be as apparent.

Golder has concluded that the soil matrix fraction of leached material or material weathered for long periods of time remains similar in character to the matrix fraction of the less weathered material but may become higher in proportion due to the physical breakdown of the rock fragments. The fact that the PI and clay activity values are indistinguishable for leached and unleached material and for material that has been placed in the stockpiles for longer and shorter periods of time suggest that the process of weathering does not lead to the formation of additional clay fraction or more active clay minerals.

Both the waste rock and leach ore stockpiles have historically been stable and no significant stockpile failures have occurred to our knowledge. We are also not aware of the occurrence of instability developing in stockpiles at any of the porphyry copper mines in the southwest USA after long periods due to weathering and reduction in the shear strength over time.

5.0 DEVELOPMENT OF MODEL PARAMETERS

5.1 Summary of Material Parameters Applied in the Stability Analyses

Table 3 summarizes the material parameters applied in the stability analyses. The basis for the development of these parameters is described in the following sections.

Table 3: Summary of Material Parameters

Material	Strength Model	Moist Unit Weight (pcf)	Saturated Unit Weight (pcf)	ϕ (°)	c (psi)
Leached Ore	M-C	125	138	35.5	2.0
Waste Rock	M-C	125	138	30.9	11.5
Alluvium	M-C	125	138	29.0	0
Liquified Alluvium	M-C	125	138	8.0	0

Material	Strength Model	Moist Unit Weight (pcf)	Saturated Unit Weight (pcf)	ϕ (°)	c (psi)
Gila Conglomerate	M-C	125	138	35	6.94
Quartz Monzonite	M-C	160	160	43	669
Precambrian Granite	M-C	160	160	35	340

5.2 Material Parameters for Leach Ore and Waste Rock Stockpiles

The results of the laboratory testing and geotechnical logging indicate that the leach ore and waste stockpile materials generally classify as clayey gravels (GC) or clayey sand (SC) with occasional poorly graded gravel with clay and sand. The soil has a low to moderate plasticity with PI values generally between 10 and 20. The oversize fraction varies considerably, comprising 10% to 50% of the material. There is no recognized differentiation in the soil classifications, PI, or oversize fraction between the leached materials and waste rock.

Leps (1970) published the results of large-diameter triaxial testing, capable of including particles up to 8-inch diameter, on 15 different rockfill materials that represent a range of grain size distributions, particle strength, and density.

Leps identified a range of rockfill material strength envelopes depending on the density, gradation, shape, and intact strength of the particles and provided curvilinear envelopes representing Strong Rockfill, Average Rockfill, and Weak Rockfill. These curves are often applied to assist in the selection of rockfill strengths for the design of rockfill structures and stockpiles. The laboratory strength test data from the Tyrone stockpiles are plotted on normal stress versus shear strength plots on Figures IV-10 and IV-11 in Appendix IV for leach ore and waste rock respectively. These results are compared to curves for Weak, Average, and Strong rock fill provided by Leps (1970). The leach ore samples plot close to the average Lep's strength and the waste rock generally falls between weak and average Lep's strength.

The grain size distribution data and soil classifications for the stockpile samples show the material is generally well graded. The major components of the stockpiles are blasted, competent bedrock units that form strong angular fragments with limited fines content. The Gila Conglomerate, placed mainly on waste rock piles, has rounded fragments and higher fines content. The 5A Stockpile is primarily composed of Gila Conglomerate. Leaching and wetting of the leach ore stockpiles is expected to have induced settlement of the stockpiles and the leach ore stockpiles are likely in a more-dense state than the waste rock stockpiles. As discussed in Section 4.3, neither the waste rock or the leach ore stockpiles are predicted to develop higher clay contents or generate more active clay minerals that would cause a reduction in the shear strength over time due to long-term weathering. Therefore, it is reasonable that the waste rock stockpiles would have lower shear strengths compared to the leach ore stockpiles.

The laboratory-derived Mohr-Coulomb shear strengths of the stockpile samples range from $\phi = 29.0^\circ$ and $c = 8.8$ psi to $\phi = 38.4^\circ$ with $c = 0.0$ psi cohesion. The shear strength results were summarized in Table 2. The average Mohr-Coulomb strength parameters for leach ore are $\phi = 35.5^\circ$ and $c = 2.0$ psi. The average strength parameters for the waste rock are $\phi = 30.9^\circ$ and $c = 11.5$ psi.

Due to the limitation of particle size in the test apparatus (i.e., ¾-inch for triaxial cell and 1-inch for direct shear box) the impact of the larger size fragments is not included in the laboratory-derived shear strength estimates.

As discussed in Section 4.2.1.1, the boundaries provided on Figures IV-5 and IV-6 in Appendix IV between oversized controlled shear strength, matrix-controlled strength, and transitional behavior indicate the stockpiles are generally in the transitional region and the laboratory-derived shear strengths do not account for the influence the oversize fragments have on the shear strength of the stockpile materials.

Soil strengths assessed from the laboratory testing of remolded samples reflect the matrix strength without influence from the oversize fraction or from the in-situ cohesion resulting from cementation (e.g., gypsum precipitates). The shear strength values derived from the soil matrix are considered to reflect the fully weathered strength of the stockpile materials.

The use of effective stress (as opposed to total stress) strength parameters for stockpile materials is appropriate based on the unsaturated condition of the stockpiles and the granular nature of the stockpile materials. The average apparent cohesion, resulting from the linear best fit to the curvilinear strength envelope in the stress range under consideration has been applied. Cohesion due to cementation by sulphate and other minerals formed in the stockpile has been disregarded. The presence of sulphate minerals in the stockpiles derived from weathering after placement is documented in EnviroGroup (2005). The presence of cohesion from cementation is also evidenced by excavations into the re-mined 1C stockpile material (Golder, 2005) that stood at near vertical slope angles and remained stable for years. The application of a stockpile shear strength represented by the average of the laboratory strength tests completed on remolded samples i.e. without the cementation from sulphate minerals or the influence of oversize fraction provides a reasonable estimate of the long-term, weathered stockpile strength. These strengths fall within the general range of average to weak Lep's rockfill strengths showing the laboratory test results are in the expected range.

A M-C shear strength represented by an effective stress $\phi = 35.5^\circ$ and $c = 2.0$ psi, corresponding to the average of all triaxial and direct shear test results completed on leach ore samples has been applied for the weathered strength of the leach ore stockpiles.

The waste rock stockpiles are assigned a strength represented by an effective stress $\phi = 30.9^\circ$ and $c = 11.5$ psi corresponding to the average values from laboratory strength testing of waste stockpile samples.

Unit weight information collected and reported in the CCP Addendum (Golder, 2000) from nuclear density testing from stockpile surfaces was used as a basis for the selection of unit weight. The measured densities from the stockpile surfaces were likely affected by compaction by haul traffic but do not reflect compaction by burial in the stockpile. The range in variability of the test results from a stockpile are as variable as the results from all stockpiles and there is little basis to apply different values for different stockpiles. The design basis moist unit weight selected for the stockpiles is 125 pcf and the saturated unit weight is 138 pcf.

5.3 Material Parameters for Stockpile Foundations

Bedrock units underlying the Tyrone stockpiles are Precambrian Burro Mountain Granite and Paleocene Quartz Monzonite of Tyrone. Gila Conglomerate overlies the crystalline basement rocks along the east and north sides of the mine complex. There is no evidence that a weak interface is present at the base of the stockpiles. Alluvium is present in the Oak Grove, Brick Kiln, Niagara, Mangas, and Deadman Washes and their tributaries.

Two of the sonic boreholes (TSGT4, S1A-3) were interpreted to have penetrated the base of the 2A and 1A Leach stockpiles respectively. There was no evidence of a zone of clay soil or highly weathered weak interface at the base of the 2A stockpile, underlain by Precambrian Granite. A thin 2-foot zone of organic soil layer was encountered at the base of the 1A stockpile above the Gila Conglomerate. A triaxial test was taken from the interface zone at the base of the 2A stockpile that yielded a M-C strength of $\phi = 38.4^\circ$ and $c = 0$ psi, higher than the average strength of the stockpile materials. Therefore, a weak basal zone has not been included in the cross-sectional models of the stockpiles.

The following sections describe the data available and applied to the development of engineering parameters for the foundation units.

5.3.1 Precambrian Granite

Precambrian Granite underlies the foundation of stockpiles in the northern portion of the mine area (Figure 1). CNI (1982) used uniaxial compression and Brazilian disk tests to estimate the intact strength of mine area granitic rocks for pit slope stability studies. Minimum reported estimates for intact bedrock cohesion and internal friction angle are $c = 669$ psi and $\phi = 43.4^\circ$, respectively. Strength testing along fractures resulted in $\phi = 26^\circ$ to 28° and an apparent $c = 13$ psi to 16 psi. Applying the intact strength listed above, a fracture strength of $\phi = 26^\circ$ and 16 psi cohesion, and assuming that failure surfaces involve 50% intact material with the remainder following pre-existing fractures, CNI estimated a M-C strength of $\phi = 35.6^\circ$ and $c = 340$ psi for the Precambrian Granite. For the stockpile stability analyses, the strength of the Precambrian Granite bedrock has been assigned a M-C strength $\phi = 35.0^\circ$ and $c = 340$ psi.

Soils developed on the surface of the Precambrian Granite are shallow and gravelly.

5.3.2 Monzonite

CNI (1982) reported strengths for the Quartz Monzonite unit. The minimum reported M-C strength parameters are $\phi = 43^\circ$ and $c = 669$ psi and this value has been applied for the foundation strength.

Soils developed on the surface of the Quartz Monzonite are similarly shallow and gravelly.

5.3.3 Gila Conglomerate

CNI (1982) reported a peak shear strength of $\phi = 40.89^\circ$ from large-scale, direct shear testing of disturbed samples of Gila Conglomerate. MWH applied a strength of $\phi = 35$, $c = 6.94$ psi (1,000 pcf). We have applied the strength parameters applied by MWH and moist and saturated unit weights of 120 pcf and 133 pcf respectively to the QTg in the stability analyses.

5.3.4 Quaternary Alluvium

Golder tested two samples of alluvium recovered from the No. 3A Stockpile seepage collection area from Boreholes 11-9 and 10-4 using staged consolidated, undrained (CU) triaxial tests (Golder, 2007b). Triaxial test specimens were remolded to field-measured in-situ density and moisture content. Effective $\phi = 38.8^\circ$ and 37.5° were measured in staged CU triaxial tests. These were performed at confining pressures of 40 to 125 psi.

Several geotechnical drilling programs have been completed in the toe area of the stockpiles that yielded information on Quaternary alluvium including standard penetration testing (SPT) blow count data. These programs include:

- 1B Collection System Relocation

- 1C Toe Investigation, January 2005
- 3A Soil Boring Investigation for PLS Catchments in Canyons 7 through 11, July 2006

The soils encountered in areas designated as Alluvium were typically classified silty to gravelly sand or poorly graded sand and are generally less than 30 feet thick.

A standard correlation between corrected blow count values to the relative density and friction angle of sands is provided in Table 4 (Das, 1985).

Table 4: Correlation of SPT Blow Counts to Compactness and Friction Angle

Corrected Standard Penetration Number	Compactness	ϕ (°)
0 - 5	Very Loose	26 – 30
5 - 10	Loose	28 – 35
10 - 30	Compact	35 – 42
30 – 50	Dense	38 - 46
>50	Very Dense	38 – 46

The boring logs with measured SPT blow counts and tables with the corrected blow counts are included in Appendix V. Based on the corrected blow count results, the alluvium encountered generally classifies as compact to dense. Lower blow count values reported in the 1B stockpile toe area (Appendix V-1) were related to soft fill (i.e. sediment pond accumulations). As-built documentation shows that those soft fill deposits were removed and replaced with compacted fill. The corresponding ϕ angle for compact to dense cohesionless soils can be expected to range from 35° to 42° based on empirical values reported by Das (1985). However, these correlations are for clean sands and the presence of silts and fines will lower the shear strength.

For the analysis of the stability of stockpiles the alluvium has been assigned a Mohr-Coulomb strength of $\phi = 29^\circ$ and $c = 0$ which is considered conservative based on the results of the SPT testing and laboratory testing information.

Moist and saturated unit weights of 125 pcf and 138 pcf, respectively, have been assumed for the alluvium.

Where saturated alluvium is present below the toe of the stockpiles and available standard penetration test (SPT) blow count data yields factors of safety against liquefaction of less than approximately 1.3 (see Section 6.3), the stability of the stockpiles is evaluated applying liquified strength parameters to the zone of saturated alluvium. Vaid and Thomas (1994) found that the residual strength of loose clean sand samples subjected to extension tests ranged from 0.1 to 0.18 times the effective overburden stress (σ_{vo}). This is approximately equivalent to an internal friction angle of 5° to 11°. For the analysis of the stability with liquified alluvium, the zones of alluvium below the modelled seasonal average groundwater table (discussed in Section 5.4.2) were assigned an internal friction angle of 8° representative of a residual, post-liquefaction shear strength. The liquified stability analyses were performed applying pseudo-static loading conditions.

5.4 Hydrogeologic Conditions

5.4.1 Stockpile Moisture Conditions

Information regarding moisture conditions in the stockpiles at Tyrone is available from downhole geophysical logging in sonic drill holes completed in the 3A Leach, 6B and the 5A Waste Stockpiles, and gravimetric moisture content testing in the 1A Stockpile. Conditions within 3A, 5A, 6B, and 1A Stockpiles are considered to be indicative of conditions in waste rock and leached ore stockpiles in general.

The No. 3A Stockpile was under active leaching at the time of geophysical logging. Logging results (EnviroGroup, 2005a) from sonic borehole TSGT-1 indicate a volumetric moisture content between 3 and 19 percent (ft^3/ft^3), averaging approximately 12%. Applying a dry unit weight of 114 pcf, this represents an average gravimetric moisture content of 1.6 to 10 percent (lbs/lb), averaging approximately 6.6 percent. Applying a specific gravity of soil solids of 2.765 (the average from available laboratory testing), saturated conditions would occur at a gravimetric moisture content of 19 percent. Geophysical logging in drill hole TBGC-6 in the 6B Leach Stockpile indicated an average gravimetric moisture content of approximately 5 percent, applying the same criteria as described above, and ranged from 2 percent to 7.5 percent. The results from the 6B Leach Stockpile also indicate drained conditions. Although the dry unit weight applied in these conversions are assumed values, consideration of a range reasonable dry unit weights indicates that the measured moisture contents from geophysical logs are generally below saturation levels and generally unsaturated conditions are indicated, even while under leach.

Geophysical logging conducted in drill hole TSGT-3 in the 5A Waste Stockpile indicates a volumetric moisture content of 2 to 15 percent. These are approximately equivalent to gravimetric moisture contents of 1 to 7 percent and indicate that the waste stockpiles can be considered to be unsaturated.

Moisture content testing (ASTM D2216) of roto-sonic borehole samples collected in October 2005 and reported in Appendix C-5 of the Interim Report (Appendix I) from the No. 1A Leach Stockpile indicated gravimetric moisture contents ranging from 4.3 to 22.5 percent (a high clay content sample), averaging 10.1 percent. Stockpile material properties are expected to vary; however, unsaturated conditions are indicated within the leached ore stockpiles. The potential for saturation to occur will be lower under post-closure conditions when leaching is terminated and following placement of a soil cover and surface water controls.

Elevated groundwater levels and local groundwater mounds in the stockpiles that would impact stability are not expected because of the drainage capacity of the stockpiles. In particular, the ore stockpiles have previously been leached at rates that exceed 100-year storm rainfall amounts on a daily basis. Saturation and instability did not occur under these conditions. The potential for elevated groundwater levels will be further reduced upon cessation of leaching operations, cover placement, and implementation of surface water management. In the waste rock piles, surface water management measures instituted at reclamation will reduce long term infiltration rates and further reduce the potential for the development of saturated conditions that could impact stability.

These data and conclusions are consistent with EnviroGroup (2005) findings, which indicate that the stockpiles are drained, that moisture content correlates with the grain size of the materials, with sands and gravels having low moisture content and zones with higher clay content having higher retained moisture. Overall, the stockpiles are indicated to be unsaturated.

5.4.2 Perched Alluvial and Regional Bedrock Groundwater Conditions

Groundwater levels applied in the stability models are based on the quarterly sitewide groundwater models provided by Daniel B. Stevens and Associates (DBS&A, 2018). Models are developed for the perched water table present in the alluvium within the East Side Area (Oak Grove Wash) and Deadman Canyon and included in bi-annual reports. Contoured perched water level data is not available for the alluvium in the Mangas and Niagara Wash areas and the perched groundwater levels were determined from individual well data. Site-wide groundwater models are also provided by DBS&A for the deeper regional water table in the mine and stockpile area.

Monitoring well data are available in the east side area, the 3A area, and the Deadman Canyon Wash area from quarterly reporting for the period 2011 to 2018. These were used to define an “Average” (average over the period of record) and a “High” (the average positive deviation from the average water level for the wells in a given area) perched water table condition. The “High” water table condition applied in the liquefaction susceptibility analyses to identify zones where liquified strengths may be applied. The high perched water table levels are between 5.3 to 10.9 m above the average perched water table elevation.

Where water levels were measured in geotechnical boreholes and recorded on the drill logs (e.g. 1B Stockpile toe area), these levels were applied for the assessment of the liquefaction potential (Section 6.3). These measured water levels are significantly higher than the current water levels indicated in the quarterly monitoring.

There are a number of interceptor/barrier trenches in the alluvium that affect the perched groundwater levels. Perched models are not available in the 3A Stockpile area from the DBS&A quarterly monitoring reports.

The regional water table is in the basement below the stockpiles generally 200 to 500 feet below the stockpiles and is intercepted by the open pits.

5.5 Seismic Coefficient

Accepted geotechnical engineering practice indicates that certain types of embankments such as water retention dams and tailings dams must consider the potential impact of earthquakes on their stability. While there is less agreement among practitioners as to the impact of earthquakes on waste rock dumps and stockpiles, regulatory agencies in some jurisdictions require that earthquake ground motions be explicitly considered in the design of these facilities (Hawley and Cuning, 2017). For example, New Mexico Copper Rule specifies “a stability analysis be conducted for closure and the mine units being closed shall be designed for a factor of safety of 1.1 or greater under pseudo-static analysis and shall include evaluation for static and seismic induced liquefaction”.

A pseudo-static analysis requires selection of the seismic coefficient, which is estimated as a fraction of the horizontal peak ground acceleration (PGA) that the structure is expected to experience for a specified annual exceedance probability (AEP) or its inverse, return period. The PGA AEP value is developed through probabilistic seismic hazard analysis (PSHA). Based on the previous criteria applied for the stockpile stability assessments at Tyrone, an earthquake ground motion with a 2% probability of exceedance in 50 years (i.e., a 2,475-year return period) is applied for the stockpile stability assessment for closure conditions. The PGA at a site may be influenced by the type of soils overlying the bedrock. The stockpiles at Tyrone are predominantly underlain by competent crystalline bedrock (Burro Mountain Granite and Quartz Monzonite of Tyrone). However, the stockpiles located on the east and north sides of the mining complex (i.e., 1A, 1B, 1C, 3A, 3B, 5A, 9A, and 9AX) are in places underlain by Gila Conglomerate.

Previous stability assessments for Tyrone completed in 2006 and 2007 used the PGA with a 2,500- year return period based on a site-specific PSHA completed by URS Corporation (2005). Earthquake ground motion models and seismic hazard estimation methods, however, have been updated several times since the 2005 site-specific seismic hazard study was completed for Tyrone.

Golder has used the United States Geological Survey (USGS) Unified Hazard Tool to identify the site PGA for use in the development of the pseudo-static seismic coefficient (<https://earthquake.usgs.gov/hazards/interactive/>) and any liquefaction analysis. The USGS Unified Hazard Tool provides PGA and select spectral accelerations for sites from the 2014 US National Seismic Hazard Model (v4.0). For the Tyrone site, Golder used the USGS Unified Hazard Tool to obtain a PGA with a 2% probability of exceedance in 50 years (2,475-year return period) based on the Tyrone site location at 32.657591°North and 108.391275°West.

PGA was calculated, for Burro Mountain Granite and Quart Monzonite, assuming a ground condition equivalent to the ASCE 7-16 soil Site Class B/C boundary or time-averaged shear wave velocity ($V_{S,100}$) of 2,500 feet/second (760 m/s) for the upper 100 ft of the column under the stockpile. The 2,475-year return period PGA obtained from the USGS Unified Hazard Tool is 0.1088 g.

The other areas that are underlain by the Gila Conglomerate, Golder considers the ground conditions beneath these stockpiles are likely equivalent to a soil Site Class C, with $1,200 \text{ ft/s} \geq V_{S,100} \leq 2,500 \text{ ft/s}$. based on the physical descriptions of the Gila Conglomerate. The 0.1088 g PGA calculated for a soil site Class B/C site was converted to a soil Site Class C (i.e., $V_{S,100}$ of 1,760 ft/s) by applying a 1.3 amplification factor as indicated in ASCE-7 16 Table 11.4.1 for a short period site coefficient with S_S of < 0.5 . The resulting site PGA is 0.141 g.

The deaggregation data from the 2014 USGS model is not yet available, so it is not possible at this stage to select directly the dominate earthquake magnitude and distance that contributes the greatest to the 2,475-year return period PGA hazard. For this study, Golder used the deaggregation of the 2008 USGS National model which indicates that a moment magnitude (**M**)6 earthquake at 14 miles (23 km) from the site is the mean magnitude distance earthquake for the 2,475-year return period PGA hazard. There is little difference between the 2008 (0.1079 g) and 2014 (0.1088 g) 2,475-year return period PGA values for the site, so an **M**6 at 23 km can be used to estimate any liquefaction hazard at the site.

The stability analyses of the stockpiles simulate the seismic loading using a pseudo-static coefficient that is applied as a constant horizontal force. Therefore, the pseudo-static coefficient applied in limit equilibrium stability analyses are taken as a fraction of the PGA. Hynes and Franklin (1984) discuss the selection of pseudo-static coefficients for use in dam design and recommend the use of one-half of the peak acceleration with a 20-percent reduction of the shear strength and a target factor of safety of 1.0. Bray et al. (1993) provides recommendations for seismic design of landfills and notes that “the normalized fundamental periods of many solid waste landfills are greater than two-seconds, and that for these cases, the maximum horizontal equivalent acceleration value used to represent the seismic loading will be less than one-half of the bedrock maximum horizontal acceleration.” Jansen (1985) states an acceleration of 0.4 to 0.7 times peak ground acceleration is typically suitable for computing the sustained effect of an earthquake on embankment stability.

For stockpiles underlain by Gila Conglomerate, a seismic acceleration equal to two-thirds of the amplified peak ground acceleration (i.e., 0.094) for an event with a 2,500-year return period is appropriate for the pseudo-static analyses of these facilities. We have conservatively retained the same pseudo-static coefficient for stockpiles underlain by Burro Mountain Granite and Quart Monzonite. Golder believes this approach to be conservative and consistent with standard industry practice.

6.0 STABILITY ANALYSIS METHOD

Golder used the two-dimensional, limit-equilibrium, method of slices analysis program, Slide version 2018 (RocScience, 2018) for the stability analyses. This program provides for various failure surface types, including circular and non-circular (block), and various failure surface search methods. Slide2018 allows the use of multiple methods of analyses. Golder applied Morgenstern-Price's Method of Slices which satisfies conditions of static horizontal and vertical equilibrium, as well as moment equilibrium.

Analyses considered both circular and block type failure surfaces. Circular failure surface searches were generally used to identify the most critical failure surface (i.e. lowest factor of safety) for failures through the stockpile materials. The circular surfaces also evaluate failures through the stockpile foundation. Block type failures are typically used to identify critical failure surfaces that develop along preferential zones of weakness, such as thin layers of weak alluvium or through liner systems. Where more complex failure modes may occur such as a combination of failure along a weak layer and circular failure through the upper slope, optimized path search methods (Cuckoo method) available in SLIDE2018 are used to identify the most critical failure surface.

The stability analyses cross section output for each analyzed failure mode is included in Appendix VI. The geotechnical units are indicated by colors with the color legend at the front of Appendix VI. The circular failure searches show the limits of the failure searches and the 10 lowest failure surfaces with the factor of safety for the lowest surface reported. Block failure surface search windows shown as red polygons. The perched and regional water table is shown on the stability output as blue lines.

Two-dimensional cross-sectional models were prepared based on pre-mining topography (digitized from early topographic maps), recent aerial surveys, and stockpile reclamation designs prepared by MWH Global (MWH). Stability analyses were performed for the reclaimed stockpile configuration. The geologic units present below the stockpiles is taken from the geological site map.

Stockpiles along the east and south sides of the mine area stockpile complex locally overlie alluvium present in the tributary channels to the Mangas, Brick Kiln, Niagara, and Oak Grove washes. Depths of the alluvium in the foundations shown in the model were based on the conditions encountered by previous geotechnical investigations where available and applying conservative estimates where site specific data is absent. Failure surface searches evaluated overall slope heights and also included focused failure surface searches in the toe area where weak foundation materials are present.

The stockpiles were assumed to be fully drained for the closure conditions analyzed. In alluvium deposits, monitoring wells indicate perched water in the alluvium unit. The quarterly perched alluvial groundwater data from monitoring wells described in Section 5.4.2 were the basis for the perched water table levels used in the stability analyses.

In the sections that have alluvium below the perched water level, the potential for liquefaction was evaluated based on methods described in Section 6.3.

6.1 Selection of Critical Cross Sections

One to two sections were selected for the evaluation of the stability of each stockpile. Selection of the most-critical sections was based on the planned closure facility design slope gradient, slope height, subsurface geology, and hydrogeologic conditions. The critical cross section of each stockpile is described in more detail in Section 7.0. The closure stockpile surficial geology and planned closure geometry is shown in Figures 2 through 5 and sections are presented in Figures 6 through 8.

6.2 Loading Conditions

The stability of the reclaimed stockpile configurations was evaluated considering static conditions and pseudo-static loading cases. Based on the level of detail of the investigation and amount of available laboratory testing, use of average long-term shear strengths, targeting factors of safety as defined by Copper rule and DP-1341 have been applied. For the seismic case, Golder evaluated pseudo-static earthquake loading applying a pseudo-static coefficient of 0.094 as discussed in Section 5.5. A factor-of-safety of 1.5 for critical structures and 1.3 for non-critical structures is considered suitable under the Copper rule for static loading and minimum target factors of safety for pseudo-static loading are 1.1 or greater.

6.3 Evaluation of Liquefaction Potential

The potential for liquefaction of zones of saturated alluvium that locally underlie the toe of the stockpile was assessed using the Seed-Idriss Simplified Liquefaction Procedure (Seed and Idriss, 1971), and the various updates to the method (Boulanger and Idriss, 2014), a stress-based approach that compares the earthquake-induced cyclic stress ratios (CSR) with the cyclic resistance ratios (CRR) of the soil to determine a factor of safety against liquefaction. The Gila Conglomerate is considered to be non-liquefiable. The corrected SPT blow count results for all intervals of alluvium below the “High” perched groundwater level (discussed in Section 5.4.2) were used to develop the CRR. Where water levels were measured in geotechnical boreholes and recorded on the drill logs (e.g. 1B Stockpile toe area), these levels were applied for the assessment of the liquefaction potential. Otherwise, the water levels from the quarterly monitoring data was applied (Section 5.4.2).

A design earthquake of magnitude 6.7, imparting a peak amplified acceleration of 0.14 g was applied to determine CSR. Samples of alluvium subjected to grain size testing indicate they are granular soils with fines (<#200 sieve) fraction of 16% to 27%. Therefore, calculation of the $CRR_{7.5}$ applied the 10% fines content curve (Boulanger and Idriss, 2014).

Where liquefaction potential is indicated (factors of safety below approximately 1.3), additional stability analyses were performed to evaluate the potential impacts of seismic loading and liquified conditions during and after shaking. Liquefied material strengths as discussed in Section 5.2.4 were applied for the alluvium below the “average” perched water table level as described in Section 5.4.2 using static loading. Use of a “high” water table condition and pseudo-static loading is considered to be overly conservative.

The tabulated SPT data and the liquefaction potential calculations are contained in Appendix V.1 through V.3 with the associated boring logs. Where the SPT tests were above the modeled “high” water table condition the alluvium is considered non-liquefiable. The water levels that are currently being measured in wells near the leach stockpile toes are mainly leach solutions. Water table levels are expected to be further reduced at closure when leaching ceases and the stockpiles are capped and surface water controls are in place. Therefore, the perched water table conditions applied in the assessment of liquefaction are considered conservative.

7.0 STABILITY ANALYSIS RESULTS

The results of the stability analyses provided in this section were based on the parameters and methods described in the preceding sections. All the calculated factors of safety were found to be above the minimum required factor of safety criterion, and the stockpiles are predicted to maintain long-term stability for the planned closure geometries. Table 5 summarizes the minimum factors of safety obtained for each stockpile for static and pseudo-static loading conditions. Where alluvium is present underlying the toe area of the reclaimed stockpiles

and SPT blow count data is lacking or indicates some potential for liquefaction exists, the factor of safety assuming liquefied strengths for alluvium below the water table is reported.

The following sections describe the individual stability models prepared for each stockpile, the analyses completed and resulting factors of safety. The factors of safety are provided for each of the failure surface search methods analyzed (e.g. block, circular, path). Output from all stability analysis models are provided in Appendix VI.

Unless otherwise noted the reclaimed slope geometry consists of overall 3.5H to 1V overall slopes consisting of 3H to 1V interbench slopes and benches spaced every 200 feet of slope length.

Table 5: Stability Analysis Results Summary

Stockpile	Minimum Static FOS	Minimum Pseudo-static FOS	Liquefied FOS
1A Leach	2.65	2.01	2.01
1B Leach	1.95	1.32	NA
1C Waste	3.52	2.40	1.56
2A Leach	2.78	2.02	NA
2B Waste	3.45	2.54	NA
3A Leach	1.85	1.63	1.51
3B Waste	5.80	2.24	NA
2C Leach	2.78	2.03	NA
4C Leach	2.56	1.92	NA
7B Waste	2.45	1.86	NA
3C (5A) Waste	2.33	1.71	1.71
5B (5A) Waste	2.65	1.94	1.94
6B Waste	2.98	2.20	NA
6C Waste	3.00	2.24	NA
7A East Waste	3.16	2.33	NA
7A West Waste	3.13	2.44	NA
7A Far West Waste	3.22	2.37	NA
9A Waste	3.31	2.43	NA

Stockpile	Minimum Static FOS	Minimum Pseudo-static FOS	Liquefied FOS
9AX Waste	2.83	2.24	1.42
Little Rock In-Pit Waste	2.55	1.88	NA
Little Rock North In-Pit Waste	2.56	1.95	NA
South Rim Waste	2.47	1.79	NA
San Salvador Waste	2.28	1.70	NA

7.1 1A, 1B, and 1C Stockpiles

Stockpiles 1A, 1B, and 1C are located in the southeast area of the Tyrone mine. Highway 90 runs north-south along the east of the 1A Stockpile, a minimum of 300 feet from the toe of the 1A Leach Stockpile (Figure 2). The critical sections and descriptions of the analyses are described in the following sections. The minimum factors of safety results from the SLIDE2 models are summarized in Table 6.

7.1.1 1A Leach Stockpile

The 1A Leach ore stockpile is bounded by Stockpiles 1B and 1C to the north and south, respectively and the Gettysburg Pit to the west (Figure 1). The 1A stockpile has an overall slope height of approximately 340 feet. The reclamation slopes are being developed by holding the toe and mining the stockpile back to the reclamation configuration.

The critical stability section was selected to run through a finger of alluvium that extends up a tributary of Brick Kiln Wash under the stockpile. The location of the critical cross-section is shown on Figure 2 and the stability cross section model is shown on Figure 7. The alluvium is estimated to be approximately 10 to 40 feet deep under the stockpile and saturated below depths of approximately 25 feet based on the quarterly groundwater monitoring data. Stability analyses included overall circular failure, block failure along the alluvium, and local stability in the toe area overlying the alluvium.

The potential for development of instability related to liquefaction was assessed. Site specific geotechnical borehole data and SPT blow count data are lacking in this zone of alluvium. A stability analysis was completed assuming loose sands (i.e. low blow count) are present in the alluvium below the perched (average) groundwater level. A liquefied strength was applied to these soils and the stability was computed applying pseudo-static loading conditions. The underlying native material below the alluvium is Gila conglomerate. The occurrence of liquefaction does not lower the factor of safety because of the distance from the stockpile toe to the zone of saturated alluvium.

Results of the stability analyses are summarized in Table 5. The most critical failure surface would be a global failure from crest to toe of the slope and has a minimum static factor of safety is 2.65 and the minimum pseudo-static factor of safety is 2.01.

7.1.2 1B Leach Stockpile

The 1B Leach ore stockpile is bounded by the 1A stockpile on the south, 5B (5A) stockpile to the north, and the Gettysburg Pit to the southwest (Figure 2). The 1B Leach ore stockpile has a maximum stockpile height of approximately 475 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability cross-section was selected to run through the relocated 1B main seepage collection system. Previous stability analyses of the 1B Stockpile (Golder, 2006b, Golder, 2008b) modeled the stockpile placed above low strength clay accumulations in a storm water sedimentation pond. As-built documentation Golder 2007h indicates the pond sediments were removed and replaced with common fill. A geomembrane-lined collection area is located below the final reclaimed toe of the 1B Stockpile. The collection system is underlain by native alluvium. The alluvium along this section is estimated to be approximately 25 feet, thickening to 50 feet thick toward the northeast and saturated below depths of approximately 25 feet.

Geotechnical drill data collected to support the relocation of the seepage collection pond was available to assess subsurface conditions. The location of the boreholes is shown on Figure 2. Table V.1-1 in Appendix V.1 provides the factors of safety against liquefaction for all SPT tests from these drill holes. Drill logs for these boreholes are included in Appendix V. A factor of safety of 1.5 against liquefaction was obtained from borehole GA-05-01 at a depth of 15 feet. The material was logged as fill (pond sediments) which as-built documentation shows was removed and replaced with compacted fill. Borehole GA-05-02 has a factor of safety of 1.0 at a depth of 10 feet. Borehole logs note the test encountered a void (PLS line). Borehole GA-05-05 has a factor of safety of 1.5 at a depth of 17.5 feet in material logged as PLS pond sediment which was also removed during relocation of the PLS Collection System. All other SPT intervals yielded factors of safety greater than 2.0 and there is a very low potential for liquefaction to occur. Therefore, no stability analyses that apply liquefied strength for alluvium below the perched water table are reported for this section.

The critical stability section evaluates potential sliding along the geomembrane interface applying a conservative interface friction angle $\phi = 10^\circ$. This section also represents the greatest overall slope height.

The most critical failure modes are global failure from crest to toe of the slope and a small localized failure through the toe along the geomembrane. The minimum static factor of safety is 1.95 and the minimum pseudo-static factor of safety is 1.32.

7.1.3 1C Waste Stockpile

The 1C waste stockpile is bounded by Stockpiles 1A and 7A East to the north and southwest, respectively, and the Gettysburg Pit to the northwest (Figure 1 and 2). The southeast slope has a crest elevation of 6260 feet and slopes at 3.9H to 3.5H:1V with a maximum stockpile height of 250 feet. The eastern and northern slopes have crest elevations of 6260 feet and overall slopes of 3.5H:1V and was reclaimed using “ridge-valley” reclamation grading. The 1C Stockpile was originally placed over Oak Grove Wash and the toe was mined-back to the northwest up to 1,200 feet prior to 2004 and prior to the reclamation “ridge-valley configuration” that was completed in approximately 2012.

The critical section was selected to run through a deposit of alluvium that extends up a drainage under the stockpile. The location of the critical section is shown on Figure 2 and the cross-section model is shown on Figure 7. The alluvium is estimated to be approximately 15 to 20 feet deep. Stability analyses included overall circular

failure, block failure along the alluvium, and local stability in the toe area overlying the alluvium. The underlying native material is Quartz monzonite under the main heap with a local exposure of Precambrian granite.

The most critical failure surface is a small localized failure through the toe. The minimum static factor of safety is 3.52 and the minimum pseudo-static factor of safety is 2.40.

Due to the fact that the 1C stockpile was mined back to the current toe, the alluvium below the current toe was previously under much higher stockpile loads and it could be reasoned that the alluvium is non-liquefiable due to the high loads the alluvial soils have been subject to. However, the potential for development of instability related to liquefaction was assessed. Site specific geotechnical borehole data and SPT blow count data are lacking in this zone of alluvium. A stability analysis was completed assuming loose sands (i.e. low blow count) are present in the alluvium below the perched (average) groundwater level. A liquefied strength was applied to these soils and the stability was computed using pseudo-static loading conditions. The underlying native material is Gila conglomerate. In the scenario in which the alluvium liquefies below the water table, the minimum pseudo-static factor of safety is 1.56.

Table 6: 1A, 1B and 1C Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)	
			No liquefaction	Liquefaction below average perched water table
1A Leach	Block	2.70	2.04	2.04
	Circular	2.65	2.01	2.01
1B Leach	Block	2.82	2.08	No liquefiable soils present
	Circular	2.01	2.06	
	Block Liner	1.95	1.32	
1C Waste	Block	3.52	2.40	1.56
	Circular	3.73	2.59	2.02

7.2 2A and 2B Stockpiles

Stockpiles 2A, and 2B are located in the northwest portion of the Tyrone mine area (Figure 5). Deadman Canyon runs north-south along the west of the stockpiles. The critical sections and descriptions of the analyses are described in the following sections. The factor of safety results from the SLIDE models are summarized in Table 7.

7.2.1 2A Leach Stockpile

The 2A Leach ore stockpile is bounded by Stockpiles 9A to the north, Stockpile 2B to the south, and the Valencia Pit to the east (Figures 1 and 5). The eastern slope has a crest elevation of 6300 feet. Two critical stability sections were selected to run through the west (2A-1) and east (2A-2) slopes of the stockpile perpendicular to the topography. The location of the critical cross-section is shown on Figure 5 and the stability cross section model is shown on Figure 7. The 2A stockpile has an overall slope height of approximately 395 feet. The reclamation slopes are being developed primarily by holding the toe and mining the stockpile back to the reclamation configuration.

Stability analyses included overall circular failure and block type failure. The most critical failure surface is a global failure from crest to toe of the slope and has a minimum static factor of safety is 2.78 and the minimum pseudo-static factor of safety is 2.02.

7.2.2 2B Waste Stockpile

The 2B waste stockpile is bounded by the 2A stockpile on the north and the Copper Mountain Pit to the south (Figure 1). The eastern and western slopes have a crest elevation of 6450 feet and a maximum stockpile height of 375 feet with a 200-foot wide bench at elevation 6350 feet breaking the slope into a 150-foot high upper slope and a 200-foot high lower slope.

The critical stability section was selected to run perpendicular to the topography at its greatest slope height. The location of the critical cross-section is shown on Figure 5 and the stability cross section model is shown on Figure 7. Stability analyses included overall circular failure and block type failure. The most critical failure surface is a global failure of the lower bench from bench crest to toe of the slope. The minimum static factor of safety is 3.45 and the minimum pseudo-static factor of safety is 2.54.

Table 7: 2A and 2B Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)
2A-1 Leach	Block	2.89	2.10
	Circular	2.87	2.09
2A-2 Leach	Block	2.80	2.05
	Circular	2.78	2.02
2B Waste	Block	3.63	2.64
	Circular	3.45	2.54

7.3 3A and 3B Stockpiles

Stockpiles 3A and 3B are located in the northeast Tyrone mine Area (Figure 4). Brick Kiln Gulch runs north-south along the northeast side of the stockpiles. The critical sections and descriptions of the analyses are described in the following sections. The engineering FOS results from the SLIDE models are summarized in Table 8.

7.3.1 3A Leach Stockpile

The 3A Leach ore stockpile is bounded by the 3B stockpile on the south and the Brick Kiln Gulch to the northwest (Figure 1). The northern slope has a crest elevation of 6300 feet with a maximum stockpile height of approximately 640 feet. The toe of the slope in the alluvium is locally steepened to accommodate the pond systems. The reclamation slope flattening will be accomplished by a combination of by holding the toe fixed and mining the crest back and placement of material at the toe in compacted lifts.

The critical stability section was selected to run through a finger of alluvium that extends up a tributary of Mangas Wash under the stockpile and through the existing process ponds at the toe. The location of the critical cross-section is shown on Figure 4 and the stability cross section model is shown on Figure 7. The alluvium is estimated to be approximately 20 to 70 feet deep under the stockpile and saturated below depths of 20 feet based on water levels in nearby wells. Stability analyses included overall circular failure, block failure along the alluvium, and local stability in the toe area overlying the alluvium. The most critical failure surface is a localized failure through the toe of the slope in the localized steepened section and has a minimum static factor of safety is 1.85 and the minimum pseudo-static factor of safety is 1.63.

The potential for development of instability related to liquefaction was assessed. Site specific geotechnical borehole data and SPT blow count data are lacking in this zone of alluvium. However, geotechnical borehole data is available in the alluvium in several nearby tributary channels as shown on Figure 4. The results of liquefaction potential analyses are provided in Appendix V.3 and show the factors of safety against liquefaction are greater than 1.6 and the potential for liquefaction is low. Due to the lack of site specific geotechnical borehole data, a stability analysis was completed assuming loose sands (i.e. low blow count) are present in the alluvium below the estimated perched groundwater level. A liquefied strength was applied to these soils and the stability was computed using pseudo-static loading conditions. The underlying native material below the alluvium is Gila Conglomerate. In the scenario in which the alluvium liquefies below the water table, the minimum pseudo-static factor of safety is 1.51.

7.3.2 3B Waste Stockpile

The 3B waste stockpile is bounded by the 3A stockpile on the north and the Main Pit to the southwest (Figure 1). The eastern slope has a crest elevation of 6320 feet and a maximum stockpile height of 485 feet with a 100-foot bench at elevation 6000 feet breaking the slope into a 350-foot high upper slope and a 100-foot high lower slope. Stockpile 3C (5A) lies to the east of the critical section. The reclamation slope flattening will be accomplished by constructing at the final reclaimed slope angles.

The critical stability section was selected to run through a finger of alluvium that extends up a tributary of Mangas Wash under the stockpile. The location of the critical cross-section is shown on Figure 2 and the stability cross section model is shown on Figure 7. The alluvium is estimated to be approximately 10 to 40 feet deep under the stockpile and saturated below depths of 30 feet based on the quarterly monitoring data. As the alluvium is not under the toe of the slope and is under stockpile height of approximately 100 feet at confining loads that would preclude liquefaction. Therefore, the stability applying liquefied strengths for the saturated alluvium was not assessed. Stability analyses included overall circular and block type failure. The most critical failure surface is a shallow local failure through the lower bench and has a minimum static factor of safety is 5.80 and the minimum pseudo-static factor of safety is for a block failure in the upper slope with a factor of safety of 2.24.

Table 8: 3A and 3B Stability Analysis Results

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)	
			No liquefaction	Liquefaction below average perched water table
3A Leach	Block	2.26	1.97	1.97
	Circular	1.85	1.63	1.51
3B Waste	Block	7.65	2.15	No liquefiable soils present
	Circular	5.80	4.08	

7.4 2C, 4C, and 7B Stockpiles

Stockpiles 2C, 4C, and 7B are located in the south Tyrone mine area (Figure 3). The critical sections and descriptions of the analyses are described in the following sections. The engineering FOS results from the SLIDE models are summarized in Table 9.

7.4.1 2C Leach Stockpile

The 2C Leach ore stockpile was placed over the backfilled San Salvador pit and bounded by the 7B stockpile on the east and the Valencia Pit to the north and the Copper Mountain Pit to the west (Figure 1). The southern slope has a crest elevation of 6700 feet and overall slope height of 325 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run perpendicular to the topography at its greatest height and cuts through the backfilled San Salvador Pit approximately 150 ft from the toe of the slope. The location of the critical cross-section is shown on Figure 3 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface is a global failure from crest to toe of the slope and has a minimum static factor of safety is 2.78 and the minimum pseudo-static factor of safety is 2.03.

7.4.2 4C Leach Stockpile

The 4C Leach stockpile is bounded by the Copper Mountain Pit to the north and stockpile 4B to the east. (Figure 1). The western and southern slopes have a crest elevation of 6725 feet and overall slope height of approximately 200 to 250 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

Two critical stability sections were selected to run through the east and west slopes of the stockpile perpendicular to the topography. Section 4C-1 evaluates the stability of the western slope, and Section 4C-2 evaluates the eastern slope through the backfilled a Salvador Pit. The location of the critical cross-section is shown on Figure 3 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface in 4C-1 is a global failure of the lower bench from bench crest

to toe of the slope and in 4C-2 is a failure of the upper bench from stockpile crest to the bench. The minimum static factor of safety is 2.56 and the minimum pseudo-static factor of safety is 1.92.

7.4.3 7B Waste Stockpile

The 7B waste stockpile was originally placed over the backfilled South Rim pit and is bounded by the 2C and 7A stockpiles on the north and south and 6B and 6C stockpiles to the east (Figure 1). The southern slope has a crest elevation of 6700 feet and has a maximum stockpile height of 325 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run through the east and west slopes of the stockpile perpendicular to the topography and through the backfilled South Rim pit. The location of the critical cross-section is shown on Figure 3 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure of the leached ore from crest to toe of the slope. The minimum static factor of safety is 2.45 and the minimum pseudo-static factor of safety is 1.86.

Table 9: 2C, 4C and 7B Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)
2C Leach	Block	2.82	2.06
	Circular	2.78	2.03
4C-1 Leach	Block	2.63	1.96
	Circular	2.56	1.92
4C-2 Leach	Block	2.76	2.08
	Circular	2.71	2.04
7B Leach	Block	2.54	1.93
	Circular	2.45	1.86

7.5 3C (5A) and 5B (5A) Stockpile

Stockpiles 3C (5A) and 5B (south portion of 5A) are located in the northeast Tyrone mine area (Figure 4). Mangas Wash runs northeast along the east side of the stockpiles. The south portion of the 5A Stockpile is designated here as the 5B Waste. The critical sections and descriptions of the analyses are described in the following sections. The engineering FOS results from the SLIDE models are summarized in Table 10.

7.5.1 5A (3C) Waste Stockpile North

The 3C (5A) Waste ore stockpile is bounded by the 3B and 5B stockpile on the north and south and the Main Pit to the southwest (Figure 4). Mangas Wash lies to the northeast. The eastern and northern slope has a crest

elevation of 6240 feet with a maximum stockpile height of 375 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run through a finger of alluvium that extends up a tributary of Brick Kiln Gulch under the stockpile and several mine facilities lie at the toe. The location of the critical cross-section is shown on Figure 4 and the stability cross section model is shown on Figure 8. The alluvium is estimated to be approximately 40 to 70 feet deep under the stockpile and saturated below depths of 30 feet. Stability analyses included overall circular failure, block failure and a path search to evaluate the local stability in the toe area overlying the alluvium. The critical failure surface is a global failure from the crest to the toe of the slope through the underlying alluvium and has a minimum static factor of safety is 2.33 and the minimum pseudo-static factor of safety is 1.71.

The potential for development of instability related to liquefaction was assessed. Site specific geotechnical borehole data and SPT blow count data are lacking in this zone of alluvium. A stability analysis was completed assuming loose sands (i.e. low blow count) are present in the alluvium below the perched (average) groundwater level. A liquefied strength was applied to these soils and the stability was computed using pseudo-static loading conditions. The underlying native material is Gila conglomerate. In the scenario in which the alluvium liquefies below the water table, the critical failure surface is a localized toe failure through the liquefied alluvium and has a minimum pseudo-static factor of safety is 1.71. Liquefaction does not result in a reduction in the pseudo-static factor of safety because of the distance of the liquefiable alluvium from the toe of the slope.

7.5.2 5B Waste Stockpile

The southern portion of the 5A Waste stockpile has been designated 5B Waste stockpile in this report. It is bounded by the 3C (5A) stockpile on the north and the Main Pit to the southwest (Figure 4). Mangas Wash lies to the northeast. The eastern and northern slope has a crest elevation of 6240 feet and a maximum stockpile height of 360 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run through a finger of alluvium that extends up a tributary of Mangas Wash under the stockpile. The location of the critical cross-section is shown on Figure 4 and the stability cross section model is shown on Figure 8. The alluvium is estimated to be approximately 20 to 60 feet deep under the stockpile and saturated below depths of 35 feet. Stability analyses included overall circular failure, block failure along the alluvium, and local stability in the toe area overlying the alluvium. The most critical failure surface would be a global failure from crest to toe of the slope or a block type, shallow, localized failure through the underlying alluvium at the toe of the stockpile. The minimum static factor of safety is 2.65 and the minimum pseudo-static factor of safety is 1.94.

The potential for development of instability related to liquefaction was assessed. Site specific geotechnical borehole data and SPT blow count data are lacking in this zone of alluvium. A stability analysis was completed assuming loose sands (i.e. low blow count) are present in the alluvium below the perched (high) groundwater level. A liquefied strength was applied to these soils and the stability was computed using static and pseudo-static loading conditions. The underlying native material is Gila conglomerate. In the scenario in which the alluvium liquefies below the water table, the minimum static factor of safety is 2.65 and the minimum pseudo static factor of safety is 1.94.

Table 10: 3C (5A) and 5B Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)	
			No liquefaction	Liquefaction below average perched water table
3C (5A) Waste	Cuckoo	2.33	1.71	1.71
	Circular	2.42	1.75	1.75
5B Waste	Block	2.80	2.06	2.06
	Circular	2.65	1.94	1.94

7.6 6B and 6C Stockpiles

Stockpiles 6B and 6C are located in the south Tyrone mine area (Figure 2). The critical sections and descriptions of the analyses are described in the following sections. The factor of safety results from the SLIDE models are summarized in Table 11.

7.6.1 6B Leach Stockpile

The 6B Leach stockpile is bounded by the Valencia Pit and Gettysburg Pit to the north and east and stockpiles 7B and 6C to the west and south. (Figure 1). The southern slope has a crest elevation of 6450 feet and overall maximum stockpile slope height of 100 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 2 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface is a global failure of the upper slope from crest to toe. The minimum static factor of safety is 2.98 and the minimum pseudo-static factor of safety is 2.20.

7.6.2 6C Leach Stockpile

The 6C Leach stockpile is bounded by the Stockpile 6B and Gettysburg Pit to the north and east and stockpiles 7B and 7A to the west and south. (Figure 2). The southern slope has a crest elevation of 6720 feet and with a maximum stockpile slope height of approximately 115 feet. The reclamation slope flattening will be accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 2 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface is a global failure of the upper slope from crest to toe. The minimum static factor of safety is 3.00 and the minimum pseudo-static factor of safety is 2.24.

Table 11: 6B and 6C Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)
6B Leach	Block	3.08	2.28
	Circular	2.98	2.20
6C Leach	Block	3.09	2.28
	Circular	3.00	2.24

7.7 7A Stockpiles

Stockpiles 7A East, 7A West, and 7A Far West waste stockpiles are located in the south Tyrone mine area (Figures 2 and 3). The critical sections and descriptions of the analyses are described in the following sections. The engineering factor of safety results from the SLIDE models are summarized in Table 12.

7.7.1 7A East Waste Stockpile

The 7A East waste closure stockpile is bounded by Stockpiles 1C, 7B, and 7A West to the northeast, north, and west respectively (Figure 2). The south-eastern slope has a crest elevation of 6260 feet and with overall slopes of 3.9H to 3.5H:1V with a maximum stockpile height of 230 feet. The Oak Grove Wash has extending tributaries below the footprint of the stockpile. However, the alluvium is under stockpile thickness of 100 feet or more and is not considered to be susceptible to liquefaction under those confining loads. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 2 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure from crest to toe of the slope. The minimum static factor of safety is 3.16 and the minimum pseudo-static factor of safety is 2.33.

7.7.2 7A West Waste Stockpile

The 7A West waste stockpile is bounded by the 7A East, 7B, stockpiles on the east and north, and the South Rim pit to the west (Figures 2 and 3). The southern slope has a crest elevation of 6410 feet and overall stockpile slope height of approximately 190 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 3 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure from crest to toe of the slope. The minimum static factor of safety is 3.13 and the minimum pseudo-static factor of safety is 2.44.

7.7.3 7A Far West Waste Stockpile

The 7A Far West waste stockpile is bounded by the South Rim pit to the north (Figure 3). The eastern and northern closure slopes have a crest elevation of 6450 feet and a maximum stockpile height of 210 feet. The eastern, southern, and northern slopes have crest elevations of 6440 feet and overall slopes of 3.5H:1V and were developed using “ridge-valley” reclamation grading. The stockpile was placed just north of the Oak Grove Wash.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 3 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure from crest to toe of the slope. The minimum static factor of safety is 3.22 and the minimum pseudo-static factor of safety is 2.37.

Table 12: 7A Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)
7A East Waste	Block	3.30	2.43
	Circular	3.16	2.33
7A West Waste	Block	3.37	2.49
	Circular	3.13	2.44
7A Far West Waste	Block	3.27	2.42
	Circular	3.22	2.37

7.8 9A and 9AX Stockpiles

Stockpiles 9A and 9AX are located in the northwest of the Tyrone mine area (Figure 5). The critical sections and descriptions of the analyses are described in the following sections. The engineering factor of safety results from the SLIDE models are summarized in Table 13.

7.8.1 9A Waste Stockpile

The 9A waste stockpile is bounded by the 2A stockpile on the south (Figure 5). The northern slope has a crest elevation of 6360 feet and a maximum stockpile height of 500 feet. The reclamation grading is being accomplished by constructing the stockpile at the reclamation slope angle.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 5 and the stability cross section model is shown on Figure 8. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a local, shallow failure from the middle of the slope to toe roughly parallel the contours of the native ground. The minimum static factor of safety is 3.31 and the minimum pseudo-static factor of safety is 2.43.

7.8.2 9AX Waste Stockpile

The 9AX waste stockpile is bounded by the 9A stockpile on the south and the 3A stockpile lies to the east (Figure 5). Tributaries of the Mangas Wash extend from the north under the toe of the stockpile. The western, eastern and northern slopes have a crest elevation of 6080 feet and a maximum stockpile height of 265 feet. The reclamation grading is being accomplished by constructing the stockpile at the reclamation slope angle.

Two critical stability sections were selected to run through the north and east slopes of the stockpile perpendicular to the topography. Section 9AX-1 was selected as the critical section for the northern slope and 9AX-2 was selected to run through a small section of potentially liquefiable alluvium in the eastern slope. The location of the critical cross-sections is shown on Figure 5 and the stability cross section models are shown on Figure 9. The alluvium is estimated to be approximately 10 to 25 feet deep in the tributaries and saturated below depths of 10 feet. Stability analyses included overall circular failure, block failure along the alluvium, and local stability in the toe area overlying the alluvium. The most critical failure surface for Section 9AX-1 is a global failure from crest to toe of the slope and for Section 9AX-2 is a global failure through native Gila conglomerate outcrop and terminating in the alluvium at the toe of the slope. The minimum static factor of safety is 2.83 and the minimum pseudo-static factor of safety is 2.24.

The potential for development of instability related to liquefaction was assessed. Site specific geotechnical borehole data and SPT blow count data are lacking in this zone of alluvium. A stability analysis was completed assuming loose sands (i.e. low blow count) are present in the alluvium below the perched groundwater level. A liquefied strength was applied to these soils and the stability was computed using static and pseudo-static loading conditions. The underlying native material is Gila conglomerate. In the scenario in which the alluvium liquefies below the water table, the most critical failure surface is a shallow, localized toe failure through the liquefied alluvium and has a minimum static factor of safety is 2.83 and the minimum pseudo-static factor of safety is 1.42.

Table 13: 9A and 9AX Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)	
			No liquefaction	Liquefaction below average perched water table
9A Waste	Block	3.42	2.46	No liquefiable soils present
	Circular	3.31	2.43	
9AX Waste (1 of 2)	Block	3.12	2.28	No liquefiable soils present
	Circular	3.04	2.24	
9AX Waste (2 of 2)	Block	3.13	2.32	2.30
	Circular	2.83	2.26	1.42

7.9 Little Rock In-Pit Stockpile

Two stockpiles in the Little Rock pit are located to the west of the Tyrone mine (Figure 6). Deadman Canyon runs north-south along the east of the pit. The critical sections and descriptions of the analyses are described in the following sections. The engineering factor of safety results from the SLIDE models are summarized in Table 14.

7.9.1 Little Rock In-pit Waste Stockpile

The Little Rock In-Pit waste stockpile is contained to the north, south, and west by the pit walls (Figure 6). The eastern and northern slope has a crest elevation of 6200 feet and a maximum stockpile height of 560 feet. At closure, a pit lake may be allowed to form up to an estimated elevation of 5700 ft.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 6 and the stability cross section model is shown on Figure 9. The presence of a pit lake has the potential to affect the stability of the waste stockpile, so analyses included two conditions: one with a pit lake at 5700 ft and one with dry pit lake conditions. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure from crest to toe of the slope. The minimum static factor of safety is 2.55 and the minimum pseudo-static factor of safety is 1.88.

7.9.2 Little Rock North In-pit Waste Stockpile

The Little Rock North In-Pit waste stockpile is contained to the north and east by the pit walls (Figure 1). The eastern and northern slope has a crest elevation of 6140 feet and overall slopes height of 310 feet. At closure, a pit lake may be allowed to form up to an estimated elevation of 5700 ft.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 6 and the stability cross section model is shown on Figure 9. The presence of a pit lake has the potential to affect the stability of the waste stockpile, so analyses included two conditions: one with a pit lake at 5700 ft and one with dry pit lake conditions. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure from crest to toe of the slope above the southern containment outcrop of Burro Mountain granite. The minimum static factor of safety is 2.56 and the minimum pseudo-static factor of safety is 1.95.

Table 14: Little Rock In-Pit Stability Analysis Summary

Stockpile	Failure Type	Static Condition		Pseudo-static Condition (k = 0.094g)	
		No Pit Lake Condition	Pit Lake at elevation 5700 feet	No Pit Lake Condition	Pit Lake at elevation 5700 feet
In-Pit	Block	2.68	2.68	1.98	1.98
	Circular	2.55	2.55	1.88	1.88
North In-Pit	Block	2.63	2.75	2.00	2.00
	Circular	2.57	2.56	1.95	1.95

7.10 South Rim In-Pit Stockpile (4A)

One stockpile in the South Rim pit is located in the south Tyrone mine area (Figure 3). The critical sections and descriptions of the analyses are described in the following sections. The engineering factor of safety results from the SLIDE models are summarized in Table 15.

The backfilled South Rim In-Pit stockpile is bounded by the 2C and 7A West stockpile on the north and east and the San Salvador Pit to the southwest (Figure 3). The backfilled slopes have a crest elevation of 6700 in the upper leached ore slope and 6550 feet in the lower waste slopes. Overall slopes are a maximum height of 230 feet and there is a 200-foot bench at elevation 6400, breaking the slope into an approximately 150-foot-high upper slope and a 100-foot lower slope. The reclamation slopes will be accomplished by constructing to the reclamation slope angles.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 3 and the stability cross section model is shown on Figure 9. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure of the upper waste rock bench from crest to bench. The minimum static factor of safety is 2.47 and the minimum pseudo-static factor of safety is 1.79

Table 15: South Rim In-Pit Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition (k = 0.094g)
South Rim In-Pit	Block	2.47	1.79
	Circular	2.48	1.79

7.11 San Salvador In-Pit Stockpile (4B)

One stockpile in the San Salvador pit is located in the south Tyrone mine area. The engineering factor of safety results from the SLIDE models are summarized in Table 16.

The backfilled San Salvador In-Pit stockpile is bounded by the 2C, 7A Far West and 4C stockpiles on the north, east, and west and the backfilled South Rim Pit to the northeast (Figure 3). The backfilled slopes have a crest elevation of 6700 in the upper leached ore slope and 6490 feet in the lower waste slopes. The waste stockpile has a maximum stockpile slope height of approximately 240 feet. The reclamation slope flattening is being accomplished by mining the upper slopes and placing material at the toe in compacted lifts.

The critical stability section was selected to run perpendicular to the topography at its greatest height. The location of the critical cross-section is shown on Figure 3 and the stability cross section model is shown on Figure 9. Stability analyses included overall circular failure and block type failure. The most critical failure surface would be a global failure of the upper leached ore bench from crest to toe or of the lower waste rock stockpile. The minimum static factor of safety is 2.28 and the minimum pseudo-static factor of safety is 1.70.

Table 16: San Salvador In-Pit Stability Analysis Summary

Stockpile	Failure Type	Static Condition	Pseudo-static Condition ($k = 0.094g$)
San Salvador In-Pit	Block	2.55	1.87
	Circular	2.28	1.70

8.0 CONCLUSIONS

Stability evaluations incorporating the design parameters outlined in this report indicate long-term factors of safety for the reclaimed stockpile configurations of at least 1.85 under static conditions and 1.48 under seismic loading. The stability analyses included an evaluation of the effects of liquefaction on the stockpile stability. These safety factors meet the minimum factor of safety criteria provided in the Copper Rule for all facilities (regardless of whether they would be categorized as non-critical or critical).

The stockpiles have been stable during operations. The reduction in the slope angles as part of reclamation will increase the degree of stability. The long-term effects of weathering on the shear strength of the stockpiles was assessed from the geochemical studies by EnviroGroup and evaluation of the engineering properties summarized in this report. These studies conclude the development of additional clays or more active clay minerals that might lead to a reduction in the stockpile shear strength is not predicted.

Reductions in the percentages of cobbles and boulders in the stockpile may occur as a result of long-term weathering, although we do not see evidence of it in the Tyrone stockpiles. It is recognized that the Tyrone stockpiles are relatively young compared to the Chino stockpiles. A correlation of reduced grain size of the stockpile material with the age of the material was recognized in a similar stockpile stability study completed at the Chino Mine (Golder, 2008) which are as much as 100 years old. The percentage of cobbles and boulders present in the Tyrone stockpiles is considered to contribute to the strength of the stockpile and potential long-term reductions in the percentage of these oversize particles can be expected to reduce the stockpile shear strength. The shear strengths assigned to the Tyrone stockpiles are based on laboratory testing of samples without oversize material that exists in the actual stockpile and reflect the stockpile matrix (or finer fraction) strength. Therefore, the laboratory derived shear strengths are lower than actual stockpile material strengths as they exist today but are considered to reasonably reflect the long-term strengths of the stockpile materials. Long term increases in the strength of the stockpiles can also be anticipated due to long term settlement and densification of the stockpiles and cementation, mainly by sulphate minerals.

The potential for earthquake induced instability was evaluated using pseudo-static analyses. The pseudo-static coefficient applied considered the peak ground acceleration associated with a design basis earthquake with a 2500- year return period and applied an amplification factor appropriate for the sites underlain by the Gila Formation. The factors of safety applying the pseudo-static loads met the minimum factor of safety. All were above 1.4.

The stability analyses also considered the potential for liquefaction. The potential for liquefaction of Quaternary alluvium deposits below the water table in the toe areas of stockpiles was assessed using available subsurface geotechnical information where available. Where site specific geotechnical information is not available, the alluvium below the perched water table was assumed to be susceptible to liquefaction. If liquefaction potential

was indicated, an additional stability analysis was performed applying a liquefied strength to the saturated alluvium. The resulting factors of safety indicate that liquefaction is not predicted to lead to the instability of the reclaimed stockpiles.

The stockpiles are currently indicated to be generally unsaturated. We expect moisture contents in the stockpile and in the alluvium in the toe areas of the stockpiles will decrease further after closure as a result of the cessation of leaching, addition of cover placement, and implementation of surface water management measures. The development of elevated groundwater levels in the stockpiles that could impact the stockpile's long-term stability is not expected. The potential for liquefaction of the alluvium will be further reduced as a result of cover placement and surface water management.

9.0 REFERENCES

- American Society of Civil Engineers (ASCE) Standard 7-16, Minimum Design Loads and Associated Criteria for Buildings and Other Structures. American Society of Civil Engineers, 1st Printing, 2017.
- ASTM, 2016. ASTM International Method D5731, Standard Test Method for Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications, 2016.
- Boulanger, R.W. and Idriss, I.M., 2014. CPT and SPT Based Liquefaction Triggering Procedures, Report No. UCD/CGM-14/01, Center for Geochemical Modeling Department of Civil and Environmental Engineering, University of California at Davis, April 2014.
- Bray, J.D., P.C. Repetto, A.J. Augello, and R.J. Byrne, 1993. *An Overview of Seismic Design Issues for Solid Waste Landfills*. Geosynthetics Research Institute Conference. December 1993.
- Call and Nicholas Inc., 1982. Tyrone Pit Slope Design. Draft Report, prepared for Phelps Dodge Corp., Tyrone Branch.
- Das, B., 1985. Principles of Geotechnical Engineering, PWS Publishing, Boston.
- DBS&A, 2018. Discharge Permit 1341, Condition 60 Potentiometric Maps for Second Quarter 2018, letter from Anna McMullen to Keith Ehlert, dated August 27, 2018.
- DuHamel, J.E., Cook, S.S., and Kolessar, J., 1995. Geology of the Tyrone Porphyry Copper Deposit, New Mexico, in Pierce, F.W., and Bolm, J.G., eds., *Porphyry Copper Deposits of the American Cordillera*: Tucson, Arizona Geological Society Digest 20, p. 464-472.
- EnviroGroup Limited, 2005. Supplemental Materials Characterization of the Leached Ore Stockpiles and Waste Rock Stockpiles Final Report for DP-1341, Condition 80 Tyrone Mine, prepared for Phelps Dodge Tyrone, Inc., dated December 29, 2005, Project No. PD-0447.
- Fragazy, R.J., Su, F.H., Siddiqi, and C.L. Ho, 1992, Modeling Strength of a Sandy Gravel, *Jour. Geotechnical Engineering*, Vol. 118, No. 6.
- Golder, 2000. Closure/Closeout Plan Addendum, Slope Stability Analysis, Phelps Dodge Tyrone, Inc., submitted to Phelps Dodge Tyrone, Inc., Project No. 993-2546.001, dated February 24, 2000.
- Golder, 2002. Results of Additional Stockpile Characterization Activities at the Tyrone Mine, prepared for Phelps Dodge Tyrone Inc., Project No. 013-1595, dated May 7, 2002.

- Golder, 2005. Supplemental Stability Study of Waste Rock Piles and Leach Ore Stockpiles, Interim Report for DP-1341, Condition 78, Tyrone Mine, submitted to Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated January 13, 2005.
- Golder, 2006a. Tyrone Reclamation No. 1C Stockpile and 7A Waste Stability Analysis, to Greg Schoen – Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated May 4, 2006.
- Golder, 2006b. Tyrone Reclamation No. 1A and 1B Stockpiles Stability Analysis, to Greg Schoen – Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated July 14, 2006.
- Golder, 2007a. Tyrone Reclamation No. 2A-2B Stockpile Stability Analysis, DP-1341, Condition 78, to Michael Jaworski – Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated April 6, 2007.
- Golder, 2007b. Tyrone Reclamation No. 3A Stockpile Stability Analysis, DP-1341, Condition 78, to Michael Jaworski – Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated April 6, 2007.
- Golder, 2007c. Tyrone Reclamation No. 3C and 5A Waste Stockpiles Stability Analysis, DP-1341, Condition 78, to Michael Jaworski – Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated May 11, 2007.
- Golder, 2007d. Tyrone Reclamation No. 4C Stockpile Stability Analysis, DP-1341, Condition 78, to Michael Jaworski – Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated May 11, 2007.
- Golder, 2007e. Tyrone Reclamation Stability of Interior and In-Pit Stockpiles, DP-1341, Condition 78, to Michael Jaworski – Phelps Dodge Tyrone, Inc., Project No. 053-2550, dated May 11, 2007.
- Golder, 2007f. Response to NMED Comments Dated May 11, 2007, Conditional Approval, No. 3A Stockpile Stability Analysis, DP-1341, Condition 78, Project No. 053-2550, dated June 18, 2007.
- Golder, 2007g. Tyrone Mine Closure/Closeout Plan Update, prepared for NMED and MMD, submitted by Phelps Dodge Tyrone Inc., Project No. 073-80012, dated October 11, 2007.
- Golder, 2007h. No. 1B Stockpile PLS Collection System Relocation Design Project, Silver City New Mexico, May 2007, Rev. 1 As-Built Design.
- Golder, 2008a. DP-1340 Condition 80 Supplemental Stability Analysis of Waste Rock Piles and Leach Ore Stockpiles Final Report, project 063-2575, dated March 11, 2008
- Golder, 2008b. Tyrone Reclamation Addendum to the No. 1A and 1B Stockpile Stability Analysis, to Chuck Johnson – FMI Tyrone, Project No. 053-2550, dated September 15, 2008.
- Griffin, J.D., 2001. *Alluvial Architecture and Tectonic Setting of the Mangas Conglomerate, Tyrone Mine Area, Grant County, New Mexico*, MS Thesis 2001-G875, University of Texas at Austin
- Hawley, M. and Cuning, J., 2017. Guidelines for Mine Waste Dump and Stockpile Design, CRC Press/Balkema, The Netherlands.
- Hoek, E., Carranza-Torres, C., and Corkum, B., 2002. Hoek-Brown Failure Criterion, 2002 Edition. Proceedings, 5th North American Rock Mechanics Symposium, Toronto, p. 267-273.
- Hoek, 2012. Blast Damage Factor D, Technical note for RocNews – February 2, 2012, Winter 2012 issue.

- Hynes, M.E. and A.G. Franklin, 1984. Rationalizing the Seismic Coefficient Method. Department of the Army, Waterways Experiment Station, Corps of Engineers. Final Report. July 1984.
- International Society for Rock Mechanics (ISRM), 1985. Suggested Method for Determining Point Load Strength. International Journal of Rock Mechanics, 22(2), 53-60.
- Jansen, R.B., 1985. *Evaluation of Seismic Effects on Embankment Dams*. Presented at Hawaii Dam Safety Conference, Honolulu, Hawaii. December 5, 1985.
- Kolessar, J., 1982. The Tyrone Copper Deposit. In Titley, S.R., (ed) *Advances in Geology of the Porphyry Copper Deposits Southwestern North America*, University of Arizona Press, Tucson, Arizona. P. 327-333.
- Marinos, P. and Hoek, E. (2000) GSI: A Geologically Friendly Tool for Rock Mass Strength Estimation. In *Proceedings of GeoEng2000 Conference* (ed. MC Erwin) Melbourne, vol 1pp. 1422-1440. Technomic, Lancaster, PA. Benissi, M. (1998). Applicability of the geological strength index (GSI) classification for the
- Rocscience, 2013. DIPS, Graphical and Statistical Analysis of Orientation Data version 7.006. Rocscience Inc. Toronto.
- Rocscience, 2018. SLIDE2, SLIDE-2D Limit Equilibrium Slope Stability Analysis version 2018, Rocscience Inc., Toronto.
- Seed, H.B. and Idriss, I.M., 1971. Simplified Procedure for Evaluating Soil Liquefaction Potential, *Jour. Soil Mech. and Foundations Div. ASCE* 97 (SM0), 1249-1273.
- URS Corporation, 2005. Seismic Hazard Evaluation, Tailing Impoundments, Prepared for Phelps Dodge Tyrone and M3 Engineering & Technology Corp. March 2, 2005.
- USGS, 2019. USGS Unified Hazard Tool, <https://earthquake.usgs.gov/hazards/interactive/>.
- Vaid, Y.P., J. Thomas, 1994. Post-liquefaction behavior of Sand, in *Proceedings, 13th International Conference on Soil Mechanics and Foundation Engineering*, New Delhi, India

Golder Associates Inc.



Thomas Wythes, PE, PG
Associate and Senior Engineer



David Kidd, P.E.
Principal and Practice Leader



Katherine Price, EIT
Staff Engineer


TJW/DAK/kg

Golder and the G logo are trademarks of Golder Associates Corporation

[https://golderassociates.sharepoint.com/sites/35255g/proposal project management/500_reporting/510_reports/512_finals/18106417.001.r.rev0/18106417.001.r.rev0.docx](https://golderassociates.sharepoint.com/sites/35255g/proposal_project%20management/500_reporting/510_reports/512_finals/18106417.001.r.rev0/18106417.001.r.rev0.docx)

Figures

Path: \\nas01\corporatedata\Freeport-McMoran\Tyrone09 - PROJECTS\18106417 - Tyrone Stockpile Stability\02 - PRODUCTION\FIGURES - File Name: 18106417_F_001 - CRITICAL - SECTIONS - WRDS.dwg | Last Edited By: kdelavaga Date: 2019-06-28 Time: 2:33:38 PM | Printed By: kdelavaga Date: 2019-06-28 Time: 2:40:01 PM



LEGEND

EXISTING NATIVE TOPOGRAPHY
(NOTE 2, 25 FT CONTOUR INTERVAL)

RE-GRADED CLOSURE STOCKPILES
(NOTES 2 AND 3, 25 FT CONTOUR INTERVALS)

PROPOSED FUTURE RECLAMATION AREA (NOTES 2 AND 3)

CONTINENTAL DIVIDE

Qa

ALLUVIUM (HOLOCENE): UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT

Qfo/QTg

UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLESTIOCENE) AND GILA CONGLOMERATE (PLESTIOCENE, PLIOCENE, AND MIOCENE); UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE

Tqm

QUARTZ MONZONITE OF TYRONE (PALEOCENE); UNDIFFERENTIATED QUARTZMONZONTIRE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS

pCg

BURRO MOUNTAIN GRANITE (PRECAMBRIAN); CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES

SOURCE

1.

EXISTING REGIONAL GEOLOGY FROM TYRONE CLOSURE/CLOSEOUT PLAN FIGURE 2-15 (GOLDER, 2014). MAP WAS DEVELOPED FROM RECENT UNPUBLISHED DATA FROM PD KOLESSAR, J., 1982, THE TYRONE COPPER DEPOSIT. IN TITLEY, HEDLUND, 1978, GEOLOGIC MAP OF THE WIND MOUNTAIN QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1031, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE TYRONE QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1037, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE BURRO PEAK QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1040, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE WHITE SIGNAL QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1041, 7.5' MAP. DEPOSITS SOUTHWESTERN NORTH AMERICA. UNIVERSITY OF S. R., ED., ADVANCES IN GEOLOGY OF THE PORPHYRY COPPER ARIZONA PRESS, TUCSON, AZ. GEOLOGISTS (STEGEN, GERWE, AND SEIBERT, 1998; CALKINS, AND SEIBERT, 1999); DBS&A, 2012.

2.

EXISTING TOPOGRAPHY AND WASTE ROCK DUMP CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2014 IN AN ELECTRONIC FILE TITLED '140103_Final_Overall Reclaim Areas rev 2.dwg'.

3.

WASTE ROCK DUMP 9AX CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2018 IN AN ELECTRONIC FILE TITLED '181214_9AX_Final_Design.dwg'.

CCP 2019 Updated Stockpile Stability -
Issued for CCP State Submittal

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY	KDP	KDP	TW	DAK
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT	KDP	KDP	TW	DAK
REV.	YYYY-MM-DD	DESCRIPTION	DESIGNED	PREPARED	REVIEWED	APPROVED

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

CONSULTANT

GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com


PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

TITLE
GEOLOGIC SITE MAP

PROJECT NO. 18106417	REV. 0	1 of 9	FIGURE 1
-------------------------	-----------	--------	-------------

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM .ANSI D

Path: \\nas01\comprod\data\freemport\mcmoran\tyrone\99_PROJECTS\18106417_Tyrone_Stockpile_Stability\02_PRODUCTION\FIGURES - File Name: 18106417_F_002_CRITICAL SECTIONS.dwg | Last Edited By: jdelavaga Date: 2019-08-28 Time: 2:23:33 PM | Printed By: jdelavaga Date: 2019-08-28 Time: 2:23:18 PM



- LEGEND**
- EXISTING NATIVE TOPOGRAPHY (NOTE 2, 25 FT CONTOUR INTERVAL)
 - RE-GRADED CLOSURE STOCKPILES (NOTES 2 AND 3, 25 FT CONTOUR INTERVALS)
 - PROPOSED FUTURE RECLAMATION AREA (NOTES 2 AND 3)
 - CONTINENTAL DIVIDE
 - Qa ALLUVIUM (HOLOCENE): UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT
 - Qfo/QTg UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLEISTOCENE) AND GILA CONGLOMERATE (PLEISTOCENE, PLOCENE, AND MIOCENE); UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE
 - Tqm QUARTZ MONZONITE OF TYRONE (PALEOCENE); UNDIFFERENTIATED QUARTZMONZONTIRE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS
 - pCg BURRO MOUNTAIN GRANITE (PRECAMBRIAN): CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES
 - TYTP01-9 2006 STOCKPILE TEST PIT (BY GOLDER)
 - GTP-12 2006 STOCKPILE TEST PIT (BY GOLDER)
 - GA04-TY-1 2004 BOREHOLE (BY GOLDER)
 - GA-05-2 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
 - TWS-41 2006 ROTOSONIC BOREHOLE (BY GOLDER)
 - S1A-3 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
 - TSGT-01 2006 ROTOSONIC BOREHOLE (BY GOLDER)
 - 1B-11 PERCHED ZONE WELL (BY OTHERS)
 - 10-1 2006 BOREHOLE (BY GOLDER)
 - SB-1 AUGUST 2005 BOREHOLE (BY GOLDER)
 - MB-36 REGIONAL MONITORING WELL (BY OTHERS)

SOURCE

1. EXISTING REGIONAL GEOLOGY FROM TYRONE CLOSURE/CLOSEOUT PLAN FIGURE 2-15 (GOLDER, 2014). RECENT UNPUBLISHED DATA FROM PD KOLESSAR, J., 1982, THE TYRONE COPPER DEPOSIT. IN TITLEY, HEDLUND, 1978, GEOLOGIC MAP OF THE WIND MOUNTAIN QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1031, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE TYRONE QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1037, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE BURRO PEAK QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1040, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE WHITE SIGNAL QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1041, 7.5' MAP. DEPOSITS SOUTHWESTERN NORTH AMERICA. UNIVERSITY OF S. R., ED., ADVANCES IN GEOLOGY OF THE PORPHYRY COPPER ARIZONA PRESS, TUCSON, AZ. GEOLOGISTS (STEGEN, GERWE, AND SEIBERT, 1998; CALKINS, AND SEIBERT, 1999); DBS&A, 2012.

2. EXISTING TOPOGRAPHY AND WASTE ROCK DUMP CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2014 IN AN ELECTRONIC FILE TITLED '140103_Final_Overall Reclaim Areas rev 2.dwg'.

3. WASTE ROCK DUMP 9AX CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2018 IN AN ELECTRONIC FILE TITLED '181214_9AX_Final_Design.dwg'.

CCP 2019 Updated Stockpile Stability -
Issued for CCP State Submittal

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

CONSULTANT

GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com




TITLE
STOCKPILE CRITICAL STABILITY SECTIONS (1 OF 5)

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY	KDP	KDP	TW	DAK
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT	KDP	KDP	TW	DAK
REV.	YYYY-MM-DD	DESCRIPTION	DESIGNED	PREPARED	REVIEWED	APPROVED

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI D

Path: \\varepsilon\compr\desdata\Freepor\Mcmoran\Tyrone\09_PROJECTS\18106417_Tyrone_Stockpile_Stability\02_PRODUCTION\FIGURES - File Name: 18106417_F_003_CRITICAL SECTIONS.dwg | Last Edited By: kdelaveaga Date: 2019-08-28 Time: 2:26:38 PM | Printed By: kdelaveaga Date: 2019-08-28 Time: 2:27:03 PM



- LEGEND**
- EXISTING NATIVE TOPOGRAPHY (NOTE 2, 25 FT CONTOUR INTERVAL)
 - RE-GRADED CLOSURE STOCKPILES (NOTES 2 AND 3, 25 FT CONTOUR INTERVALS)
 - PROPOSED FUTURE RECLAMATION AREA (NOTES 2 AND 3)
 - CONTINENTAL DIVIDE
 - Qia ALLUVIUM (HOLOCENE): UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT
 - Qfo/QTg UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLESTIOCENE) AND GILA CONGLOMERATE (PLESTIOCENE, PLOCENE, AND MIOCENE); UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE
 - Tqm QUARTZ MONZONITE OF TYRONE (PALEOCENE); UNDIFFERENTIATED QUARTZMONZONTIRE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS
 - pCg BURRO MOUNTAIN GRANITE (PRECAMBRIAN); CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES
- TYTP01-9 2006 STOCKPILE TEST PIT (BY GOLDER)
GTP-12 2006 STOCKPILE TEST PIT (BY GOLDER)
GA04-TY-1 2004 BOREHOLE (BY GOLDER)
GA-05-2 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
TWS-41 2006 ROTOSONIC BOREHOLE (BY GOLDER)
S1A-3 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
TSGT-01 2006 ROTOSONIC BOREHOLE (BY GOLDER)
1B-11 PERCHED ZONE WELL (BY OTHERS)
10-1 2006 BOREHOLE (BY GOLDER)
SB-1 AUGUST 2005 BOREHOLE (BY GOLDER)
MB-36 REGIONAL MONITORING WELL (BY OTHERS)

- SOURCE**
- EXISTING REGIONAL GEOLOGY FROM TYRONE CLOSURE/CLOSEOUT PLAN FIGURE 2-15 (GOLDER, 2014). MAP WAS DEVELOPED FROM RECENT UNPUBLISHED DATA FROM PD KOLESSAR, J., 1982, THE TYRONE COPPER DEPOSIT. IN TITLEY, HEDLUND, 1978, GEOLOGIC MAP OF THE WIND MOUNTAIN QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1031, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE TYRONE QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1037, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE BURRO PEAK QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1040, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE WHITE SIGNAL QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1041, 7.5' MAP. DEPOSITS SOUTHWESTERN NORTH AMERICA. UNIVERSITY OF S. R., ED., ADVANCES IN GEOLOGY OF THE PORPHYRY COPPER ARIZONA PRESS, TUCSON, AZ. GEOLOGISTS (STEGEN, GERWE, AND SEIBERT, 1998; CALKINS, AND SEIBERT, 1999); DBS&A, 2012.
 - EXISTING TOPOGRAPHY AND WASTE ROCK DUMP CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2014 IN AN ELECTRONIC FILE TITLED '140103_Final_Overall Reclaim Areas rev 2.dwg'.
 - WASTE ROCK DUMP 9AX CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2018 IN AN ELECTRONIC FILE TITLED '181214_9AX_Final_Design.dwg'.

**CCP 2019 Updated Stockpile Stability -
Issued for CCP State Submittal**

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT
REV.	YYYY-MM-DD	DESCRIPTION

KDP	KDP	TW	DAK
KDP	KDP	TW	DAK
DESIGNED	PREPARED	REVIEWED	APPROVED

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

CONSULTANT



GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com


PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

TITLE
STOCKPILE CRITICAL STABILITY SECTIONS (2 OF 5)

PROJECT NO. 18106417	REV. 0	3 of 9	FIGURE 3
-------------------------	-----------	--------	-------------

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A3 AND

Path: \\nas01\comprod\data\Freeport-McMoran\Tyrone\09_PROJECTS\18106417_Tyrone_Stockpile_Stability\02_PRODUCTION\FIGURES - File Name: 18106417_Tyrone_Stockpile_Stability.dwg | Last Edited By: kdelavaga Date: 2019-08-28 Time: 2:20:20 PM | Printed By: kdelavaga Date: 2019-08-28 Time: 2:20:20 PM



- LEGEND**
- EXISTING NATIVE TOPOGRAPHY (NOTE 2, 25 FT CONTOUR INTERVAL)
 - RE-GRADED CLOSURE STOCKPILES (NOTES 2 AND 3, 25 FT CONTOUR INTERVALS)
 - PROPOSED FUTURE RECLAMATION AREA (NOTES 2 AND 3)
 - CONTINENTAL DIVIDE
 - Qa ALLUVIUM (HOLOCENE): UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT
 - Qfo/QTg UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLEISTOCENE) AND GILA CONGLOMERATE (PLEISTOCENE, PLOCENE, AND MIOCENE); UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE
 - Tqm QUARTZ MONZONITE OF TYRONE (PALEOCENE); UNDIFFERENTIATED QUARTZMONZONTIRE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS
 - pCg BURRO MOUNTAIN GRANITE (PRECAMBRIAN); CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES
- TYTP01-9 2006 STOCKPILE TEST PIT (BY GOLDER)
GTP-12 2006 STOCKPILE TEST PIT (BY GOLDER)
GA04-TY-1 2004 BOREHOLE (BY GOLDER)
GA-05-2 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
TWS-41 2006 ROTOSONIC BOREHOLE (BY GOLDER)
S1A-3 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
TSGT-01 2006 ROTOSONIC BOREHOLE (BY GOLDER)
1B-11 PERCHED ZONE WELL (BY OTHERS)
10-1 2006 BOREHOLE (BY GOLDER)
SB-1 AUGUST 2005 BOREHOLE (BY GOLDER)
MB-36 REGIONAL MONITORING WELL (BY OTHERS)

- SOURCE**
- EXISTING REGIONAL GEOLOGY FROM TYRONE CLOSURE/CLOSEOUT PLAN FIGURE 2-15 (GOLDER, 2014). MAP WAS DEVELOPED FROM RECENT UNPUBLISHED DATA FROM PD KOLESSAR, J., 1982, THE TYRONE COPPER DEPOSIT. IN TITLEY, HEDLUND, 1978, GEOLOGIC MAP OF THE WIND MOUNTAIN QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1031, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE TYRONE QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1037, 7.5' MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE BURRO PEAK QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1041, 7.5' MAP. DEPOSITS SOUTHWESTERN NORTH AMERICA. UNIVERSITY OF S. R., ED., ADVANCES IN GEOLOGY OF THE PORPHYRY COPPER ARIZONA PRESS, TUCSON, AZ. GEOLOGISTS (STEGEN, GERWE, AND SEIBERT, 1998; CALKINS, AND SEIBERT, 1999); DBS&A, 2012.
 - EXISTING TOPOGRAPHY AND WASTE ROCK DUMP CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2014 IN AN ELECTRONIC FILE TITLED '140103_Final_Overall Reclaim Areas rev 2.dwg'.
 - WASTE ROCK DUMP 9AX CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2018 IN AN ELECTRONIC FILE TITLED '181214_9AX_Final_Design.dwg'.

CCP 2019 Updated Stockpile Stability - Issued for CCP State Submittal

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT
REV.	YYYY-MM-DD	DESCRIPTION

KDP	KDP	TW	DAK
KDP	KDP	TW	DAK
DESIGNED	PREPARED	REVIEWED	APPROVED

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

CONSULTANT




GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com

PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

TITLE
STOCKPILE CRITICAL STABILITY SECTIONS (3 OF 5)

PROJECT NO. 18106417	REV. 0	4 of 9	FIGURE 4
-------------------------	-----------	--------	-------------

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A4 AND



- LEGEND**
- EXISTING NATIVE TOPOGRAPHY (NOTE 2, 25 FT CONTOUR INTERVAL)
 - RE-GRADED CLOSURE STOCKPILES (NOTES 2 AND 3, 25 FT CONTOUR INTERVALS)
 - PROPOSED FUTURE RECLAMATION AREA (NOTES 2 AND 3)
 - CONTINENTAL DIVIDE
 - Qia ALLUVIUM (HOLOCENE): UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT
 - Qlo/QTg UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLEISTOCENE) AND GILA CONGLOMERATE (PLEISTOCENE, PLOCENE, AND MIOCENE): UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE
 - Tqm QUARTZ MONZONITE OF TYRONE (PALEOCENE): UNDIFFERENTIATED QUARTZMONZONTIRE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS
 - pCg BURRO MOUNTAIN GRANITE (PRECAMBRIAN): CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES
 - TYTP01-9 2006 STOCKPILE TEST PIT (BY GOLDER)
 - GTP-12 2006 STOCKPILE TEST PIT (BY GOLDER)
 - GA04-TY-1 2004 BOREHOLE (BY GOLDER)
 - GA-05-2 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
 - TWS-41 2006 ROTOSONIC BOREHOLE (BY GOLDER)
 - S1A-3 SEPTEMBER 2005 BOREHOLE (BY GOLDER)
 - TSGT-01 2006 ROTOSONIC BOREHOLE (BY GOLDER)
 - 1B-11 PERCHED ZONE WELL (BY OTHERS)
 - 10-1 2006 BOREHOLE (BY GOLDER)
 - SB-1 AUGUST 2005 BOREHOLE (BY GOLDER)
 - MB-36 REGIONAL MONITORING WELL (BY OTHERS)

SOURCE

1. EXISTING REGIONAL GEOLOGY FROM TYRONE CLOSURE/CLOSEOUT PLAN FIGURE 2-15 (GOLDER, 2014). MAP WAS DEVELOPED FROM RECENT UNPUBLISHED DATA FROM PD KOLESSAR, J., 1982, THE TYRONE COPPER DEPOSIT. IN TITLEY, HEDLUND, 1978, GEOLOGIC MAP OF THE WIND MOUNTAIN QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1031, 7.5" MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE TYRONE QUADRANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1037, 7.5" MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE BURRO PEAK QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1040, 7.5" MAP. HEDLUND, 1978, GEOLOGIC MAP OF THE WHITE SIGNAL QUAD-RANGLE, GRANT CO., NM, USGS MISC. FIELD STUDIES, MF-1041, 7.5" MAP. DEPOSITS SOUTHWESTERN NORTH AMERICA. UNIVERSITY OF S. R., ED., ADVANCES IN GEOLOGY OF THE PORPHYRY COPPER ARIZONA PRESS, TUCSON, AZ. GEOLOGISTS (STEGEN, GERWE, AND SEIBERT, 1998; CALKINS, AND SEIBERT,1999); DBS&A, 2012.

2. EXISTING TOPOGRAPHY AND WASTE ROCK DUMP CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2014 IN AN ELECTRONIC FILE TITLED '140103_Final_Overall Reclaim Areas rev 2.dwg'.

3. WASTE ROCK DUMP 9AX CLOSURE CONTOURS PROVIDED BY FREEPORT MCMORAN IN 2018 IN AN ELECTRONIC FILE TITLED '181214_9AX_Final_Design.dwg'.

CCP 2019 Updated Stockpile Stability -
Issued for CCP State Submittal

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT
REV.	YYYY-MM-DD	DESCRIPTION

KDP	KDP	TW	DAK
KDP	KDP	TW	DAK
DESIGNED	PREPARED	REVIEWED	APPROVED

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

CONSULTANT



GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com


PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

TITLE
STOCKPILE CRITICAL STABILITY SECTIONS (4 OF 5)


PROJECT NO. 18106417	REV. 0	5 of 9	FIGURE 5
-------------------------	-----------	--------	-------------

Path: \\server\compendia\data\Freeport-McMoran\Tyrone\09_PROJECTS\18106417_Tyrone_Stockpile_Stability\02_PRODUCTION\FIGURES - File Name: 18106417_T_005_CRITICAL SECTIONS.dwg | Last Edited By: kdelavaga Date: 2019-08-28 Time: 2:32:31 PM | Printed By: kdelavaga Date: 2019-08-28 Time: 2:32:55 PM


1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI D




Path: \\nas01\comprod\data\Freeport-McMoran\Tyrone\09_PROJECTS\18106417_Tyrone_Stockpile_Stability\02_PRODUCTION\FIGURES - 1 File Name: 18106417_Tyrone_Stockpile_Stability.dwg | Printed By: KJL\aveaga Date: 2019-08-28 Time: 2:38:49 PM | Last Edited By: KJL\aveaga Date: 2019-08-28 Time: 2:38:49 PM |




SCALE 1" = 600' **1A** GEOLOGIC CROSS SECTION-STOCKPILE 1A




SCALE 1" = 600' **2A-1** GEOLOGIC CROSS SECTION-STOCKPILE 2A (1 OF 2)




SCALE 1" = 600' **2C** GEOLOGIC CROSS SECTION-STOCKPILE 2C



SCALE 1" = 600' **1B** GEOLOGIC CROSS SECTION-STOCKPILE 1B




SCALE 1" = 600' **2A-2** GEOLOGIC CROSS SECTION-STOCKPILE 2A (2 OF 2)




SCALE 1" = 800' **3A** GEOLOGIC CROSS SECTION-STOCKPILE 3A


- LEGEND**
- Tqm** QUARTZ MONZONITE OF TYRONE (PALEOCENE); UNDIFFERENTIATED QUARTZMONZONTIRE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS
 - pCg** BURRO MOUNTAIN GRANITE (PRECAMBRIAN); CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES
 - Qa** ALLUVIUM (HOLOCENE); UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT
 - Qlo/Qtg** UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLESTIOCENE) AND GILA CONGLOMERATE (PLESTIOCENE, PLOECENE, AND MIOCENE); UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE
 - ORE** LEACHED ORE
 - WR** WASTE ROCK
 - GROUND WATER**
 - PERCHED WATER IN ALLUVIUM**
 - FINAL CLOSURE RE-GRADED STOCKPILE**




SCALE 1" = 600' **1C** GEOLOGIC CROSS SECTION-STOCKPILE 1C



SCALE 1" = 600' **2B** GEOLOGIC CROSS SECTION-STOCKPILE 2B



SCALE 1" = 600' **3B** GEOLOGIC CROSS SECTION-STOCKPILE 3B



CCP 2019 Updated Stockpile Stability - Issued for CCP State Submittal

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT
REV.	YYYY-MM-DD	DESCRIPTION

KDP	KDP	TW	DAK
KDP	KDP	TW	DAK
DESIGNED	PREPARED	REVIEWED	APPROVED

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

CONSULTANT



GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com

PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

TITLE
GEOLOGIC CRITICAL SECTION PROFILES (1 OF 3)


PROJECT NO.
18106417

REV. 7 of 9
0

FIGURE
7


1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A4S D

Path: \\nas01\comprod\data\Freeport-McMoran\Tyrone\09_PROJECTS\18106417_Tyrone_Stockpile_Stability\02_PRODUCTION\FIGURES | File Name: 18106417_Tyrone_Stockpile_Stability.dwg | Last Edited By: kdelavaga | Date: 2019-06-28 Time: 2:38:49 PM | Printed By: kdelavaga | Date: 2019-06-28 Time: 2:39:58 PM




SCALE 1" = 600' **3C/5A**
4

GEOLOGIC CROSS SECTION-STOCKPILE 3C (5A)




SCALE 1" = 600' **4C-2**
3

GEOLOGIC CROSS SECTION-STOCKPILE 4C (2 OF 2)




SCALE 1" = 600' **4C-1**
3

GEOLOGIC CROSS SECTION-STOCKPILE 4C (1 OF 2)




SCALE 1" = 600' **5B**
4

GEOLOGIC CROSS SECTION-STOCKPILE 5B




SCALE 1" = 600' **6B**
2

GEOLOGIC CROSS SECTION-STOCKPILE 6B




SCALE 1" = 600' **6C**
2

GEOLOGIC CROSS SECTION-STOCKPILE 6C



SCALE 1" = 600' **7A-E**
2

GEOLOGIC CROSS SECTION-STOCKPILE 7A EAST




SCALE 1" = 600' **7A-W**
2

GEOLOGIC CROSS SECTION-STOCKPILE 7A WEST


LEGEND

- Tqm QUARTZ MONZONITE OF TYRONE (PALEOCENE); UNDIFFERENTIATED QUARTZMONZONTIRE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS
- pCg BURRO MOUNTAIN GRANITE (PRECAMBRIAN); CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES
- Qa ALLUVIUM (HOLOCENE); UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT
- Qlo/Qtg UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLESTIOCENE) AND GILA CONGLOMERATE (PLESTIOCENE, PLOECENE, AND MIOCENE); UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE
- ORE LEACHED ORE
- WR WASTE ROCK
- GROUND WATER
- PERCHED WATER IN ALLUVIUM
- FINAL CLOSURE RE-GRADED STOCKPILE




SCALE 1" = 300' **7A-fw**
3

GEOLOGIC CROSS SECTION-STOCKPILE 7A FAR WEST




SCALE 1" = 600' **7B**
3

GEOLOGIC CROSS SECTION - 7B STOCKPILE



SCALE 1" = 800' **9A**
5

GEOLOGIC CROSS SECTION-STOCKPILE 9A



CCP 2019 Updated Stockpile Stability -
Issued for CCP State Submittal

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT
REV.	YYYY-MM-DD	DESCRIPTION

KDP	KDP	TW	DAK
KDP	KDP	TW	DAK
DESIGNED	PREPARED	REVIEWED	APPROVED

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

CONSULTANT



GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com


PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

TITLE
GEOLOGIC CRITICAL SECTION PROFILES (2 OF 3)


PROJECT NO.	REV.	8 of 9	FIGURE
18106417	0		8

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A4S D


Path: \\nascom\compendia\Freeport-McMoran\Tyrone\09_PROJECTS\18106417_Tyrone_Stockpile_Stability\02_PRODUCTION\FIGURES | File Name: 18106417_Tyrone_Stockpile_Stability.dwg | Last Edited By: kdelavaga | Date: 2019-08-28 Time: 2:42:46 PM | Printed By: kdelavaga | Date: 2019-08-28 Time: 2:43:02 PM




SCALE 1" = 600' **9AX-1** GEOLOGIC CROSS SECTION-STOCKPILE 9AX (1 OF 2)




SCALE 1" = 600' **9AX-2** GEOLOGIC CROSS SECTION-STOCKPILE 9AX (2 OF 2)




SCALE 1" = 600' **SR** GEOLOGIC CROSS SECTION-SOUTH RIM PIT IN-PIT STOCKPILE



SCALE 1" = 600' **LR** GEOLOGIC CROSS SECTION-LITTLE ROCK PIT IN-PIT STOCKPILE



SCALE 1" = 600' **LR-N** GEOLOGIC CROSS SECTION-LITTLE ROCK PIT NORTH IN-PIT STOCKPILE



SCALE 1" = 600' **SS** GEOLOGIC CROSS SECTION-SAN SALVADOR PIT IN-PIT STOCKPILE

LEGEND	
Tqm	QUARTZ MONZONITE OF TYRONE (PALEOCENE); UNDIFFERENTIATED QUARTZMONZONITE, QUARTZ MONZONITE PORPHYRY, AND RELATED INTRUSIVE ROCKS
pCg	BURRO MOUNTAIN GRANITE (PRECAMBRIAN); CONTAINS DIKES OF QUARTZ MONZONITE AND OTHER LITHOLOGIES
Qa	ALLUVIUM (HOLOCENE); UNCONSOLIDATED POORLY SORTED GRAVEL, SAND, AND SILT
Qfo/QTg	UNDIFFERENTIATED OLDER FAN DEPOSITS, UNDIFFERENTIATED SHEET FLOOD DEPOSITS (PLESTIOCENE) AND GILA CONGLOMERATE (PLESTIOCENE, PLOECENE, AND MIOCENE); UPPER ERODED SURFACE LOCALLY CEMENTED BY CALICHE
ORE	LEACHED ORE
WR	WASTE ROCK
	GROUND WATER
	PERCHED WATER IN ALLUVIUM
	FINAL CLOSURE RE-GRADED STOCKPILE



CCP 2019 Updated Stockpile Stability - Issued for CCP State Submittal

B	07-03-2019	CCP 2019 UPDATED STOCKPILE STABILITY
A	04-12-2019	CCP 2019 UPDATED STOCKPILE STABILITY - DRAFT REPORT
REV.	YYYY-MM-DD	DESCRIPTION

KDP	KDP	TW	DAK
KDP	KDP	TW	DAK
DESIGNED	PREPARED	REVIEWED	APPROVED

CLIENT
FREEPORT-MCMORAN TYRONE INC.
GRANT COUNTY, NEW MEXICO

CONSULTANT



GOLDER ASSOCIATES, INC
595 DOUBLE EAGLE COURT
RENO, NEVADA 89521
USA
[+1] 775 828-9604
www.golder.com

PROJECT
TYRONE CLOSURE/CLOSEOUT PLAN
TYRONE MINE STOCKPILE STABILITY

TITLE
GEOLOGIC CRITICAL SECTION PROFILES (3 OF 3)
IN PIT STOCKPILES

PROJECT NO.
18106417

REV.
0

9 of 9

FIGURE
9

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A4S D

APPENDINX I

2005 Interim Report

FOR CLIENT REVIEW

**SUPPLEMENTAL STABILITY STUDY OF
WASTE ROCK PILES
AND LEACH ORE STOCKPILES
INTERIM REPORT FOR DP-1341, CONDITION 78
TYRONE MINE**

Submitted to:

*Phelps Dodge Tyrone Inc.
Tyrone, New Mexico*

Submitted by:

*Golder Associates Inc.
4730 N. Oracle Rd. Suite 210
Tucson, Arizona, 85705*

Distribution:

2 Copies - Phelps Dodge Tyrone, Inc.
3 Copies - New Mexico Environment Department
2 Copies - Mining and Minerals Division
1 Copy - EnviroGroup Limited
2 Copies - Golder Associates Inc.

December 19, 2005

053-2550

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	SUMMARY OF WORK COMPLETED	3
2.1	Closure/Closeout Plan Addendum.....	3
2.2	Stockpile Characterization Activities at the Tyrone Mine.....	4
2.3	2004 1C Stockpile Sampling Program.....	5
2.4	2004 Rotosonic Stockpile Drilling Program.....	6
2.5	2005 1A Stockpile Rotosonic Drilling Program	7
3.0	PRELIMINARY RESULTS.....	8
4.0	REMAINING WORK.....	9
5.0	USE OF THIS REPORT	10
6.0	REFERENCES	11

LIST OF TABLES

Table 1	Summary of Stockpile Test Pit Locations
Table 2	Summary of Stockpile Sample Field Test Results
Table 3	Summary of Stockpile Test Pit Laboratory Test Results
Table 4	Rotosonic Borehole Locations
Table 5	International Society of Rock Mechanics Manual Index Test
Table 6	Summary of Laboratory Test Results from Rotosonic Borehole Samples

LIST OF FIGURES

Figure 1	Sample Location Map
Figure 2	Stockpile Sampling Program

LIST OF APPENDICES

Appendix A Test Pit Logs

- Appendix A-1 2000 Test Pit Logs
- Appendix A-2 2001 Test Pit Logs
- Appendix A-3 2004 1C Stockpile Test Pit Logs

Appendix B Borehole Logs

- Appendix B-1 2004 Rotosonic Drilling Logs
- Appendix B-2 2004 Phelps Dodge Tyrone, Inc., Geologic Logs
- Appendix B-3 2005 Rotosonic Borehole Logs
- Appendix B-4 2005 Phelps Dodge Tyrone, Inc., Geologic Logs

Appendix C Laboratory Index Testing

- Appendix C-1 2000 Grain-Size Analysis
- Appendix C-2 2001 Soil Summary and Grain-Size Analysis
- Appendix C-3 2004 1C Stockpile Soil Summary and Grain-Size Analysis
- Appendix C-4 2004 Sonic Drilling Soil Summary and Grain-Size Analysis
- Appendix C-5 2005 Soil Summary and Grain-Size Analysis

Appendix D Laboratory Shear Strength Tests

- Appendix D-1 2000 Triaxial Shear Tests
- Appendix D-2 2001 Triaxial Shear Tests
- Appendix D-3 1C Stockpile Direct Shear Tests

1.0 INTRODUCTION

The New Mexico Environment Department (NMED) issued a Supplemental Discharge Permit for Closure (DP-1341) dated April 8, 2003 to Phelps Dodge Tyrone, Inc. (PDTI) for the Tyrone Mine. To comply with the New Mexico Water Quality Act and the New Mexico Water Quality Control Commission regulations, PDTI is required to conduct scientific studies that address a number of conditions specified under Section III of DP-1341. This Interim Report addresses Condition 78, which states:

Tyrone shall perform a supplemental stability study on the Waste Rock Piles and Leach Ore Stockpiles at the Tyrone Mine Facility. In accordance with the schedule approved under Condition 74, Tyrone shall submit to NMED for approval a work plan including an implementation schedule for the supplemental stability study to evaluate the long-term physical stability of Waste Rock Piles and Leach Ore Stockpiles after closure. The study shall evaluate and quantify changes in the engineering parameters resulting from the natural weathering process of the Waste Rock Pile and Leach Ore Stockpile materials that may ultimately affect long-term stability. At a minimum, the work plan shall propose methods and analyses to account for changes in chemical and physical properties of the stockpile materials from the time of deposition to present day and to a specified time during post-closure. The study shall include an evaluation of the recently reported data for materials interior to the stockpiles and whether additional data collection is warranted to evaluate long-term stability. (Golder Associates Inc. [Golder], 2003)

A Work Plan for Supplemental Slope Stability Analyses dated December 12, 2003 was submitted that is intended to address the supplemental stability requirements of Condition 78. The work plan has four primary objectives. They are:

- further characterize the internal composition, structure, chemical and physical state, and engineering parameters of the leach ore stockpiles and waste stockpiles;
- further characterize the geological and engineering parameters of the foundation materials of the leach stockpiles and waste stockpiles;
- quantify the effects of chemical weathering/cementation on the engineering parameters of the stockpile materials with respect to long-term slope stability; and

- re-evaluate the stability of the stockpiles based on the more detailed geologic/geotechnical model and engineering parameters.

A similar work plan was issued for Condition 80 of DP-1340 for the Chino Mine. NMED issued a “Request for Additional Information” as a condition of acceptance of the Chino Mine Condition 78 work plan. A request for additional information was not issued in response to the Tyrone Mine Condition 78 work plan. However, we have assumed that the additional requirements for Chino will apply to the Tyrone Mine as well.

This Interim Report has been prepared to provide a summary of the stockpile characterization data that have been collected to date for use as reference for other ongoing studies related to other conditions.

The following stockpiles comprise the Tyrone Mine Stockpile system

- No. 1 Waste
- No. 1A Leach
- No. 1B Leach
- No. 1C Waste
- No. 2A Leach
- No. 2B Waste
- No. 3A Leach
- No. 3C Waste
- No. 4A Leach
- No. 5A Waste
- No. 6B Leach
- No. 7A Waste

The stockpiles at the Tyrone Mine were placed by end dumping in lifts generally 50 to 200 feet high. There is considerable primary slope-parallel layering and segregation in the stockpiles.

2.0 SUMMARY OF WORK COMPLETED

A number of stockpile characterization programs and slope stability assessments of the waste rock piles and leach stockpiles at the Tyrone Mine have been completed. Characterization activities have consisted of test pit excavations, rotosonic borehole drilling, and laboratory testing of samples collected from the test pits and boreholes. Test pit logs are provided in Appendix A. Borehole logs are provided in Appendix B. Golder logged the rotosonic borehole cores for geotechnical information and the geotechnical logs are provided in Appendix B-1. PDTI prepared geologic logs of the rotosonic boreholes and these are provided in Appendix B-2. Laboratory testing results are provided in Appendices C and D. This Interim Report has been prepared to summarize the information compiled to date.

2.1 Closure/Closeout Plan Addendum

Golder completed a slope stability analysis of stockpiles at the Tyrone Mine and reported the results of those analyses in Golder (2000). The Closure/Closeout Plan Addendum provided a description of the existing site conditions, stockpile descriptions, characterization of stockpile materials, determination of mechanical properties of the stockpile materials, and computation of the stability of the stockpile embankment slopes.

The stockpile materials characterized during this study were collected from 14 surface excavations that were typically 15-feet deep. Golder visually estimated the percentage of oversized (>3-inch) material in each test pit. Golder logged the stockpile soils (minus 3-inch fraction) at each site according to American Society for Testing and Materials (ASTM) (D2488) standards. The test pit locations are provided in Table 1. Golder performed point load tests on oversize rock fragments to quantify the strength of the cobbles. Approximately 10 point load tests were performed for each test pit and the results were averaged to provide the results listed in Table 2. Additionally, Golder obtained three nuclear gauge moisture and density measurements from each test pit, and the values were averaged to provide the dry densities listed in Table 2. The test pit logs are provided in Appendix A-1. Bulk samples were collected from seven of the test pits and were subjected to grain-size analyses and Atterberg limits testing. Grain-size test results are provided in Appendix C-1. Two samples were also selected for triaxial shear testing. Staged triaxial shear testing was performed under consolidated, undrained conditions with pore pressure measurements. The results are provided in Appendix D-1. A 4-inch diameter triaxial cell was used, and the soil was scalped of fragments larger than $\frac{3}{4}$ inch. The laboratory test results are summarized in Table 3.

2.2 Stockpile Characterization Activities at the Tyrone Mine

During closure hearings with the state of New Mexico, PDTI received comments concerning the lack of geotechnical characterization of the interior portions of the stockpiles. The comments addressed the impact that leaching by low pH process solutions and long-term weathering may have on the long-term shear strength and, consequently, the long-term stability of the stockpiles and that the interior portions of the stockpiles may be more impacted by leaching and weathering than the surface. To address these comments, Golder conducted a field investigation during October 11 and 12, 2001 to augment the previous stockpile characterization study. PDTI identified several stockpiles that had been partially re-mined, exposing the interiors. This work was reported previously in Golder (2002). We collected samples and classified the stockpile soils at 12 sites. The sampled sites are identified on Figure 1 and the locations are described in Table 1. One of the difficulties in characterizing coarse stockpile materials is collecting a sufficiently large sample to provide a valid representation of large (up to approximately 4-foot diameter) fragments. At each sample site Golder defined a cell approximately the width of the bench height (typically 50-feet high) and characterized the stockpile material within each cell. Golder visually estimated the percentage of oversize material (plus 3-inch fraction), and the visual estimates were verified using scaled photographic images. Golder took three photographs at each sample location: one across the entire cell width, one approximately 10-feet wide, and one approximately 18 inches across to allow resolution of particles from several feet to 3 inches in diameter. The stockpile soils (minus 3-inch fraction) at each site were logged according to ASTM (D2488) standards. Geotechnical logs with a photograph for each cell are provided in Appendix A-2. Golder reviewed stockpile cross-sections prepared by Greystone from historical mine maps to determine the year that various stockpiles were placed. Table 1 summarizes the sample locations and age and leaching history of the stockpiles

Approximately 60-pound soil samples were collected from each cell. The samples were sent to Golder's laboratory in Denver, Colorado and subjected to sieve analysis (ASTM C117/C136) and Atterberg limits determination (ASTM D4318). The grain-size and Atterberg limits test results are provided in Appendix C-2. Golder prepared extended grain-size curves by combining the laboratory grain-size curves with the visual estimates of the gradation of the oversize fraction. Figure 2 provides a plot of all of the extended grain-size curves that have been prepared from samples collected from the Tyrone Mine Stockpiles. Four staged, consolidated, undrained triaxial shear tests were performed, and the results are provided in Appendix D-2. A 4-inch diameter triaxial cell was used, and the soil was scalped of fragments larger than $\frac{3}{4}$ inch. Laboratory test results are summarized in Table 3.

2.3 2004 1C Stockpile Sampling Program

During 2004, PDTI re-mined a portion of the 1C Stockpile exposing the interior portions of the stockpile.

Golder performed a site investigation to characterize the interior portions of the 1C Stockpile on September 8 and 9, 2004. Golder's Senior Project Engineer, Thomas Wythes, performed the site investigation. Golder collected samples and classified the stockpile soils at eight sites. The sampled sites are identified on Figure 1, and approximate coordinates are provided in Table 1. The topography shown on Figure 1 does not reflect the topography at the time of sampling because the 1C Stockpile was being actively mined at that time and has since been reclaimed. At each sample site we defined a cell approximately the width of the bench height (typically 50-feet high) and characterized the stockpile material within each cell. The stockpile soils (i.e., the minus 3 inch fraction) at each site were logged according to ASTM (D2488) standards. Golder visually estimated the percentage of oversize material (plus 3-inch fraction), and the visual estimates were verified using scaled photographic images. Golder took three photographic images at each sample location: one across the entire the cell width, one approximately 10- to 20-feet wide, and one approximately 2- to 5-feet across to allow resolution of particles from several feet to 3 inches in diameter. Extended grain-size curves were prepared and are illustrated on Figure 2. Geotechnical logs for each cell are provided in Appendix A-3.

Approximately 60-pound soil samples were collected from each cell. The samples were sent to Golder's laboratory in Denver, Colorado and subjected to sieve analysis (ASTM C117/C136), hydrometer analysis (ASTM D422), and Atterberg limits determination (ASTM D4318). The grain-size and Atterberg limit test results are provided in Appendix C-3. Large scale (6-inch) direct shear tests were performed under saturated conditions. The direct shear test samples were scalped of fragments larger than 1 inch. The laboratory testing results are provided in Appendix D-3 and summarized in Table 3. An additional 30-pound sample was also collected from each cell for geochemical testing in support of studies related to Condition 80. Geochemical characterization is being performed by EnviroGroup Limited (formerly Greystone) under the direction of Dr. Drummond Early.

Golder reviewed stockpile cross-sections prepared by Greystone from historical mine maps to determine the year that various stockpiles were placed. Table 1 summarizes the sample locations, and the age and depth of the stockpiles. A characterization of mineral assemblage type in each stockpile

was provided in Appendix E of the Preliminary Materials Characterization Report (Daniel B. Stephens & Associates, Inc. [DBS&A], 1997a) and the Supplemental Materials Characterization Report (DBS&A, 1997b). These reports also include pit development maps, plan view stockpile distribution maps, and stockpile development cross-sections. This information was useful in determining the history of each stockpile.

2.4 2004 Rotosonic Stockpile Drilling Program

PDTI completed a rotosonic drilling program between September 28 and October 13 2005. The locations of the drillholes are provided in Table 4 and illustrated on Figure 1. Boreholes TSGT-1 through TSGT-3 were terminated within the stockpile. Borehole TSGT-4 extended approximately 15 feet into the foundation soils.

The drill holes were logged for geologic and geotechnical information. Golder completed geotechnical logging after the drilling was completed and the rotosonic drill core was laid out in the core shed. Geotechnical logs are provided in Appendix B-1. PDTI performed geologic logging, and the geologic logs are provided in Appendix B-2. Information collected during geotechnical logging included a soil description and classification according to ASTM D2488. A color designation was also applied based on the Munsel color code. Estimates of the moisture content were made but are of little value because samples were stored for 7 months prior to geotechnical logging. The core recovery and percentage of fragments greater than 3 inches were also recorded. The estimates of the oversize fraction from the rotosonic core are considered less representative than those from the test pits because of the relatively small diameter of the core. The strength of the clasts was estimated based on the International Society of Rock Mechanics manual index test procedures as summarized on Table 5. Photographs of the rotosonic core are provided on the CD included in Appendix C.

Samples were collected from the rotosonic core during geotechnical logging at typical intervals of 25 to 50 feet. Samples were typically approximately 25 pounds, and fragments larger than 3 inches were generally excluded. The samples were sent to Golder's laboratory in Denver, Colorado and subjected to sieve analysis (ASTM C117/C136), hydrometer analysis (ASTM D422), and Atterberg limits determination (ASTM D4318). The grain-size and Atterberg limit test results are provided in Appendix C-4 and are summarized in Table 6.

After completion of each rotosonic corehole, a downhole geophysical survey was performed. Geophysical logging included:

- Cased Density Log,
- Natural Gamma Ray Spectrometry Tool, and
- Epithermal Neutron Log.

The results of the geophysical survey are reported in Greystone (2004).

2.5 2005 1A Stockpile Rotosonic Drilling Program

PDTI performed a rotosonic drilling program of the 1A Stockpile to verify their condition prior to re-mining from September 13 through 17, 2005. Five rotosonic drillholes (S1A-1 through S1A-5) were completed to depths of 110 to 200 feet. The locations of the 2005 rotosonic boreholes are shown on Figure 1 and the coordinates are provided on Table 4. Golder Engineer, Gene Muller, was present during drilling of rotosonic holes S1A-3 through S1A-5 and completed geotechnical logging and sampling of those holes. Hole S1A-3 penetrated through the base of the stockpile into the underlying Gila Conglomerate. The geotechnical logs are provided in Appendix B-3. Geologic logs prepared by PDTI are provided in Appendix B-4. Nineteen samples were collected and were sent to Golder's laboratory in Denver, Colorado and subjected to sieve analysis (ASTM C117/C136), hydrometer analysis (ASTM D422), and Atterberg Limits determination (ASTM D4318). The laboratory test results are provided in Appendix C-5 and are summarized in Table 6. The materials near the base of the 1A Stockpile have been subjected to leaching for the longest period of time of any stockpiles at the Tyrone Mine.

3.0 PRELIMINARY RESULTS

The results of the laboratory testing and geotechnical logging indicate that the stockpile materials typically classify as clayey gravels or clayey sand with occasional poorly graded gravel with clay and sand. The soil has a low to moderate plasticity generally between 10 and 20 percent. The oversize fraction varies considerably, comprising 10 to 50 percent of the material. The extended grain size curves provided on Figure 2 illustrate the range of grain sizes from the stockpile test pit samples. Localized clay zones 1- to 6-feet thick have been recognized in the rotosonic cores that are 1- to 4-feet thick.

The laboratory-derived Mohr-Coulomb shear strengths of the stockpile samples range from 29 degree friction with 8.8 pounds per square inch (psi) cohesion to 36.2 degrees friction with 0.6 psi cohesion. The shear strength results are summarized in Table 2. Due to the limitation of particle size in the test apparatus (i.e., $\frac{3}{4}$ inch for triaxial cell and 1 inch for direct shear box) the impact of the larger size fragments is not included in the laboratory-derived shear strength estimates. The distribution of the various sized particles plays a significant role in determining the physical properties of the stockpile materials. Research conducted by Frigaszy, et al. (1992) suggests that the strength of a soil with oversize particles (larger than the limitations of the testing apparatus) may be characterized by the strength of the matrix material if the oversized particles are in a floating state. Conversely, the strength of the soil may be characterized by the properties of the oversized material if there is sufficient oversized particle to particle contact. The research suggests that the strength properties of a soil having less than 40 percent oversized material are controlled primarily by the soil matrix and that the strength properties of a soil with more than 65 percent oversized material is controlled primarily by the properties of the oversized material. The strength properties of soils having between 40 and 65 percent oversized material are influenced by both the soil matrix and the oversized material. Boundaries have been provided on Figure 2 between oversized controlled shear strength, matrix controlled strength, and transitional behavior. The stockpiles are generally transitional. Laboratory-derived shear strengths can be considered to underestimate the shear strength of the stockpile materials.

The stockpiles are unsaturated, and moisture content variability is related to grain size of the soils. Coarse-grained materials are dry, and fine-grained zones have higher moisture retention.

4.0 REMAINING WORK

Additional work that will be completed to assess the stockpile stability is the characterization of the foundation conditions underlying the stockpiles. This work will be completed during early 2006 and will include identification of areas with potentially weak foundation materials based on available data and field reconnaissance. Where weak foundation materials are identified or suspected, the field characteristics will be recorded and samples will be collected and subjected to laboratory testing as determined to be appropriate.

The long-term impacts of weathering on the stability of the stockpiles will also be considered through weathering studies being performed by EnviroGroup Limited.

Two-dimensional, cross-sectional, slope stability models will be developed for critical cross-sections. Critical cross-sections will be selected based on consideration of slope height, slope angle, natural ground surface topography, groundwater conditions, the compositional model and assigned material parameters. Slope regrading is ongoing and the slope stability analyses will be performed for slope configurations that reflect the final conditions. Limit equilibrium slope stability analyses will be performed for the critical cross-sections, and the results will be reported in terms of a factor of safety.

The methodology and results will be described in a final report that will be prepared after the completion of the slope stability analyses and is scheduled for completion prior to September 2006.

5.0 USE OF THIS REPORT

This report has been prepared exclusively for the use of Phelps Dodge Tyrone, Inc. for specific application to the Tyrone Project. No third party engineer or consultant shall be entitled to rely on any of the information, conclusions, or opinions contained in this report without the prior written approval from PDTI and Golder.

The conclusions in this report have been prepared in a manner consistent with that level of care and skill ordinarily exercised by professionals currently practicing in this field. In preparing our conclusions and recommendations, Golder has relied upon information provided by the client and other parties involved in the study and Golder is not responsible for errors or omissions in the information provided by the client or the other parties.

Respectfully submitted,

GOLDER ASSOCIATES INC.

Thomas J. Wythes, P.E., P.G.
Senior Geological Engineer

6.0 REFERENCES

- Daniel B. Stephens & Associates, Inc. (DBS&A), 1997a. *Preliminary Materials Characterization Tyrone Mine Closure/Closeout*, prepared for Phelps Dodge Tyrone, Inc. April 30, 1997.
- DBS&A, 1997b. *Supplemental Materials Characterization Tyrone Mine Closure/Closeout*, prepared for Phelps Dodge Tyrone, Inc. October 31, 1997.
- Fragaszy, R.J., J. Su, F.H. Siddiqi, and C.L. Ho, 1992. *Modeling Strength of a Sandy Gravel. Journal of Geotechnical Engineering*. Vol. 118. No. 6.
- Golder Associates Inc. (Golder), 2000. *Closure/Closeout Addendum, Slope Stability Analysis, Phelps Dodge Tyrone, Inc., Grant County, New Mexico*, prepared for Phelps Dodge Tyrone, Inc. February 24, 2000, project number 993-2546.001.
- Golder, 2002. *Results of Additional Stockpile Characterization Activities at the Tyrone Mine*, prepared for Phelps Dodge Tyrone, Inc. May 7, 2002, project number 013-1595.
- Golder, 2003. *Work Plan, Condition 78, Supplemental Slope Stability Analysis*, prepared for Phelps Dodge Tyrone, Inc. December 12, 2003, project number 013-1595-002.
- Greystone, 2004. *Supplemental Materials Characterization Study of the Leached Ore Stockpiles and Waste Rock Stockpiles – Interim Report for DP-1341, Condition 80, Tyrone Mine*, prepared for Phelps Dodge Tyrone, Inc., prepared by Greystone Environmental Consultants, Inc.

TABLES

TABLE 1
SUMMARY OF STOCKPILE TEST PIT LOCATIONS

Sample #	Approximate Mine Coordinates			Stockpile Name	Year Stockpile Placed	Depth Below Stockpile Surface (feet)	% >3-inch
	Easting	Northing	Elev.				
2000 Closure/Closeout Plan Addendum ^a							
GTP-01	21349	11668	6123	No. 1		10	15
GTP-02	22620	11316	6150	No. 1		10	15
GTP-03	15937	14890	6250	No. 5A		10	20
GTP-04	15252	15617	6130	No. 5A		10	10
GTP-05	13426	16559	6180	No. 5A		10	20
GTP-06	4038	11230	6310	No. 2A		10	20
GTP-07	4694	13436	6380	No. 2A		10	20
GTP-08	4408	9437	6270	No. 2A		10	15
GTP-09	6075	6910	6400	No. 2A		10	45
GTP-10	11416	3546	6450	No. 7A		10	25
GTP-11	13141	4636	6400	No. 7A		10	20
GTP-12	16737	5541	6250	No. 1C		10	25
GTP-13	18450	6622	6250	No. 1C		10	20
GTP-14	10230	19063	6150	No. 3A		10	35
2001 Test Pit Program							
TYTP01-1	4757	10882	6270	No. 2B	1975	100	40
TYTP01-2	6335	8367	6100	No. 2C	1978	400	30
TYTP01-3	6643	8275	6200	No. 2C	1982	250	50
TYTP01-4	5945	9155	6350	No. 2C	1986	100	15
TYTP01-5	5766	6482	6400	No. 4C	1975	100	10
TYTP01-6	13643	9578	5925	No. 6B	1989	300	50
TYTP01-7	13282	9913	5975	No. 6B	1989	300	40
TYTP01-8	13523	9429	6025	No. 6B	1990	250	30
TYTP01-9	17378	8051	6150	No. 1A	1967	40	30
TYTP01-10	14429	12245	6200	No. 5A	1967	50	50
TYTP01-11	4473	10612	5850	No. 2B	1973	100	10
TYTP01-12	10770	15320	6275	No. 3B	1975	100	40
2004 1C Stockpile Sampling							
GA04-TY-1	17364	6537	6200	1C	1998	50.0	10
GA04-TY-2	18049	7149	6200	1C	1998	50.0	10
GA04-TY-3	17366	6367	6150	1C	1982	100.0	50
GA04-TY-4	18112	6939	6150	1C	1982	100.0	40
GA04-TY-5	18417	6253	6000	1C	1982	250.0	15
GA04-TY-6	18220	7116	6150	1C	1982	100.0	20
GA04-TY-7	18158	6690	6100	1C	1982	150.0	20
GA04-TY-8	18404	7044	6100	1C	1982	150.0	30

Note:

^a Golder, 2000

TABLE 2
SUMMARY OF STOCKPILE SAMPLE FIELD TEST RESULTS

Sample #	Approximate Mine Coordinates			Stockpile Name	Average Clast UCS (psi)	Average Field Dry Density	Average Field Moisture
	Easting	Northing	Elev.				
GTP-01	21349	11668	6123	No. 1	9,436	121.3	5.0
GTP-02	22620	11316	6150	No. 1	14,187	118.7	6.8
GTP-03	15937	14890	6250	No. 5A	13,155	125.1	5.3
GTP-04	15252	15617	6130	No. 5A	8,006	121.1	3.3
GTP-05	13426	16559	6180	No. 5A	14,109	108.4	4.8
GTP-06	4038	11230	6310	No. 2A	9,268	127.5	6.8
GTP-07	4694	13436	6380	No. 2A	8,052	117.9	5.8
GTP-08	4408	9437	6270	No. 2A	5,119	121.7	9.8
GTP-09	6075	6910	6400	No. 2A	15,856	116.3	6.7
GTP-10	11416	3546	6450	No. 7A	4,621	127.1	6.0
GTP-11	13141	4636	6400	No. 7A	10,593	117.0	3.2
GTP-12	16737	5541	6250	No. 1C	7,906	128.3	5.0
GTP-13	18450	6622	6250	No. 1C	6,507	127.3	3.8
GTP-14	10230	19063	6150	No. 3A	22,481	119.6	5.3

Notes:

UCS = uniaxial compressive strength

psi = pounds per square inch

TABLE 3
SUMMARY OF STOCKPILE TEST PIT LABORATORY TEST RESULTS

Sample #	USCS Soil Classification	Atterberg Limits			Grain-size Distribution			Effective Stress Parameters	
					% Finer	% Finer	% Finer	φ	C
		LL	PL	PI	3/4"	#4	#200	(degrees)	(psi)
GTP-01	GC	47	22	25	81	49	17		
GTP-03	SC	33	20	13	84	60	18	34.6 ^a	5.8 ^a
GTP-06	GP-GC	42	20	22	69	38	10	32.8 ^a	8.3 ^a
GTP-09	GP-GC	39	20	19	59	37	8		
GTP-10	GC	47	21	26	70	38	12		
GTP-13	GP-GC	38	19	19	74	49	11		
GTP-14	GP-GC	28	15	13	66	31	8		
TYTP01-1	GC	38	17	21	77	48	13		
TYTP01-2	GW-GC	30	14	16	78	48	10	36.2 ^a	0.6 ^a
TYTP01-3	GP-GC	36	18	18	75	38	9		
TYTP01-4	GC	40	17	23	76	53	15	35.5 ^a	0.4 ^a
TYTP01-5	GC	39	16	23	79	49	15		
TYTP01-6	GW-GC	29	16	13	70	42	8		
TYTP01-7	SC	28	15	13	81	63	15	36.9 ^a	0.6 ^a
TYTP01-8	SC	24	16	8	85	60	15		
TYTP01-9	GC	30	18	12	80	58	24	34.1 ^a	2.2 ^a
TYTP01-10	SC	30	18	12	96	80	17		
TYTP01-11	GC	37	17	20	85	50	13		
TYTP01-12	GC	30	16	14	77	46	14		
GA-04-TY-1	GC	34	20	14	70	41	18	31.0 ^b	10.4 ^b
GA-04-TY-2	GC	35	21	14	80	52	22		
GA-04-TY-3	GC	40	21	19	69	40	17		
GA-04-TY-4	GP-GC	50	17	33	46	15	6		
GA-04-TY-5	GC	33	19	14	59	33	14	32.0 ^b	11.8 ^b
GA-04-TY-6	GC	35	19	16	66	42	20		
GA-04-TY-7	GC	36	19	17	64	36	14		
GA-04-TY-8	GC	30	19	11	68	42	17	29.0 ^b	8.8 ^b
<i>Average</i>		<i>35.5</i>	<i>18.1</i>	<i>17.3</i>	<i>73.5</i>	<i>45.9</i>	<i>14.1</i>	<i>33.6</i>	<i>5.4</i>
<i>Standard Deviation</i>		<i>6.4</i>	<i>2.1</i>	<i>5.6</i>	<i>10.1</i>	<i>12.3</i>	<i>4.5</i>	<i>2.6</i>	<i>4.6</i>

Notes:

^a consolidated-undrained triaxial shear with pore pressure measurements^b large-scale (6 in x 6 in) direct shear

USCS = Unified Soil Classification System

LL = liquid limit

PL = plastic limit

PI = plasticity index

psi = pounds per square inch

TABLE 4
ROTOSONIC BOREHOLE LOCATIONS

Drillhole	Easting	Northing	Elevation	Depth
TSGT-01	9537	19405	6208	410
TSGT-02	17009	11550	6378	281
TSGT-03	15999	14300	6298	250
TSGT-04	4156	10839	6311	2,730
S1A-1	18931	8274	6164	150
S1A-2	18744	9432	6159	110
S1A-3	18991	10092	6170	110
S1A-4	18606	8849	6304	115
S1A-5	18441	9895	6374	200

TABLE 5
INTERNATIONAL SOCIETY OF ROCK MECHANICS MANUAL INDEX TEST

Grade	Description	Field Identification	Approximate Range of Uniaxial Compressive Strength	
			(MPa)	(psi)
S1	Very Soft Clay	Easily penetrated several inches by fist	<0.025	<4
S2	Soft Clay	Easily penetrated several inches by thumb	0.025 – 0.05	4 – 7
S3	Firm Clay	Can be penetrated several inches by thumb with moderate effort	0.05 – 0.1	7 – 15
S4	Stiff Clay	Readily indented by thumb but penetrated only with great effort	0.1 – 0.25	15 – 35
S5	Very Stiff Clay	Readily indented by thumbnail	0.25 – 0.50	35 – 70
S6	Hard Clay	Indented with difficulty by thumbnail	>0.50	>70
R0	Extremely Weak Rock	Indented by thumbnail	0.25 – 1.0	35 – 150
R1	Very Weak Rock	Crumbles under firm blows with point of geological hammer, can be pealed by a pocket knife	1.0 – 5.0	150 – 725
R2	Weak Rock	Can be pealed by a pocket knife with difficulty, shallow indentation made by firm blow with point of geological hammer	5.0 – 25	725 – 3,500
R3	Medium Strong Rock	Cannot be scraped or pealed with a pocket knife, specimen can be fractured with a single firm blow of geological hammer	25 – 50	3,500 – 7,500
R4	Strong Rock	Specimen requires more than one blow of geological hammer to fracture it	50 – 100	7,500 – 15,000
R5	Very Strong Rock	Specimen requires many blows of geological hammer to fracture it	100 – 250	15,000 – 35,000
R6	Extremely Strong Rock	Specimen can only be chipped with geological hammer	>250	>35,000

Notes:

MPa = megaPascals

psi = pounds per square inch

TABLE 6
SUMMARY OF LABORATORY TEST RESULTS FROM
ROTOSONIC BOREHOLE SAMPLES

Drillhole	Depth (feet)	USCS Soil Classi- fication	Atterberg Limits			Grain-size Distribution		
			LL	PL	PI	% Finer 3/4"	% Finer #4	% Finer #200
TSGT-1	19-21	SC	25	14	11	86	65	23
TSGT-1	47-48.5	GC	29	16	13	61	41	15
TSGT-1	75-77	SC-SM	26	19	7	81	60	17
TSGT-1	88-90	GC	28	18	10	84	58	23
TSGT-1	102-104	GC	33	20	13	80	55	21
TSGT-1	140-142	GC	29	18	11	66	46	21
TSGT-1	158.5-160	GC	34	19	15	64	41	18
TSGT-1	184-186	GC	30	20	10	72	50	17
TSGT-1	211-214	SC	27	16	11	93	76	32
TSGT-1	228-230	GC	23	15	8	72	52	21
TSGT-1	250.5-253	SC	27	16	11	89	69	30
TSGT-1	298-300	SC	28	14	14	95	82	38
TSGT-1	310-312	GC	29	16	13	78	55	21
TSGT-1	327-329	SC-SM	21	15	6	83	67	24
TSGT-1	356-358	SC	32	16	16	80	65	26
TSGT-1	388-390	SC	26	15	11	93	82	35
TSGT-2	18-20	GC	27	16	11	72	47	16
TSGT-2	42-44	GP-GC	22	14	8	64	37	12
TSGT-2	140-142	SC	34	20	14	86	63	18
TSGT-2	267-268.5	GC	29	19	10	66	46	12
TSGT-3	18-20	SC	28	17	11	94	66	16
TSGT-3	58-60	GC	29	17	12	85	56	15
TSGT-3	156-158	SC	29	15	14	94	75	28
TSGT-3	248-250	GC	28	17	11	74	56	22
TSGT-4	12-14	GC	34	18	16	78	55	21
TSGT-4	69-71	GC	36	20	16	64	34	12
TSGT-4	117-119	GC	35	20	15	68	38	14
TSGT-4	152-154	GC	31	18	13	88	55	18
TSGT-4	183-185	SC	31	19	12	94	78	24
TSGT-4	221-223	GC	29	17	12	78	47	16
TSGT-4	265-269	SM	NP	NP	NP	97	90	22
T3	11.0-12.5	GC	32	17	15	71	41	16
T3	31.0-32.5	GC	34	18	16	69	56	28
T3	51.0-52.5	GC	31	19	12	71	55	21
T3	71.0-72.5	SC	33	20	13	91	76	35
T3	76.5-77.5	SC-SM	23	16	7	88	67	28
T3	91.0-92.5	GC	31	18	13	79	62	26
T4	49.0-50.0	GC	31	17	14	77	55	22
T4	69.0-70.0	SC	31	16	15	86	63	25
T4	89.0-90.0	SC	36	20	16	86	66	30
T4	109.0-110.0	GC	35	20	15	74	55	24

Drillhole	Depth (feet)	USCS Soil Classi- fication	Atterberg Limits			Grain-size Distribution		
			LL	PL	PI	% Finer 3/4"	% Finer #4	% Finer #200
T4	113.0-114.0	SC	36	19	17	97	76	33
T4	129.0-130.0	GC	34	23	11	72	49	24
T5	16.5-17.5	GM	NP	NP	NP	69	49	15
T5	36.5-37.5	GC	30	16	14	56	37	13
T5	56.5-57.5	GC	34	18	16	58	38	13
T5	96.5-97.5	GC	37	21	16	71	55	20
T5	116.5-117.5	GC	33	19	14	84	62	27
T5	136.5-137.5	GC	33	18	15	67	47	19
T5	164.0-165.0	GC	35	17	18	75	53	20
<i>Average</i>			29.7	17.2	12.5	78.4	57.4	21.7
<i>Standard Deviation</i>			5.8	3.2	3.3	11.0	13.2	6.5

Notes:


USCS = Unified Soil Classification System

LL = liquid limit

PL = plastic limit

PI = plasticity index

FIGURES



CLIENT/PROJECT

Phelps Dodge Tyrone Inc.
DP-1341, Condition 78



Tucson, Arizona

TITLE

Interim Report
1C Stockpile Extended Grain Size Curves

DRAWN

tjw

CHECKED

tjw

REVIEWED

dak

DATE 11-27-05

SCALE

N.T.S.

FILE NO. gures.xls

JOB NO. 053-2550

REV. NO.

A

FIGURE


2

APPENDIX A
TEST PIT LOGS

APPENDIX A-1
2000 TEST PIT LOGS

FIELD TEST PIT LOG

TEMP 30 °F WEATHER CLEAR TEST PIT GTP-01
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6123.5 FT. CONTRACTOR HAMILTON DATE JANUARY 7, 2000
 LOCATION 11668.64 N, 21349.19 E DATUM MSL JOB 993-2546
 NO. 1 STOCKPILE



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand and Clay. Few boulders to 12 inches. Fine to coarse, angular gravel. Some fine to coarse sand. Little medium plasticity fines. Slightly moist-moist. Medium dense.



SAMPLES

NO.	DESCRIPTION
S-01	Bulk
-	Point Load Clasts

NOTES:

85% Soil Matrix
15% Oversize Clast

Excavation terminated at 14 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 30 °F WEATHER CLEAR TEST PIT GTP-02
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6150 FT. CONTRACTOR HAMILTON DATE JANUARY 7, 2000
 LOCATION 11315.70 N, 22620.44 E DATUM MSL JOB 993-2546
 NO. 1 STOCKPILE



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand and Clay. Few boulders to 36 inches. Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Moist. Medium dense.



SAMPLES

NO.	DESCRIPTION
—	Point Load Clasts

NOTES:

85% Soil Matrix
15% Oversized Clasts

Excavation terminated at 13.5 foot depth.


No groundwater encountered during excavations.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP <u>32</u> °F	WEATHER <u>CLEAR</u>	TEST PIT <u>GTP-03</u>	
EQUIPMENT <u>DEERE 510C BACKHOE</u>	ENGINEER <u>G. TORTELLI</u>	OPERATOR <u>SAL</u>	
ELEVATION <u>6250 FT.</u>	CONTRACTOR <u>HAMILTON</u>	DATE <u>JANUARY 7, 2000</u>	
LOCATION <u>14889.58 N, 15936.84 E</u>	DATUM <u>MSL</u>	JOB <u>993-2546</u>	
	<u>1D Stockpile</u>		



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand and Clay. Little cobbles and boulders to 36 inches. Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Moist. Medium Dense.



SAMPLES

NO.	DESCRIPTION
S-02	Bulk
-	Point Load Clasts

NOTES:

80% Soil Matrix
20% Oversized Clasts

Excavation terminated at 15 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.

FIELD TEST PIT LOG


TEST PIT GTP-04
 TEMP 35 °F WEATHER CLEAR ENGINEER G. TORTELLI OPERATOR SAL
 EQUIPMENT DEERE 510 C BACKHOE CONTRACTOR HAMILTON DATE JANUARY 7, 2000
 ELEVATION 6130 FT. DATUM MSL JOB 993-2546
 LOCATION 15616.96 N, 15252.46 E 1D STOCKPILE (MID BENCH)



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Sand with Gravel. Fine to coarse sand. Some Fine to coarse angular gravel. Few cobbles and boulders to 24 inches. Few low plasticity fines. Moist. Medium dense.

Mostly moderately to severely weathered granitic rock material.



SAMPLES

NO.	DESCRIPTION
-	Point Load Clasts

NOTES:

90% Soil Matrix
10% Oversized Clasts

Excavation terminated at 15 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 40 °F WEATHER CLEAR TEST PIT GTP-05
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6180 FT. CONTRACTOR HAMILTON DATE JANUARY 7, 2000
 LOCATION 16559.15 N, 13426.10 E DATUM MSL JOB 993-2546
 1D STOCKPILE (NORTH SIDE)



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand. Little cobbles and boulders to 24 inches. Fine to coarse angular gravel. Some fine to coarse sand. Few low plasticity fines. Slightly moist-moist. Medium dense.



SAMPLES

NO.	DESCRIPTION
—	Point Load Clasts

NOTES:

80% Soil Matrix
20% Oversized Clasts

Excavation terminated at 14 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 45 °F WEATHER CLEAR TEST PIT GTP-06
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6310 FT. CONTRACTOR HAMILTON DATE JANUARY 7, 2000
 LOCATION 11230.62 N, 4038.42 E DATUM MSL JOB 993-2546
2, 2A STOCKPILE GROUP (NORTH)



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand and Clay. Few cobbles and boulders to 12 inches. Angular fine to coarse gravel. Some fine to coarse sand. Little medium plasticity fines. Moist. Medium dense.



SAMPLES

NO.	DESCRIPTION
S-03	Bulk
-	Point Load Clasts

NOTES:

80% Soil Matrix
20% Oversized Clasts

Excavation terminated at 14.5 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 30 °F WEATHER CLEAR TEST PIT GTP-07
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6380 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 13435.50 N, 4693.92 E DATUM MSL JOB 993-2546
2, 2A STOCKPILE GROUP (NORTH)



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand and Clay. Occasional cobbles and boulders to 24 inches. Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Moist. Medium dense.



SAMPLES

NO.	DESCRIPTION
-	Point Load Clasts

NOTES:

80% Soil Matrix
20% Oversized Clasts

Excavation terminated at 14.5 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 30 °F WEATHER CLEAR TEST PIT GTP-08
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6270 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 9437.31 N, 4407.96 E DATUM MSL JOB 993-2546
2, 2A STOCKPILE GROUP (NORTH)



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand and Clay. Occasional Cobbles and boulders to 24 inches. Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Moist. Medium dense.



SAMPLES

NO.	DESCRIPTION
—	Point Load Clasts

NOTES:

85% Soil matrix.
15% Oversized Clasts.

Excavation terminated at 14 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.

FIELD TEST PIT LOG


TEMP 40 °F WEATHER CLEAR TEST PIT GTP-09
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6400 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 6909.68 N, 6075.43 E DATUM MSL JOB 993-2546
2, 2A STOCKPILE GROUP (SOUTH)



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand. Frequent cobbles and boulders to 24". Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Moist. Medium Dense.

Cracking and vertical displacement of 12 to 18 inches observed near the crest of slope. Displacement is located at contact between stockpile and pit wall. Displacement most likely due to settlement.



SAMPLES

NO.	DESCRIPTION
—	Point Load Clasts
S-05	Bulk

NOTES:

55% Soil Matrix
45% Oversized Clasts

Excavation terminated at 14 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.

FIELD TEST PIT LOG

TEMP 40 °F WEATHER CLEAR TEST PIT GTP-10
 EQUIPMENT DEERE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6450 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 3545.95 N, 11415.52 E DATUM MSL JOB 993-2546
 SOUTH RIM GROUP



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand and Clay. Occasional cobbles and boulders to 24 inches. Fine to coarse angular gravel. Some fine to coarse sand. Some medium plasticity fines.



SAMPLES

NO.	DESCRIPTION
S-04	Bulk
-	Point Load Clasts

NOTES:

75% Soil Matrix
25% Oversized Clasts

Excavation terminated at 14.5 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 40 °F WEATHER CLEAR TEST PIT GTP-11
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6400 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 4636.20 N, 13141.36 E DATUM MSL JOB 993-2546
 SOUTH RIM GROUP



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand. Frequent cobbles and boulders to 24 inches. Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Slightly moist. Dense.
- Occasional boulder/cobble clast supported pockets. Slight sloughing due to disturbance of clast pockets.



SAMPLES

NO.	DESCRIPTION
—	Point Load Clasts

NOTES:

80% Soil Matrix
20% Oversized Clasts

Excavation terminated at 14.5 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 45 °F WEATHER CLEAR TEST PIT GTP-12
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6250 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 5541.28 N, 16737.02 E DATUM MSL JOB 993-2546
1 A,B,C STOCKPILE GROUP



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand. Occasional cobbles and boulders to 36 inches. Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Moist. Dense.
- Hard digging due to several large boulders.



SAMPLES

NO.	DESCRIPTION
—	Point Load Clasts

NOTES:

75% Soil Matrix
25% Oversized Clasts

Excavation terminated at 14.5 foot depth.



No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.

FIELD TEST PIT LOG

TEMP 45 °F WEATHER CLEAR TEST PIT GTP-13
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6250 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 6622.14 N, 18449.57 E DATUM MSL JOB 993-2546
 1 A,B,C STOCKPILE GROUP



SAMPLES	
NO.	DESCRIPTION
S-06	Bulk
-	Point Load Clasts

NOTES:

80% Soil Matrix
20% Oversized Clasts

Excavation terminated at 14.5 foot depth.


No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.


FIELD TEST PIT LOG

TEMP 40 °F WEATHER CLEAR TEST PIT GTP-14
 EQUIPMENT DEERE 510C BACKHOE ENGINEER G. TORTELLI OPERATOR SAL
 ELEVATION 6150 FT. CONTRACTOR HAMILTON DATE JANUARY 8, 2000
 LOCATION 19063.47 N, 10230.42 E DATUM MSL JOB 993-2546
3A STOCKPILE



LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well Graded Gravel with Sand. Frequent cobbles and boulders at 36 inches. Fine to coarse angular gravel. Some fine to coarse sand. Little medium plasticity fines. Moist to very moist. Dense.
- Currently under leach.



SAMPLES

NO.	DESCRIPTION
S-07	Bulk
-	Point Load Clasts

NOTES:

65% Soil Matrix
35% Oversized Clasts

Excavation terminated at 14.5 foot depth.

No groundwater encountered during excavation.

Test pit backfilled with excavated material.

Field density tests performed in vicinity of test pit.

APPENDIX A-2
2001 TEST PIT LOGS

FIELD TEST PIT LOG

TEMP 75 °F WEATHER SUNNY TEST PIT TYTP01-1
 EQUIPMENT NONE ENGINEER M. GRASS OPERATOR NONE
 ELEVATION ± 6270 CONTRACTOR NONE DATE 10/11/01
 LOCATION SOUTH END OF 2, 2A STOCKPILE GROUP DATUM MSL JOB 013-1595

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-1	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Clayey GRAVEL with sand (GC), and little fines, angular to subangular gravel, c-f sand, and medium plasticity fines, light brown, moist, no HCl reaction, strong sulfate(?) cementation. 40 percent cobbles and boulders up to 30", porphyry, medium strong rock (R3), jarositic oxidation, brown, yellow to buff in color, minor copper oxides.

TIME	DEPTH OF HOLE	DEPTH TO W/L
13:10	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0744617
 3614571
 MINE COORDINATE CONVERSION
 10882N, 4748E


LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEST PIT TYTP01-10
 TEMP 72 °F WEATHER SUNNY, WINDY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/12/01
 ELEVATION ± 6200 DATUM MSL JOB 013-1595
 LOCATION TOP OF NORTH EAST WALL OF SAVANNA PIT

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-10	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Clayey SAND with gravel (SW), angular to subrounded gravel, c-f sand, and little low plasticity fines, light brown, moist, no HCl reaction, not cemented. 50 percent cobbles and boulders up to 24", granite and porphyry, weak to medium strong rock (R2-R3), leach cap.

TIME	DEPTH OF HOLE	DEPTH TO W/L
11:05	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0747561
 3615014

MINE COORDINATE CONVERSION
 12245N, 14429E

LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEMP 75 °F WEATHER SUNNY, WINDY TEST PIT TYTP01-11
 EQUIPMENT NONE ENGINEER M. GRASS OPERATOR NONE
 ELEVATION ± 5850 CONTRACTOR NONE DATE 10/12/01
 LOCATION SOUTH END OF 2, 2A STOCKPILE GROUP DATUM MSL JOB 013-1595

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-11	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Clayey GRAVEL with sand (GC), angular to subrounded gravel, c-f sand, and little medium plasticity fines, light brown, moist, no HCl reaction, not cemented. 10 percent cobbles and boulders up to 24", porphyry, medium strong rock (R3), leach cap.

TIME	DEPTH OF HOLE	DEPTH TO W/L
11:50	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0744531
 3614488
 MINE COORDINATE CONVERSION
 10612N, 4473E


LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEST PIT TYTP01-12
 TEMP 75 °F WEATHER SUNNY, WINDY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/12/01
 ELEVATION ± 6275 DATUM MSL JOB 013-1595
 LOCATION NORTH WEST WALL OF MAIN PIT, NO. 3 LEACH STOCKPILE

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-12	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Clayey GRAVEL with sand (GC), angular to subangular gravel, c-f sand, little low plasticity fines, light brown, moist, no HCl reaction, strong sulfate(?) cementation. 40 percent cobbles and boulders up to 30", porphyry and granite, medium strong rock (R3), leach cap, copper precipitate on rock surfaces.

TIME	DEPTH OF HOLE	DEPTH TO W/L
12:30	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0746437
 3615941
 MINE COORDINATE CONVERSION
 15321N, 10770E

LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEST PIT TYP01-2
 TEMP 75 °F WEATHER SUNNY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/11/01
 ELEVATION 6100 DATUM MSL JOB 013-1595
 LOCATION EAST END, BOTTOM OF COPPER MOUNTAIN PIT

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYP01-2	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well graded GRAVEL with clay and sand (GW-GC), angular to subrounded gravel, c-f sand, and low to medium plasticity fines, light yellowish brown, moist, no HCl reaction, minor sulfate(?) cementation. 30 percent cobbles and boulders up to 24", porphyry, medium strong to strong rock (R3-R4), leached.

TIME	DEPTH OF HOLE	DEPTH TO W/L
14:15	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0745105
 3613809
 MINE COORDINATE CONVERSION
 8367N, 6335E

LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEMP 75 °F WEATHER SUNNY TEST PIT TYTP01-3
 EQUIPMENT NONE ENGINEER M. GRASS OPERATOR NONE
 ELEVATION ± 6200 CONTRACTOR NONE DATE 10/11/01
 LOCATION EAST END, MID-HEIGHT OF COPPER MOUNTAIN PIT DATUM MSL JOB 013-1595

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-3	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Poorly Graded GRAVEL with clay and sand (GP-GC), angular to subangular gravel, c-f sand, and low to medium plasticity fines, light brown, moist, no HCl reaction, minor sulfate(?) cementation. 50 percent cobbles and boulders up to 36", porphyry and granite, medium strong to strong rock (R3-R4), leach cap, waste rock.

TIME	DEPTH OF HOLE	DEPTH TO W/L
15:00	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0745199
 3613782
 MINE COORDINATE CONVERSION
 8276N, 6643E


LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEST PIT TYTP01-4
 TEMP 75 °F WEATHER SUNNY, WINDY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/11/01
 ELEVATION ± 6350 DATUM MSL JOB 013-1595
 LOCATION EAST END, TOP OF COPPER MOUNTAIN PIT

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-4	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Clayey GRAVEL with sand (GC), angular to subangular gravel, c-f sand, and medium plasticity fines, light yellowish brown, moist, no HCl reaction, strong sulfate(?) cementation. 15 percent cobbles and boulders up to 30", porphyry, medium strong to strong rock (R3-R4), leached.

TIME	DEPTH OF HOLE	DEPTH TO W/L
15:35	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0744984
 3614048
 MINE COORDINATE CONVERSION
 9155N, 5946E


LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEMP 75 °F WEATHER SUNNY, WINDY TEST PIT TYTP01-5
 EQUIPMENT NONE ENGINEER M. GRASS OPERATOR NONE
 ELEVATION 6400 CONTRACTOR NONE DATE 10/11/01
 LOCATION NORTH END OF 4C STOCKPILE DATUM MSL JOB 013-1595

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-5	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- 1 Clayey GRAVEL with sand (GC), angular to subangular well graded gravel, c-f sand, and low to medium plasticity fines, light yellowish brown, moist, no HCl reaction, strong sulfate(?) cementation. 10 percent cobbles and boulders up to 24", porphyry, weak rock (R2), leached.

TIME	DEPTH OF HOLE	DEPTH TO W/L
16:15	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0744937
 3613233
 MINE COORDINATE CONVERSION
 6483N, 5767E

LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

APPENDIX A-3

2004 1C STOCKPILE TEST PIT LOGS

FIELD TEST PIT LOG

TEST PIT TYTP01-6
 TEMP 55 °F WEATHER SUNNY, WINDY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/12/01
 ELEVATION ± 5925 DATUM MSL JOB 013-1595
 LOCATION WEST END, BOTTOM OF SAVANNA PIT

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-6	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Well graded GRAVEL with clay and sand (GW-GC), angular to subrounded gravel, c-f sand, and low plasticity fines, yellowish brown, moist, no HCl reaction, strong sulfate(?) cementation. 50 percent cobbles and boulders up to 30", granite, medium strong to strong rock (R3-R4), leached.

TIME	DEPTH OF HOLE	DEPTH TO W/L
8:50	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0747329
 3614199
 MINE COORDINATE CONVERSION
 9579N, 13643E


LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEST PIT TYTP01-7
 TEMP 65 °F WEATHER SUNNY, WINDY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/12/01
 ELEVATION ± 5975 DATUM MSL JOB 013-1595
 LOCATION WEST END, 2 BENCHES FROM BOTTOM OF SAVANNA PIT

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-7	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Clayey SAND with gravel (SC), subangular to subrounded well graded gravel, c-f sand, and low to medium plasticity fines, light brown, moist, no HCl reaction, strong sulfate(?) cementation. 40 percent cobbles and boulders up to 30", porphyry and granite, medium strong to strong rock (R3-R4) with minor weak rock (R2), leached.

TIME	DEPTH OF HOLE	DEPTH TO W/L
9:25	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0747218
 3614300
 MINE COORDINATE CONVERSION
 9914N, 13282E

LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEST PIT TYTP01-8
 TEMP 70 °F WEATHER SUNNY, WINDY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/12/01
 ELEVATION ± 6025 DATUM MSL JOB 013-1595
 LOCATION WEST END, 4 BENCHES FROM BOTTOM OF SAVANNA PIT

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-8	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- 1 Clayey SAND with gravel (SC), subangular to subrounded gravel, c-f well graded sand, and low to medium plasticity fines, light brown, moist, no HCl reaction, strong sulfate(?) cementation. 30 percent cobbles and boulders up to 30", porphyry and granite, medium strong to strong rock (R3-R4), leached.

TIME	DEPTH OF HOLE	DEPTH TO W/L
9:50	---	---

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0747295
 3614153
 MINE COORDINATE CONVERSION
 9429N, 13524E

LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL.

FIELD TEST PIT LOG

TEST PIT TYTP01-9
 TEMP 70 °F WEATHER SUNNY, WINDY ENGINEER M. GRASS OPERATOR NONE
 EQUIPMENT NONE CONTRACTOR NONE DATE 10/12/01
 ELEVATION ± 6150 DATUM MSL JOB 013-1595
 LOCATION TOP OF NORTH EAST WALL OF GETTYSBURG PIT

PHOTOGRAPH



SAMPLES	
NO.	DEPTH
TYTP01-9	BULK

LITHOLOGIC DESCRIPTIONS AND EXCAVATION NOTES

- ① Clayey GRAVEL with sand (GC), angular to subrounded gravel, c-f sand, and low to medium plasticity fines, light yellowish brown, moist, no HCl reaction, strong sulfate(?) cementation. 30 percent cobbles and boulders up to 30", porphyry and granite, medium strong rock (R3), leach cap.

TIME	DEPTH OF HOLE	DEPTH TO WL
10:30	----	----

SPECIAL NOTES:

GPS COORDINATES (NAD83, UTM):
 12 S 0748472
 3613744
 MINE COORDINATE CONVERSION
 8051N, 17379E

LOG OF EXISTING BENCH CUT

SAMPLES:
 2 5-GALLON BUCKETS TAKEN FROM
 SLOUGH AT TOE OF SLOPE OF -3"
 MATERIAL

STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No.:
Location: Tyrone Mine 1 C Stockpile
Cell No. GA04-TY-1

Date
Coordinates: 3613259 N 748460 E
Elevation:



Soil Fraction

60% fine to coarse gravel

25% fine to coarse sand

15% low to medium plastic fines

Clayey Gravel with Sand (GC). Reddish brown (10R4/6), dry becoming moist 6" below surface. Slough at toe of the cut has cemented surface crust (sulfate?). Noncalcareous.

Oversize

10% >3"

80% 3" to 6"

15% 6" to 12"

5% >12"

Leach Cap. Bleached porphyry. 80%. R3, 2-10 mm feldspar in fine grained tan to greenish groundmass w/ Tan to black fracture coating. 10% is R4 w/ qtz selvages, py casts and partial silicification. 10% R2, pervasive argillic

Maximum vertical slopes in cut approx. 18 feet.



STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No.:
Location: Tyrone Mine 1 C Stockpile
Cell No. GA04-TY-2

Date
Coordinates: 3613446 N 748669 E
Elevation:



Soil Fraction

50% fine to coarse gravel

30% fine to coarse sand

20% low to medium plastic fines

Clayey Gravel with Sand (GC). Reddish brown (10R4/6), dry becoming moist 6" below surface. Noncalcareous.

Oversize


10% >3"

3" to 6" 80%

6" to 12" 15%

>12" 5%

Leach Cap. Bleached porphyry. Typ 1-5 mm feldspar phenos in lt. gray matrix w/ tan to black fracture oxides, variably bleached and silicified, R2 to R4. Trace gossan (R0). Trace holocrystalline granite w. K-spar, qtz, hb, and fg plag. (R5). Typically R3.



STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No. 043-2572
Location: Tyrone Mine 1 C Stockpile
Cell No. GA04-TY-3

Date Sept. 8, 2004
Coordinates: 3613207 N 748461 E
Elevation:



Soil Fraction

60% fine to coarse gravel

25% fine to coarse sand

15% low to medium plastic fines

Clayey Gravel with Sand (GC). Yellowish orange (10YR 8/6). dry becoming moist 6" below surface. Noncalcareous, nonmagnetic.

Oversize

50% >3"

3" to 6" 50%

6" to 12" 30%

>12" 20%

Max 72"

Pervasively silicified groundmass, clay altered feldspar phenos, tan to black fract oxide, black to brassy cubic py < 1 mm, other finer grained black specks disseminated near py. Typ. R3.



Samples GA04-TY-3-GC 1, 5 gal bucket
GA04-TY-3-GT 2, 5 gal buckets + 1, 1 gal ziplock

Notes:

Max. vertical cut slope 32'

STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No. 043-2572
Location: Tyrone Mine 1 C Stockpile
Cell No. GA04-TY-4

Date Sept. 8, 2004
Coordinates: 3613382 N 748688 E
Elevation:



Soil Fraction

85% fine to coarse gravel

10% fine to coarse sand

5% low to medium plastic fines

Poorly graded Gravel with Clay and Sand. Reddish (10YR 6/6). dry becoming moist 6" below surface. Noncalcareous, nonmagnetic.

Oversize

40% >3"

3" to 6" 70%

6" to 12" 20%

12" to 24" 8%

>24 2%

max 36"

Porphyry w/ lt. gray siliceous matrix, dism. oxidized sulfides, milky euhedral feldspar, some black tabular sulfides(?). Fracture surfaces have lt. reddish brown to tan and dk. brown. Consistent R4.



Samples GA04-TY-4-GC 1, 5 gal bucket
GA04-TY-4-GT 2, 5 gal buckets

Notes:

Max. vertical cut slope 25'

STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No. 043-2572
Location: Tyrone Mine 1 C Stockpile
Cell No. GA05-TY-5

Date Sept. 8, 2004
Coordinates:
Elevation:

3613172 N

748781 E



Soil Fraction

55% fine to coarse gravel

25% fine to coarse sand

20% low to medium plastic fines

Clayey Gravel with Sand. Pale reddish brown (10YR 6/6). Dry. Mod. calcareous, nonmagnetic.

Oversize

15% >3"

3" to 6" 50%

6" to 12" 30%

12" to 24" 10%

>24" 8%

max 72"

Typically bleached granite w/ 50% pink feldspar 40% greenish gray feldspar intergrown, anhedral to subhedral, 10% euhedral to subhedral biotite, R3). Unbleached is R4.



Samples GA04-TY-5-GC 1, 5 gal bucket
GA04-TY-5-GT 2, 5 gal buckets + 1, 1 gal ziplock

Notes:

STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No. 043-2572
Location: Tyrone Mine 1 C Stockpile
Cell No. GA04-TY-6

Date: Sept. 8, 2004
Coordinates: 3613436 N 748721 E
Elevation:



Soil Fraction

50% fine to coarse gravel

30% fine to coarse sand

20% low to medium plastic fines

Clayey Gravel with Sand. Reddish orange (10YR 6/6). Dry to moist. Noncalcareous, nonmagnetic.

Oversize

20% >3"

3" to 6" 85%

6" to 12" 10%

12" to 24" 3%

>24" 2%

max. 36"

Porphyry. White feldspathic matrix. Locally 50% euhedral qtz eyes. 3% to 5% fine grained dism. black spherical oxidized sulfides, anhedral biotite and biotite books up to 2 mm. Tan to black fracture oxides, R3.



Samples GA04-TY-6-GC 1, 5 gal bucket
GA04-TY-6-GT 2, 5 gal buckets + 1, 1 gal ziplock

Notes:

STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No. 043-2572
Location: Tyrone Mine 1 C Stockpile
Cell No. GA04-TY-7

Date Sept. 8, 2004
Coordinates: 3613306 N 748702 E
Elevation:



Soil Fraction

50% fine to coarse gravel

30% fine to coarse sand

20% low to medium plastic fines

Clayey Gravel with Sand. Reddish orange (10YR 6/6). Dry to moist. Noncalcareous, nonmagnetic.

Oversize

20% >3"

3" to 6" 60%

6" to 12" 35%

12" to 24" 10%

>24" 5

max. 36"

Granite. 2 feldspar w/ qtz eyes and dism. py and biotite approx. 1 mm. Also propyry with a silicic greenish matrix w/ remnant feldspar phenos and abun. sulfides disseminated and along fract. Tan and black fract. oxides.



Samples GA04-TY-7-GC 1, 5 gal bucket
GA04-TY-7-GT 2, 5 gal buckets + 1, 1 gal ziplock

Notes:

STOCKPILE BENCH FACE LOG

053-2550

Project: Tyrone Stockpile Characterization
Project No. 043-2572
Location: Tyrone Mine 1 C Stockpile
Cell No. GA04-TY-8

Date Sept. 8, 2004
Coordinates: 3613414 N 748777 E
Elevation:



Soil Fraction

55% fine to coarse gravel

25% fine to coarse sand

20% low to medium plastic fines

Clayey Gravel with Sand. Reddish brown (10YR 6/6). Dry to moist. Noncalcareous, nonmagnetic.

Oversize

30% >3"

3" to 6" 45%

6" to 12" 35%

12" to 24" 10%

>24" 10%

max. 60"

Predominantly greenish silicic matrix w/ remnant cloudy feldspar phenos. 3-5% dism. and fract. coating sulfides (py, cpy).



Samples GA04-TY-8-GC 1, 5 gal bucket
GA04-TY-8-GT 2, 5 gal buckets + 1, 1 gal ziplock

Notes:

APPENDIX B
BOREHOLE LOGS

APPENDIX B-1

2004 ROTOSONIC DRILLING LOGS

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 01

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6207.6

Project No.: 043-2572

Drill date: 10/13/2004

Coordinates N: 19405.4 E: 9536.6

Sheet 1 of 11

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Seive PI-Plasticity Index	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						0-20 20-40 40-60 60-80 80+	0-3 3-8 8-20 20-50 50+	1 2 3 4 5+	R0 R1 R2 R3 R4 R5 R6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
										Physical Testing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
0 - - - - 5 - - - - - 10 - - - - 15 - - - - - 20 - - - - - 25 - - - - 30 - 35 - - - 40	0'-8': Clayey GRAVEL with sand, GC, 40% gravel, 30% sand, 30% clay, yellowish gray (5Y 7/2), slightly moist and loose. Coarse: subangular. Fines: medium plasticity.	GC	5Y 7/2	SM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



Project:	G&K/Stockpile Characterization			Datum:				Collar Elev:	6207.6	
Project No.:	043-2572	Drill date:	10/13/2004	Coordinates	N:	19405.4	E:	9536.6	Sheet	2 of 11
Location:	Tyrone Mine	Drill rig:		Azimuth:	N/A				Inclination:	90°

RotoSonic Log - TSGT-01.xls

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 01

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6207.6

Project No.: 043-2572

Drill date: 10/13/2004

Coordinates N: 19405.4 E: 9536.6

Sheet 3 of 11

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)					% 3-inch plus (%)					Maximum particle size in.					ISRM Strength Index for CLASTS						D-Point Load-diametral	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture																									A-Point Load-axial																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																											Physical Testing		S-Seive																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					PI-Plasticity Index																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Scale:

Drilling Contractor:


Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



Project:	G&K/Stockpile Characterization			Datum:				Collar Elev:	6207.6	
Project No.:	043-2572	Drill date:	10/13/2004	Coordinates	N:	19405.4	E:	9536.6	Sheet	4 of 11
Location:	Tyrone Mine	Drill rig:		Azimuth:	N/A				Inclination:	90°

		USC (MPa)		
Scale:		R0	0.25-1.0	
Drilling Contractor:		R1	1.0-5.0	
		R2	5.0-25	
Driller:		R3	25-50	
		R4	50-100	
		R5	100-250	
		R6	>250	

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 01

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6207.6

Project No.: 043-2572

Drill date: 10/13/2004

Coordinates N: 19405.4 E: 9536.6

Sheet 5 of 11

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral				Notes Test Results								
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)																							Physical Testing												
						Moisture																														
										0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4						5+	R0	R1	R2	R3	R4	R5	R6
160	-	-	Continued	CH	5Y 7/2	SM																										160				
-	-																																		-	
-	-																																		-	
-	-																																		-	
165	-	-	164'-178': Clayey GRAVEL, GC, 60% gravel, 10% sand, 30% clay, yellowish gray to light brown (5Y 7/2 to 5YR 5/6), slightly moist and medium dense. Coarse: angular. Fines: high plasticity.	GC	5Y 7/2 - 5YR 5/6	SM																											165			
-	-																																		-	
-	-																																		-	
-	-																																		-	
170	-	-																															170			
-	-																															-				
-	-																															-				
175	-	-																															175			
-	-																															-				
-	-																															-				
180	-	-	178'-190': Gravelly CLAY, CH, 40% gravel, 10% sand, 50% clay, yellowish gray to light brown (5Y 7/2 to 5YR 5/6), slightly moist and loose to medium dense. Coarse: subangular. Fines: high plasticity.	CH	5Y 7/2 - 5YR 5/6	SM																												180		
-	-																																		-	
-	-																																		-	
-	-																																		-	
185	-	-																																185		
-	-																															-				
-	-																															-				
190	-	-	190'-194': Clayey GRAVEL with sand, GC, 70% gravel, 15% sand, 15% clay, light brown (5YR 5/6), dry and loose. Coarse: subangular. Fines: high plasticity.	GC	5YR 5/6	D																												190		
-	-																																		-	
-	-																																		-	
-	-																																		-	
195	-	-	194'-201': Gravelly CLAY, CH, 40% gravel, 10% sand, 50% clay, light brown to yellowish gray (5YR 5/6 to 5Y 7/2), slightly moist and loose to medium dense. Coarse: subangular. Fines: high plasticity.	CH	5YR 5/6	SM																												195		
-	-																																		-	
-	-																																		-	
-	-																																		-	
200	-	-		5Y 7/2	5Y 7/2	SM																													200	
-	-																																	-		
-	-																																	-		
-	-																																	-		

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 01

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6207.6

Project No.: 043-2572

Drill date: 10/13/2004

Coordinates N: 19405.4 E: 9536.6

Sheet 6 of 11

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsel)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.					ISRM Strength Index for CLASTS						D-Point Load-diametral	Physical Testing	Notes Test Results						
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture																							A-Point Load-axial								
																									S-Seive								
200	Continued	CH	5Y 7/2	SM																												200	
-																																-	
-																																-	
-	201'-205': Gravelly CLAY with sand, CH, 25% gravel, 15% sand, 60% clay, moderate yellowish brown (10YR 5/4), dry and loose. Coarse: subangular. Fines: low to medium plasticity.	CH	10YR 5/4	D																												-	
205																																	205
-																																	-
-	205'-211': Clayey GRAVEL with sand, GC, 60% gravel, 15% sand, 25% clay, yellowish gray (5Y 7/2), dry and medium dense. Coarse: subangular. Fines: high plasticity.	GC	5Y 7/2	D																												-	
210																																	210
-																																	-
-	211'-214': Clayey GRAVEL with sand,GC, 40% gravel, 20% sand, 40% clay, light brown (5YR 5/6), slightly moist, dense and low HCL reaction. Coarse: angular. Fines: Medium to high plasticity.	GC	5YR 5/6	SM																												-	
215																																	-
-	214'-217': Gravelly CLAY with sand,CH, 25% gravel, 25% sand, 50% clay, light brown (5YR 5/6), slightly moist and medium dense. Coarse: subangular. Fines: high plasticity.	CH	5YR 5/6	SM																													215
220																																	-
-	217'-222': Clayey GRAVEL with sand, GC, 40% gravel, 20% sand, 40% clay, light brown (5YR 5/6), slightly moist and medium dense. Coarse: subangular. Fines: high plasticity.	GC	5YR 5/6	SM																													220
225																																	-
-																																	-
-	222'-232': Clayey GRAVEL with sand, GC, 40% gravel, 15% sand, 45% clay, light brown to pale yellowish brown (5YR 5/6 to 10YR 6/2), slightly moist and dense. Coarse: subangular. Fines: high plasticity.	GC	5YR 5/6 - 10YR 6/2	SM																													225
230																																	-
-																																	-
-																																	-
235	232'-240': Clayey GRAVEL, GC, 50% gravel, 10% sand, 40% clay, yellowish gray (5Y 7/2), slightly moist and loose to medium dense. Coarse: subangular. Fines: medium plasticity.	GC	5Y 7/2	SM																													235
240																																	-

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 01

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6207.6

Project No.: 043-2572

Drill date: 10/13/2004

Coordinates N: 19405.4 E: 9536.6

Sheet 7 of 11

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Seive PI-Plasticity Index	Notes Test Results							
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Physical Testing																														
				Moisture	0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R0	R1	R2	R3	R4	R5	R6						
240	- - 240'-245': Clayey GRAVEL with sand, - GC, 40% gravel, 20% sand, 40% clay, - light brown (5YR 5/6), slightly moist, dense - and low HCL reaction. Coarse: angular. - Fines: Medium to high plasticity.	GC	5YR 5/6	SM																								240				
245					- - 245'-248': Clayey GRAVEL with sand, GC, - 60% gravel, 20% sand, 20% clay, pale orange - to light brown (10YR 8/2 to 5YR 5/6), dry and - loose and low HCL reaction. Coarse: - subangular. Fines: medium plasticity.	GC	10YR 8/2-5YR 5/6	D																						245		
250					- - 248'-252': Gravelly CLAY, CH, 40% - gravel, 10% sand, 50% clay, light brown - (5YR 5/6), dry and loose. Coarse: - subangular. Fines: high plasticity.				CH	5YR 5/6	D																					250
255					- - 252'-268': Clayey GRAVEL with sand, - GC, 45% gravel, 20% sand, 35% clay, - Pale yellowish brown to Dark yellowish - orange (10YR 6/2 to 10YR 6/6), slightly - moist and loose to medium dense. - Coarse:subangular. Fines: high plasticity.							GC	10YR 6/2 - 10YR 6/6	SM																		
260	- - 268'-275': Clayey GRAVEL with sand, - GC, 40% gravel, 30% sand, 30% clay, - Pale olive (10Y 6/2), dry and medium - dense. Coarse:subround to subangular. - Fines: medium plasticity.	GC	10Y 6/2	D																												
265	- - 275'-283': Clayey GRAVEL with sand, - GC, 60% gravel, 15% sand, 25% clay, - Pale to Moderate yellowish brown (10YR - 6/2 to 10YR 5/4), slightly moist and - medium dense. Coarse:subangular. Fines: - medium plasticity.				GC	10YR 6/2 - 10YR 5/4	SM																									
270	- - 275'-283': Clayey GRAVEL with sand, - GC, 60% gravel, 15% sand, 25% clay, - Pale to Moderate yellowish brown (10YR - 6/2 to 10YR 5/4), slightly moist and - medium dense. Coarse:subangular. Fines: - medium plasticity.							GC	10YR 6/2 - 10YR 5/4	SM																						
275	- - 275'-283': Clayey GRAVEL with sand, - GC, 60% gravel, 15% sand, 25% clay, - Pale to Moderate yellowish brown (10YR - 6/2 to 10YR 5/4), slightly moist and - medium dense. Coarse:subangular. Fines: - medium plasticity.										GC	10YR 6/2 - 10YR 5/4	SM																			
280	- - 275'-283': Clayey GRAVEL with sand, - GC, 60% gravel, 15% sand, 25% clay, - Pale to Moderate yellowish brown (10YR - 6/2 to 10YR 5/4), slightly moist and - medium dense. Coarse:subangular. Fines: - medium plasticity.	GC	10YR 6/2 - 10YR 5/4	SM																												

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 01

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6207.6

Project No.: 043-2572

Drill date: 10/13/2004

Coordinates N: 19405.4 E: 9536.6

Sheet 8 of 11

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)					% 3-inch plus (%)					Maxiumum particle size in.					ISRM Strength Index for CLASTS						D-Point Load-diametral				Notes Test Results	
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)																										A-Point Load-axial					
						S-Seive																										
					PI-Plasticity Index				Physical Testing																							
280	-	-	Continued	GC	10YR 6/2 - 10YR 5/4	SM																								280		
285	-	-	283'-288': Clayey GRAVEL with sand, GC, 30% gravel, 25% sand, 45% clay, Moderate brown (5YR 4/4), slightly moist and medium dense. Coarse: subangular. Fines: high plasticity.	GC	5YR 4/4	SM																									285	
290	-	-	288'-293': Clayey GRAVEL with sand, GC, 35% gravel, 30% sand, 35% clay. Pale yellowish brown (10YR 6/2), slightly moist and medium dense. Coarse: subangular to angular. Fines: medium plasticity.	GC	10YR 6/2	SM																									290	
295	-	-	293'-301': Clayey GRAVEL with sand, GC, 50% gravel, 25% sand, 25% clay, Dusky yellow to moderate yellowish brown (5Y 6/4 - 10YR 5/4), dry and loose to medium dense. Coarse: subangular to angular. Fines: medium plasticity.	GC	5Y 6/4 - 10YR 5/4	D																									295	
300	-	-																										Sample Bucket: 298'-300'			300	
305	-	-																														
310	-	-	301'-323': Clayey GRAVEL with sand, GC, 40% gravel, 15% sand, 45% clay. Pale olive to light brown (10Y 6/2 to 5YR 5/6), slightly moist and dense. Coarse: subround. Fines: low to medium plasticity.	GC	10Y 6/2 - 5YR 5/6	SM																						Sample Bucket: 310'-312'			310	
315	-	-																														315
320	-	-			5Y 7/6																											320

Scale:

Drilling Contractor:


Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



Project:	G&K/Stockpile Characterization			Datum:				Collar Elev:	6207.6	
Project No.:	043-2572	Drill date:	10/13/2004	Coordinates	N:	19405.4	E:	9536.6	Sheet	9 of 11
Location:	Tyrone Mine	Drill rig:		Azimuth:	N/A				Inclination:	90°

Scale:	USC (MPa)	
Drilling Contractor:	R0 0.25-1.0	
Driller:	R1 1.0-5.0	
	R2 5.0-25	
	R3 25-50	
	R4 50-100	
	R5 100-250	
	R6 >250	

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 01

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6207.6

Project No.: 043-2572

Drill date: 10/13/2004

Coordinates N: 19405.4 E: 9536.6

Sheet 10 of 11

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)					% 3-inch plus (%)					Maxiumum particle size in.					ISRM Strength Index for CLASTS						D-Point Load-diametral		Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																															Moisture		0-20		20-40		40-60		60-80		80+		0-3		3-8		8-20		20-50		50+		1		2		3		4		5+		R0		R1		R2		R3		R4		R5		R6		Physical Testing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

Scale:

Drilling Contractor:


Driller:


USC (MPa)


R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



Project:	G&K/Stockpile Characterization			Datum:				Collar Elev:	6207.6	
Project No.:	043-2572	Drill date:	10/13/2004	Coordinates	N:	19405.4	E:	9536.6	Sheet	11 of 11
Location:	Tyrone Mine	Drill rig:		Azimuth:	N/A				Inclination:	90°

Scale:	USC (MPa)	
Drilling Contractor:	R0 0.25-1.0	
Driller:	R1 1.0-5.0	
	R2 5.0-25	
	R3 25-50	
	R4 50-100	
	R5 100-250	
	R6 >250	

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-2																																	
Project: G&K/Stockpile Characterization										Datum:										Collar Elev:													
Project No.: 043-2572										Drill date:										Coordinates N: E:													
Location: Tyrone Mine										Drill rig:										Azimuth							Inclination: vertical						
Depth (m)	Soil / Rock Type		USCS	Run No.	Moisture	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				D-Point Load-diametral		Physical Testing	Notes Test Results								
	Description	D-dry SM-slightly moist M-moist VM-very moist S-saturated				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4			R3	R2	R1	R0				
																														A-Point Load-axial	S-Sieve	PI-Plasticity Index	
0	SANDY GRAVEL, small amount to some silt and clay, well graded angular gravel, predominantly fine- to medium-grained sand, non-plastic to low plasticity, brown (7.5YR 7/2)		GW		SM																				pyrite throughout (<1mm)	0							
5	GRAVEL, some sand and cobbles, small amount of silt and clay, predominantly coarse, angular, low plasticity, brown (10 Y 8/)		GP		SM																						5						
10					M																							10					
15					D																							15					
20	SILTY GRAVEL, considerable sand, some clay, well graded, sub-angular to angular, low plasticity, light brown to yellow-brown (10 Y 8/)		GP		D																							20					
25					SM																							25					
30	gravel from 26 to 28'				SM																							30					
35	gravelly silt from 31 to 32'		ML		D																							35					
40	SANDY GRAVEL, considerable clay and cobble, well graded angular sand and gravel, low to medium plasticity, brown (2.5Y 7/3)		GW		D																							40					
					M																												
					M																												
					M																												
	low plasticity below 38'				SM																												
Scale															USC (MPa)																		
Drilling Contractor															R0-0.25-1.0 R1-1.0-5.0 R2-5.0-25 R3-25-50					R4-50-100 R5-100-250 R6->250													
Driller																																	

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-2																											
Project: G&K/Stockpile Characterization					Datum:					Collar Elev:																	
Project No.: 043-2572					Drill date:					Coordinates N:					E:												
Location: Tyrone Mine					Drill rig:					Azimuth					Inclination: vertical												
Depth (m)	Soil / Rock Type		USCS	Run No.	Moisture	D-dry SM-slightly moist M-moist VM-very moist S-saturated				Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				Physical Testing	Notes Test Results
	Description					0-20 20-40 40-60 60-80 80+				0-3 3-8 8-20 20-50 50+				1 2 3 4 5+				R6 R5 R4 R3 R2 R1 R0									
40	SILTY GRAVEL , some sand and clay, predominantly coarse, angular, non-plastic, light brown		GM		D																			40			
	GRAVEL , considerable sand, some cobbles, silt and clay, low plasticity, gray (2.5Y 7/2)		GW		SM																						
45	sandy gravel from 44' to 49'				D																			45			
					D																						
	silty gravel from 49 to 50'		GM		SM																						
50					D																						
					D																						
55	silty gravel from 55 to 58'		ML		D																			55			
					D																						
	CLAYEY SAND , considerable gravel, small amount of silt, angular, medium plasticity, reddish-brown (10R 6/4)		SC		M																						
60					M																			60			
					M																						
					M																						
65	sandy gravel from 64' to 66'		GP		SM-M																			65			
					D																						
70					M																			70			
					M																						
					M																						
75	SANDY GRAVEL , small amount of silt, clay and cobbles, well graded angular gravel, well graded sand, low plasticity, brown to light brown		GW		D																			75			
					D																						
					SM																						
80	CLAYEY to GRAVELLY SAND , fine gravel, fine- to medium-grained sand, low to medium plasticity, red- to yellow-brown		SP		M																			80			
																USC (MPa)											
																R0-0.25-1.0								R4-50-100			
																R1-1.0-5.0								R5-100-250			
																R2-5.0-25								R6->250			
Scale																R3-25-50											
Drilling Contractor																											
Driller																											

ROTASONIC CORELOG - BOREHOLE TSGT-2																					
Project: G&K/Stockpile Characterization			Datum:			Collar Elev:															
Project No.: 043-2572			Drill date:			Coordinates N:			E:			Sheet 3 of 7									
Location: Tyrone Mine			Drill rig:			Azimuth			Inclination: vertical												
Depth (m)	Soil / Rock Type	USCS	Run No.	Moisture	D-dry					Core recovery (%)	% 3-inch plus (%)	Maximum particle size in.	ISRM Strength Index	D-Point Load-diametral					Notes Test Results		
					SM-slightly moist									R0	R1	R2	R3	R4		R5	R6
					M-moist																
				VM-very moist																	
				S-saturated																	
80	CLAYEY to GRAVELLY SAND (cont.)	SP		M																	
	clayey sand	SC		M																	
	gravel from 83 to 84'			M																	
	GRAVELLY SAND, considerable clay, some silt, predominantly fine- to medium-grained sand, non-plastic to low plasticity, bluish-gray (10B 6/)	SP		SM																	
85				M																	
				SM																	
				M																	
				SM																	
90				D																	
	sandy gravel from 92 to 94'	GP		D																	
				M																	
	CLAYEY SAND, some gravel, well graded angular sand, medium plasticity, reddish-brown (7.5YR 6/4) to yellow-brown (2.5Y 8/4)	SC		M																	
95				M																	
				M																	
				M																	
100				SM																	
	clayey gravel 100 to 101'	GC		M																	
				M																	
105	CLAYEY SAND, some gravel, predominantly fine- to medium-grained angular sand, medium plasticity, bluish-gray (10B 7/)	SC		M																	
				M																	
				M																	
110				M																	
				M																	
	GRAVELLY SAND, considerable clay and silt, well graded sand, low plasticity, yellow-brown (2.5Y 7/6)	SW																			
115																					
120																					

Scale

Drilling Contractor

Driller

USC (MPa)

R0-0.25-1.0
R1-1.0-5.0
R2-5.0-25
R3-25-50

R4-50-100
R5-100-250
R6->250

[illegible]

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-2

Project: G&K/Stockpile Characterization

Datum:

Collar Elev:

Project No.: 043-2572

Drill date:

Coordinates N:

E:

Sheet

5 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination:

vertical

Depth (m)	Soil / Rock Type		USCS	Run No.	Moisture	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				Physical Testing	Notes Test Results						
	Description	D-dry SM-slightly moist M-moist VM-very moist S-saturated				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6			R5	R4	R3	R2	R1	R0
D-Point Load-diametral	A-Point Load-axial	S-Sieve	PI-Plasticity Index																										

160	GRAVELLY SAND (cont.)	SW		M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
-----	-----------------------	----	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Scale
Drilling Contractor
Driller

USC (MPa)
R0-0.25-1.0
R1-1.0-5.0
R2-5.0-25
R3-25-50
R4-50-100
R5-100-250
R6->250



Project: G&K/Stockpile Characterization

Project No.: 043-2572

Location: Tyrone Mine

Datum:

Coordinates N: E:

Collar Elev:

Sheet 6 of 7

Drill date:

Drill rig:

Azimuth

Inclination: vertical


Depth (m)	Soil / Rock Type	USCS	Run No.	Moisture	Core recovery (%)										% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				Physical Testing				Notes Test Results
					Core recovery (%)										% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				Physical Testing				
					0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2	R1	R0	Physical Testing				
200	GRAVEL (cont.), considerable sand, some silt and clay, predominantly coarse-grained, angular, non-plastic, yellow-brown (2.5Y 7/3)	GP		M																											
-					SM																										
-																															
-																															
205	gray gravelly silt from 206 to 207' (N 6/)	GP		D																											
-					D																										
-																															
-																															
210	GRAVEL, small amount to considerable gray silt, some cobbles, predominantly coarse-grained, angular, non-plastic, brown (10YR 7/3) to reddish-brown (10R 7/4)	GP		D																											
-					D																										
-																															
-																															
215	GRAVELLY SAND, considerable clay, some silt, predominantly fine- to medium-grained angular sand, low plasticity, yellow-brown (10YR 6/6)	SP		SM																											
-					M																										
-																															
-																															
220				M																											
-					M																										
-																															
-																															
225				M																											
-					SM																										
-																															
-																															
230				S																											
-					S																										
-																															
-																															
235	CLAYEY SAND, considerable fine angular gravel and silt, predominantly fine- to medium-grained angular sand, medium plasticity, yellow-brown (10YR 6/8)	SC		M																											
-					M																										
-																															
-																															
240	GRAVELLY SAND, considerable clay, some silt, predominantly fine- to medium-grained angular sand, low plasticity, yellow-brown (10YR 7/4)	SP		M																											
-					M																										
-																															
-																															

Scale

Drilling Contractor

Driller

USC (MPa)
R0-0.25-1.0
R1-1.0-5.0
R2-5.0-25
R3-25-50
R4-50-100
R5-100-250
R6->250



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-2

Project: G&K/Stockpile Characterization

Datum:

Collar Elev:

Project No.: 043-2572

Drill date:

Coordinates N:

E:

Sheet

7 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination:

vertical

Depth (m)	Soil / Rock Type	USCS	Run No.	Moisture	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				Physical Testing	Notes Test Results	
					D-dry SM-slightly moist M-moist VM-very moist S-saturated																		
					0-20	20-40	40-60	60-80	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5			R4
240	GRAVELLY SAND (cont.), considerable clay, some silt, predominantly fine- to medium-grained angular sand, low plasticity, yellow-brown (10YR 7/4)	SP		M																			
-					M																		
-					M																		
245					M																		
-	reddish-brown at 249' (5YR 7/6)			M																			
-					M																		
-					M																		
-					M																		
250	CLAYEY to GRAVELLY SAND, some silt, low plasticity, yellow-brown (2.5YR 8/4)	SP		SM																			
-					M																		
-		SC			M																		
-						M																	
255	SANDY GRAVEL, considerable silt and clay, predominantly fine angular gravel, low plasticity, yellow-brown (2.5Y 6/6)	GP		M																			
-					M																		
-					M																		
260					M																		
-	reddish-brown below 264' (10YR 6/6)			M																			
-					M																		
-					M																		
265					M																		
-	GRAVEL, considerable cobbles and sand, small amount of silt and clay, predominantly coarse-grained, angular, non-plastic, yellow-brown (10YR 6/4)	GP		D																			
-					SM																		
-					D																		
270					SM																		
-				D																			
-					D																		
-					D																		
275					D																		
-				M																			
-					M																		
-					M																		
280					SM																		
END OF RECORD (281')																							

END OF RECORD (281')

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

[illegible]

[illegible]

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-3

Project: G&K/Stockpile Characterization

Datum:

Collar Elev:

Project No.: 043-2572

Drill date:

Coordinates N:

E:

Sheet

3 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination:

vertical

Depth (m)	Soil / Rock Type	USCS	Run No.	Moisture	Core recovery (%)					% 3-inch plus (%)					Maximum particle size in.					ISRM Strength Index					Physical Testing	Notes Test Results			
	Description				D-dry SM-slightly moist M-moist VM-very moist S-saturated	0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3			R2	R1	R0
D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index																													

80	GRAVELLY SAND (cont.)	SP		M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
----	-----------------------	----	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Scale
Drilling Contractor
Driller

USC (MPa)
R0-0.25-1.0
R1-1.0-5.0
R2-5.0-25
R3-25-50
R4-50-100
R5-100-250
R6->250



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-3

Project: G&K/Stockpile Characterization

Datum:

Collar Elev:

Project No.: 043-2572

Drill date:

Coordinates N:

E:

Sheet

4 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination:

vertical

Soil / Rock Type		USCS	Run No.	Moisture	Core recovery (%)					% 3-inch plus (%)					Maximum particle size in.					ISRM Strength Index					Physical Testing	Notes Test Results			
Depth (m)	Description				D-dry SM-slightly moist M-moist VM-very moist S-saturated	0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3			R2	R1	R0
D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index																													

120	GRAVEL to SANDY GRAVEL (cont.)	GP		M																									120
-				M																									-
-				M																									-
-	GRAVELLY SAND, some silt and clay, predominantly fine- to medium-grained sand, low plasticity, dark reddish-brown (5YR 6/6)	SW		M																									-
125				M																									125
-				M																									-
-				M																									-
-				M																									-
130	SANDY GRAVEL, some to considerable clay, some silt and cobbles, well graded angular gravel, low plasticity, reddish-brown to orange-brown	GW		M																									130
-				M																									-
-				M																									-
-				M																									-
135				M																									-
-				M																									-
-				M																									-
-				M																									-
140				M																									-
-				SM																									-
-				M																									-
145				M																									-
-				M																									-
-	SAND and GRAVEL, small amount of silt and clay, well graded sand, predominantly fine gravel, low plasticity, brown (7.5 TR 7/3)	SW-GP		M																									-
150				M																									-
-				SM																									-
-				SM																									-
155				M																									-
-				M																									-
-				M																									-
160				M																									-

dark reddish-brown (2.5 YR 4/6) at 134' - small piece of solid core

2" seam of orange-brown sand at 147'

sand, reddish-brown (10 R 5/6) from 156 to 157'

some solid core from 158 to 163'

USC (MPa)

R0-0.25-1.0
R1-1.0-5.0
R2-5.0-25
R3-25-50
R4-50-100
R5-100-250
R6->250



Scale
Drilling Contractor
Driller

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-3

Project: G&K/Stockpile Characterization

Datum:

Collar Elev:

Project No.: 043-2572

Drill date:

Coordinates N:

E:

Sheet

5 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination:

vertical

Depth (m)	Soil / Rock Type		USCS	Run No.	Moisture	D-dry				Core recovery (%)	% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				Physical Testing	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	Description					SM-slightly moist					M-moist				VM-very moist				S-saturated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
						0-20	20-40	40-60	60-80		80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6			R5	R4	R3	R2	R1	R0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
160	SAND and GRAVEL (cont.)		SW-GP		M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

considerable silt at 168'

very few fines from 186 to 187.5'

GRAVEL, considerable sand, considerable silt (195'), small amount of clay, predominantly coarse-grained, angular, non-plastic, gray (5 PB 7/)

solid core at 177, 180'

reddish-brown (10 R 6/3) below 180'

solid core at 183, 186'

solid core at 198'

USC (MPa)

R0-0.25-1.0
R1-1.0-5.0
R2-5.0-25
R3-25-50
R4-50-100
R5-100-250
R6->250



Scale
Drilling Contractor
Driller

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-3																									
Project: G&K/Stockpile Characterization						Datum:						Collar Elev:													
Project No.: 043-2572						Drill date:				Coordinates N:				E:		Sheet 6 of 7									
Location: Tyrone Mine						Drill rig:				Azimuth				Inclination: vertical											
Depth (m)	Soil / Rock Type		USCS	Run No.	Moisture	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index				D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index		Notes Test Results	
	Description																					Physical Testing			
						0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6		R5		R4
200	SANDY GRAVEL , considerable silt and clay, some cobbles, predominantly coarse angular gravel, non-plastic, gray (2.5 Y 6/1)		GP		M																			Cu sulfates at 200.5' much solid core below 200'	
-					M																				
-					M																				
205					M																				
-					M																				
-					M																				
210					M																				
-					M																				
-					M																				
215				SM																					
-				SM																					
-				SM																					
220	predominantly fine gravel below 221'			M																					
-				M																					
-				M																					
225				SM																					
-				M																					
-				M																					
230	GRAVELLY SAND , considerable clay, some silt, predominantly fine gravel, predominantly fine- to medium-grained sand, low plasticity, reddish-brown (2.5 YR 6/3)		SP		M																				
-					M																				
-					M																				
235					M																				
-					M																				
240				M																					
Scale												USC (MPa) R0-0.25-1.0 R4-50-100 R1-1.0-5.0 R5-100-250 R2-5.0-25 R6->250 R3-25-50													
Drilling Contractor																									
Driller																									

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT-3

Project: G&K/Stockpile Characterization

Datum:

Collar Elev:

Project No.: 043-2572

Drill date:

Coordinates N:

E:

Sheet

7 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination:

vertical

Depth (m)	Soil / Rock Type		USCS	Run No.	Moisture	D-dry SM-slightly moist M-moist VM-very moist S-saturated				Core recovery (%)	% 3-inch plus (%)	Maximum particle size in.	ISRM Strength Index	D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index				Physical Testing	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Description					0-20	20-40	40-60	60-80					80+	0-3	3-8	8-20			20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2	R1	R0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
240	GRAVELLY SAND (cont.)	SP		M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

Scale																											
Drilling Contractor																											
Driller																											

USC (MPa)	
R0-0.25-1.0	R4-50-100
R1-1.0-5.0	R5-100-250
R2-5.0-25	R6->250
R3-25-50	



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 04

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6310.7

Project No.: 043-2572

Drill date: 9/28/2004

Coordinates N: 10838.6 E: 4155.5

Sheet 1 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsel)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maxiumum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index	Notes Test Results						
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R0	R1	R2	R3			R4	R5	R6	Physical Testing	
0	0'-2': Gravely to sandy CLAY, CH, 20% gravel, 20% sand, 60% clay, light brown (5YR 5/6), slightly moist and dense. Coarse: subangular. Fines: high plasticity.	CH	5YR 5/6	SM																									0		
-																															-
-																															-
-																															-
-																															-
5																															5
-																															-
-																															-
-																															-
10	2'-18': Clayey GRAVEL with sand, GC, 40% gravel, 15% sand, 45% clay, dusky yellow (5Y 6/4), slightly moist and medium dense. Coarse: subangular. Fines: high plasticity.	GC	5Y 6/4	SM																											10
-																															-
-																															-
-																															-
15																															15
-																															-
-																															-
20	18'-24': Gravely CLAY, CH, 40% gravel, 10% sand, 50% clay, light brown (5YR 5/6), slightly moist and dense. Coarse: subangular. Fines: high plasticity.	CH	5YR 5/6	SM																											20
-																															-
-																															-
-																															-
25																															25
-																															-
-																															-
-																															-
30	24'-32': Clayey GRAVEL with sand, GC, 40% gravel, 15% sand, 45% clay, dark yellowish orange (10YR 5/6), slightly moist and dense. Coarse: subangular. Fines: high plasticity.	GC	10YR 5/6	SM																											30
-																															-
-																															-
35	32'-36': Gravely CLAY, CH, 40% gravel, 10% sand, 50% clay, light brown (5YR 5/6), slightly moist and dense. Coarse: subangular. Fines: high plasticity.	CH	5YR 5/6	SM																											35
-																															-
-																															-
40	36'-42': Clayey GRAVEL with sand, GC, 35% gravel, 25% sand, 40% clay, light brown (5YR 6/4), slightly moist and medium dense. Coarse: subangular. Fines: high plasticity.	GC	5YR 6/4	SM																											-
-																															-
-																															-
40																															



Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 04

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6310.7

Project No.: 043-2572

Drill date: 9/28/2004

Coordinates N: 10838.6 E: 4155.5

Sheet 2 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index		Notes Test Results					
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R0	R1	R2	R3	R4		R5	R6	Physical Testing		
40	-	Continued	GC	5YR 6/4	SM																									40	
-																															
-																															
45	-			5YR 6/4																											45
-																															
-																															
-																															
50	-																														50
-																															
-																															
-																															
55	-			5YR 5/6																											55
-																															
-																															
-																															
60	-	42'-80': Clayey GRAVEL with sand, GC, 45% gravel, 25% sand, 30% clay, light brown (5YR 6/4 to 5YR 5/6), slightly moist and medium dense. Coarse: subangular. Fines: high plasticity.	GC		SM																										60
-																															
-																															
65	-																														65
-																															
-																															
-																															
70	-			5YR 6/4																									Sample Bucket: 69' 71'		70
-																															
-																															
-																															
75	-																														75
-																															
-																															
-																															
80	-																														

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 04

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6310.7

Project No.: 043-2572

Drill date: 9/28/2004

Coordinates N: 10838.6 E: 4155.5

Sheet 3 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maxiumum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index	Notes Test Results								
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture																															
						Physical Testing																											
						0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R0	R1	R2	R3			R4	R5	R6				
80	80'-92': Clayey GRAVEL with sand, 60% gravel, 15% sand, 25% clay, light brown (5YR 6/4), slightly moist and dense. - Coarse: subangular. Fines: high plasticity. - From 89' to 92', color changes to moderate reddish brown (10R 4/6)	GC	5YR 6/4	SM																										80			
-																																	-
-																																	-
-																															-		
85																																85	
-																																-	
-																														-			
-																														-			
90			10R 4/6																											90			
-																														-			
-																														-			
-																														-			
-																														-			
95	92'-96': Clayey GRAVEL with sand, GC, 45% gravel, 20% sand, 35% clay, Pale reddish brown to light brown (10 R 5/4 to 5YR 5/6), dry and dense. Coarse: subangular. Fines: high plasticity.	GC	10 R 5/4-5YR 5/6	D																										95			
-																														-			
-																														-			
-																														-			
100	97'-102': Clayey GRAVEL with sand, GC, 55% gravel, 25% sand, 20% clay, light brown (5YR 5/6), slightly moist, well graded and medium dense. Coarse: subangular. Fines: high plasticity.	GC	5YR 5/6	SM																										100			
-																														-			
-																														-			
-																														-			
105	102'-116': Clayey GRAVEL with sand, GC, 40% gravel, 15% sand, 45% clay, light brown (5YR 5/6) slightly moist and medium dense to dense. Coarse: subangular. Fines: high plasticity. - From 115' to 116', color changes to moderate reddish brown (10R 4/6)	GC	5YR 5/6	SM																										105			
-																																	-
-																																	-
-																															-		
110																																110	
-																																-	
-																														-			
-																														-			
115																														115			
-																														-			
-																														-			
-																														-			
120	116'-122': Clayey GRAVEL with sand, GC, 45% gravel, 25% sand, 30% clay, dark yellowish orange to light brown (10YR 6/6 to 5YR 5/6), slightly moist and medium dense to dense. Coarse: subangular. Fines: high plasticity.	GC	10 YR 6/6-5YR 5/6	SM																										120			
-																														-			
-																														-			
-																														-			
-																														-			
-																														-			
-																														-			
-																														-			
-																										</							

Scale:

Drilling Contractor:


Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



Inclination: 90°

		USC (MPa)		
Scale:		R0	0.25-1.0	
Drilling Contractor:		R1	1.0-5.0	
		R2	5.0-25	
Driller:		R3	25-50	
		R4	50-100	
		R5	100-250	
		R6	>250	

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 04

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6310.7

Project No.: 043-2572

Drill date: 9/28/2004

Coordinates N: 10838.6 E: 4155.5

Sheet 5 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture																						A-Point Load-axial																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
						S-Sieve																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	PI-Plasticity Index																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													



Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250

ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 04

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6310.7

Project No.: 043-2572

Drill date: 9/28/2004

Coordinates N: 10838.6 E: 4155.5

Sheet 6 of 7

Location: Tyrone Mine

Drill rig:

Azimuth

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Physical Testing																						A-Point Load-axial																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
						Moisture	S-Sieve																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		PI-Plasticity Index																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - BOREHOLE TSGT- 04

Project: G&K/Stockpile Characterization

Datum:

Collar Elev: 6310.7

Project No.: 043-2572

Drill date: 9/28/2004

Coordinates N: 10838.6 E: 4155.5

Sheet 7 of 7


Location: Tyrone Mine

Drill rig:

Azimuth

Inclination: 90°

Depth (m)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Physical Testing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
240	240'-251': Clayey SAND with gravel, SC, 30% gravel, 35% sand, 45% clay, dark yellowish orange to light brown (10YR 6/6 to 5YR 5/6), dry, well graded and loose. Coarse: subangular. Fines: high plasticity	SC	10YR 6/6-5YR 5/6	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

				USC (MPa)						
Scale:				R0	0.25-1.0					
Drilling Contractor:				R1	1.0-5.0					
				R2	5.0-25					
				R3	25-50					
Driller:				R4	50-100					
				R5	100-250					
				R6	>250					

APPENDIX B-2

**2004 PHELPS DODGE TYRONE, INC.
GEOLOGIC LOGS**

Drill Hole Logging Form

Project:

Hole Number: TSGT-1

Date Drilled: 10-13-04 Type: 30X11C

Northing: 19405.4

Hole Depth: 410

Easting: 9536.6

Orientation: -90°

C.E.: 6207.6

Logged by: RJW

05-03-05

Analysis		Interval	Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich	Notes								
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
				0'					PALT: 3							7.2%	3		2%	1	-	-	-	-						
				3'					SALT: 5							GT														
				3'					CLAY: 5%																					
				3'					LCAP:																					
				8'					PALT: 3							TR	3	GREEN	2.5%	3	2.5%	.1%	1	CHAL						
				8'					SALT: 5																					
				8'					CLAY: 50%																					
				8'					LCAP:																					
				13'					PALT: 3							TR	3	GREEN	2.5%	3	2%	.1%	1	CHAL						
				13'					SALT: 5																					
				13'					CLAY: 50%																					
				13'					LCAP:																					
				18'					PALT: 3							1.7%	2		10%	3	-	-	-	-						
				18'					SALT: 5							HA														
				18'					CLAY: 50%																					
				18'					LCAP:																					
				23'					PALT: 3							NONE			20%	3	-	-	-	-						
				23'					SALT: 4																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							NONE			20%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						

Drill Hole Logging Form

Project:

Hole Number: TSGT-1

Date Drilled: 10-13-04 Type: 30X11C

Northing: 19405.4

Hole Depth: 410

Easting: 9536.6

Orientation: -90°

C.E.: 6207.6

Logged by: RJW

05-03-05

Analysis		Interval	Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich	Notes								
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
				0'					PALT: 3							7.2%	3		2%	1	-	-	-	-						
				3'					SALT: 5							GR														
				3'					CLAY: 5%																					
				3'					LCAP:																					
				8'					PALT: 3							TR	3	GREEN	2.5%	3	2.5%	.1%	1	CHAL						
				8'					SALT: 5							CUOX														
				8'					CLAY: 50%																					
				8'					LCAP:																					
				13'					PALT: 3							TR	3	GREEN	2.5%	3	2%	.1%	1	CHAL						
				13'					SALT: 5							CUOX														
				13'					CLAY: 50%																					
				13'					LCAP:																					
				18'					PALT: 3							HA	2		10%	3	-	-	-	-						
				18'					SALT: 5																					
				18'					CLAY: 50%																					
				18'					LCAP:																					
				23'					PALT: 3							HA			20%	3	-	-	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			20%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							HA			10%	3	TR	3	-	-						

Project:

Whole-Milk

194054

100

Nothing: 1790
 1800 440

Q524. C

Easting: 11

100-71

CE: 6207.6

Dane Unfiled			Type:	Hole Depth: F10		Orientation: -70	Logged by: KJW		O5-03-08																								
Analysis			Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich		Notes								
Tcu	CuCu	QLT	Elev.	Ft.	H ₂ O	Rock						WC	YC	QS	Oz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide		
																																(Rock Description, Alteration, Mineralization, Structure)	
																		2% HMA	3	BK CuOx												ALTERED MP CLAYS DARK RED TO 36' THEN MEDIUM BROWN TO 38' NO VISIBLE SULFIDES TR BLACK CU OX IN FRACTURES TR GYPSUM ON FRACTURES	
																		10% HMA	3	BK CuOx												ALTERED MP MEDIUM REDDISH BROWN NO VISIBLE SULFIDES - BLACK CU OX ON FRACTURE SURFACES	
																		10% HMA	3													ALTERED MP MEDIUM TO LIGHT REDDISH BROWN NO VISIBLE SULFIDES - NO VISIBLE CU OX	
																		TR	3			15%	3	TR	1	TR	1	TR	CHAL			MP MEDIUM GRAY VERY WEAK ENRICH TRACES OF CHALCANTHITE ALONG FRACTURES	
																		2% HMA	3			15%	3	TR CV	1	TR	1					MP FROM 53 TO 56 MEDIUM GRAY FROM 56 TO 58' LIGHT BROWN, TR CONCUITE ENRICH NO VISIBLE CU OX	
																		10% HMA	3	3rd DAY		10%	3	TR CV CC	1	TR	1					FROM 58' TO 60' MEDIUM GRAY FROM 61' MP TO 63' CLAY DARK RED, VERY WEAK CC & CU ENRICH, NO VISIBLE CU OX	
																		1% HMA	3	3rd DAY		10%	3	TR CV CC	1	-	-					FROM 63' TO 65' DARK RED CLAY FROM 65' TO 68' MEDIUM RED CLAY W/ MP ROCKS W/ VERY WEAK ENRICH, NO VISIBLE CU OX	
																		5% HMA	3	3rd DAY		10%	3	TR CV CC	1	-	-					ALTERED MP HMA IN CLAY VERY WEAKLY ENRICHED PY - CC & CU NO VISIBLE CU OX	
																		20% HMA	3	3rd DAY		5%	3	15% CV	1	-	-					HIGHLY ALTERED MP W/ STRONG HMA IN CLAY SOME MP ROCKS COMPLETELY OXIDIZED; SOME W/ WEAK, 5% DISC PY W/ WEAK CONCUITE ENRICH, NO VISIBLE CU OX	
																		10% HMA	3	3rd DAY		5%	3	10% CV	1							ALTERED MP - HMA IN CLAY W/ MP ROCKS WEAK PY W/ VERY WEAK ENRICH OF CV NO VISIBLE CU OX	
Composite																																	
Composite																																	

P Phelps Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

Date Drilled:

Type:

Hole Depth: 410

Orientation: -90

Logged by: RJW

05-03-05

Analysis		Interval		Drill Log		Alteration		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)		Enrich		Notes														
Tcu	OxCu	QLT	Elev.	Fl.	H ₂ O	Rock						WC	YC	GS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)		
																		29% HMA	3	BLACK CUOX													ALTERED MP CLAYS DARK RED TO 36' THAN MEDIUM BROWN TO 38' NO VISIBLE SULFIDES TR BLACK CU OX IN FRACTURES TR GYPSUM ON FRACTURES	
			38'															10% HMA	3	BLACK CUOX														ALTERED MP MEDIUM REDDISH BROWN NO VISIBLE SULFIDES - BLACK CU OX ON FRACTURE SURFACES
			43'															10% HMA	3															ALTERED MP MEDIUM TO LIGHT REDDISH BROWN NO VISIBLE SULFIDES - NO VISIBLE CU OX
			48'															TR	3		15%	3	TR	1	TR	1	TR	1	TR	CHALC				MP MEDIUM GRAY VERY WEAK ENRICH TRACES OF CHALCANTHITE ALONG FRACTURES
			53'															2% CHALC	3		15%	3	TR	1	TR	1	TR	1						MP FROM 53 TO 56' MEDIUM GRAY FROM 56 TO 58' LIGHT BROWN, TR CHALC ENRICH NO VISIBLE CU OX
			58'															10% HMA	3	TR	10%	3	TR	1	TR	1	TR	1						FROM 58' TO 60' MEDIUM GRAY FROM 61' MP TO 63' CLAY DARK RED. VERY WEAK CC & CU ENRICH. NO VISIBLE CU OX
			63'															19% HMA	3	TR	10%	3	TR	1	TR	1	TR	1						FROM 63' TO 65' DARK RED CLAY FROM 65 TO 68' MEDIUM RED CLAY W/ MP ROCKS W/ VERY WEAK ENRICH. NO VISIBLE CU OX
			68'															5% HMA	3	TR	10%	3	TR	1	TR	1	TR	1						ALTERED MP HMA IN CLAY VERY WEAKLY ENRICHED PY - CC & CU NO VISIBLE CU OX
			73'															20% HMA	3	TR	15%	3	TR	1	TR	1	TR	1						HIGHLY ALTERED MP W/ STRONG HMA IN CLAY SOME MP ROCKS COMPLETELY OXIDIZED; SOME W/ WEAK (5%) DIS PY W/ WEAK CHALC ENRICH. NO VISIBLE CU OX
			78'															10% HMA	3	TR	10%	3	TR	1	TR	1	TR	1						ALTERED MP - HMA IN CLAY W/ MP ROCKS WEAK PY W/ VERY WEAK ENRICH OF CV NO VISIBLE CU OX
			83'																															
Composite:																																		
Composite:																																		

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

Date Drilled:

Type:

Hole Depth: 410

Orientation: -90

Logged by:

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)										Enrich		Notes							
Tcu	OxCu	QLT	Elev	FL	H ₂ O	Rock				Code	WC	YC	QS	Otz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)		
				88'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							1.0% HM 3				5%	1	CU .1%	1	-	-					FROM 85 TO 86' - HM IN CLAY W/ MINOR GT FROM 86 TO 88' - LARGE FRAGMENTS OF MP MEDIUM GRAY WEAK PY W/ VERY WEAK CU ENRICHMENT		
				93'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							1.5% HM IN CLAY	TR B			25%	1	TR CU	1	-	-					ALTERED MP - STRONG HM IN CLAY - LARGE FRAGMENTS OF MP VERY WEAK PY W/ TR OF CU ENRICH. VERY MINOR TR OF BLACK OX.		
				98'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							2.0% HM 3	BLACK OX			5%	1	TR CU	1	-	-					FROM 95 TO 98' MEDIUM GRAY LARGE FRAG OF MP W/ WEAK PY W/ TRACE CU ENRICHMENT. FROM 98 TO 100' SOFT ALTERED MP W/ STRONG HM & SOME BLACK OX TRACES OF GYPSUM IN FRACTURES		
				103'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							2.0% HM 3				-	-	-	-	-	-					SOFT HIGHLY ALTERED MP W/ PEOX COLOES. SMALL FRAGMENTS OF CLAY NO VISIBLE SULFIDES - NO VISIBLE COOK		
				108'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							1.5% HM 3	BLACK OX			-	-	-	-	-	-					ALTERED MP REDDISH BROWN CLAY W/ FRAGMENTS TRACES OF BLACK OX IN CLAY. NO VISIBLE SULFIDES.		
Composite																																	ALTERED MP CLAYS COLORED DARK RED. NO VISIBLE SULFIDES OR CU OX
				113'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							1.5% HM 3				-	-	-	-	-	-							ALTERED MP CRUMBLY REDDISH BROWN NO VISIBLE SULFIDES OR CU OX
				118'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							1.5% HM 3				-	-	-	-	-	-							ALTERED MP MODERATELY CRUMBLY CLAY REDDISH BROWN NO VISIBLE SULFIDES NO VISIBLE COOK
				123'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							2.0% HM 3				-	-	-	-	-	-							ALTERED MP REDDISH BROWN MODERATELY CLAY W/ FEW FRAGMENTS NO VISIBLE SULFIDES NO VISIBLE CU OX.
				128'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							5% HM 3				5%	1	TR CU	1	-	-							LIGHT GRAY MP - LARGE FRAGMENTS DISS. VERY SMALL GRAINS OF PY W/ VERY SMALL TRACE OF ENRICH. NO VISIBLE CU OX
Composite																																	

Composite:

Project:

Hole Number: TSGT-1

Date Drilled:

Date Drilled: _____

Type: SONIC

Northing: 19405.4

Hole Depth: 410

Fasting:

Orientation

Easting: 95366

Orientation

CE: 6207.6

Logged by: RJW

CORE SIZE CHANGE = 186' FROM $5\frac{1}{4}"$ TO $3\frac{5}{8}"$ DIA.

25-04-07

Date Drilled:				Type: C-10	Core Depth: 110	Orientation: 70		Logged by: KSW		CS-4-10		Notes																
Analysis		Interval		Drill Log		Graphic Log		Alteration		Mineralization (vol%)		Enrich																
Tcu	CuCu	QLT	Elev.	Ft.	H ₂ O	Rock		Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide
				133'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							TR	3 ALC		1.0%		1	TR	1	-	-				MP - MEDIUM GRAY W/ SLIGHTLY YELLOWISH CLAY. VERY SMALL DISSEMINATED GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.
				133'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%			1%		1	-	-	-	-				MP FRAGMENTS IN YELLOWISH CLAY. SMALL DEEP GRAINS OF PY W/ NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.
				143'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%			5%		1	TR	1	-	-				MP FRAGMENTS IN YELLOWISH CLAY. SMALL DEEP GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.
				148'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%			5%		1	TR	1	TR	1				MP FRAGMENTS (LARGE) IN YELLOWISH CLAY. SMALL DEEP GRAINS OF PY W/ NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.
				153'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				MP FRAGMENTS (LARGE) IN YELLOWISH CLAY. SMALL DEEP GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK.
				153'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP W/ NO FE OX. NO VISIBLE CU OK.
Composite:								PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP W/ NO FE OX. NO VISIBLE CU OK.
				163'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY. NO VISIBLE CU OK.
				168'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY. NO VISIBLE CU OK.
				173'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY. NO VISIBLE CU OK.
				178'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY. NO VISIBLE CU OK.
				183'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY. NO VISIBLE CU OK.
Composite:								PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							15%			15%		1	TR	1	TR	1				LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY. NO VISIBLE CU OK.

Drill Hole Logging Form

Project:

Hole Number: TSGT-1

Date Drilled: 10-13-04 Type: 30X11C

Northing: 19405.4

Hole Depth: 410

Easting: 9536.6

Orientation: -90°

C.E.: 6207.6

Logged by: RJW

05-03-05

Analysis		Interval	Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich	Notes								
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
									PALT:																					
									SALT:																					
									CLAY:																					
									LCAP:																					
				0'					PALT: 3							7.2%	3		2%	1	-	-	-	-						
				3'					SALT: 5							GT														
				3'					CLAY: 5%																					
				3'					LCAP:																					
				8'					PALT: 3							TR	3	GREEN	2.5%	3	2.5%	.1%	1	CHAL						
				8'					SALT: 5																					
				8'					CLAY: 50%																					
				8'					LCAP:																					
				13'					PALT: 3							TR	3	GREEN	2.5%	3	2%	.1%	1	CHAL						
				13'					SALT: 5																					
				13'					CLAY: 50%																					
				13'					LCAP:																					
				18'					PALT: 3							1.7%	2		10%	3	-	-	-	-						
				18'					SALT: 5							HA														
				18'					CLAY: 50%																					
				18'					LCAP:																					
				23'					PALT: 3							None			20%	3	-	-	-	-						
				23'					SALT: 4																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							None			20%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'					SALT: 5																					
				23'					CLAY: 10%																					
				23'					LCAP:																					
				23'					PALT: 3							2.0%			10%	3	TR	3	-	-						

P Phelps Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

Date Drilled:

Type:

Hole Depth: 410

Orientation: -90

Logged by: RJW

05-03-05

Page: 2 of 9

Analysis				Interval		Drill Log		Alteration		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)														Enrich		Notes	
Tcu	OxCu	QLT		Elev.	Fl.	H ₂ O	Rock						Code	WC	YC	GS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
					38'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							29% HMA	3	BLACK CUOX												ALTERED MP CLAYS DARK RED TO 36' THAN MEDIUM BROWN TO 38' NO VISIBLE SULFIDES TR BLACK CU OX IN FRACTURES TR GYPSUM ON FEATURES	
					43'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							10% HMA	3	BLACK CUOX												ALTERED MP MEDIUM REDDISH BROWN NO VISIBLE SULFIDES - BLACK CU OX ON FEATURE SURFACES	
					48'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							10% HMA	3												ALTERED MP MEDIUM TO LIGHT REDDISH BROWN NO VISIBLE SULFIDES - NO VISIBLE CU OX		
					53'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							TR	3		15%	3	TR	1	TR	1	TR	CHALC			MP MEDIUM GRAY VERY WEAK ENRICH TRACES OF CHALCANTHITE ALONG FEATURES		
					58'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							2% CHALC	3		15%	3	TR	1	TR	1					MP FROM 53 TO 56' MEDIUM GRAY FROM 56 TO 58' LIGHT BROWN, TR CHALC ENRICH NO VISIBLE CU OX		
1.50 Composite:					63'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							10% HMA	3	TR CV	10%	3	TR	1	TR	1					FROM 58' TO 60' MEDIUM GRAY FROM 61' MP TO 63' CLAY DARK RED. VERY WEAK CC & CU ENRICH. NO VISIBLE CU OX		
					68'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							19% HMA	3	CLAY		10%	3	TR CV	1							FROM 63' TO 65' DARK RED CLAY FROM 65' TO 68' MEDIUM RED CLAY W/ MP ROCKS W/ VERY WEAK ENRICH. NO VISIBLE CU OX	
					73'								PALT: 3 SALT: 5 CLAY: 5H LCAP:							5% HMA	3	CLAY		10%	3	TR CV	1							ALTERED MP HMA IN CLAY VERY WEAKLY ENRICHED PY - CC & CU NO VISIBLE CU OX	
					78'								PALT: 3 SALT: 6 CLAY: 6H LCAP:							20% HMA	3	CLAY		5%	3	15% CV	1							HIGHLY ALTERED MP W/ STRONG HMA IN CLAY SOME MP ROCKS COMPLETELY OXIDIZED; SOME W/ WEAK (5%) DIS PY W/ WEAK CHALC ENRICH. NO VISIBLE CU OX	
25 Composite:					83'								PALT: 3 SALT: 6 CLAY: 6H LCAP:							10% HMA	3	CLAY		5%	3	10% CV	1							ALTERED MP - HMA IN CLAY W/ MP ROCKS WEAK PY W/ VERY WEAK ENRICH OF CV NO VISIBLE CU OX	

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

Date Drilled:

Type:

Hole Depth: 410

Orientation: -90

Logged by:

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)										Enrich		Notes						
Tcu	OxCu	QLT	Elev	FL	H ₂ O	Rock				Code	WC	YC	QS	Otz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
				88'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							1.0% HM 1.0% PY 3'				.5%	1	CU .1%	1	-	-						FROM 85 TO 86' - HM IN CLAY W/ MINOR GT FROM 86 TO 88' - LARGE FRAGMENTS OF MP MEDIUM GRAY WEAK PY W/ VERY WEAK CU ENRICHMENT
				93'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							1.5% HM 1% IN CLAY B'			TR BULKY B'	.25%	1	TR CU 1	1	-	-						ALTERED MP STRONG HM IN CLAY - LARGE FRAGMENTS OF MP VERY WEAK PY W/ TR OF CU ENRICH. VERY MINOR TR OF BLACK OX.
				98'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							2.0% HM 3			BLACK OX	.5%	1	TR CU 1	1	-	-						FROM 95 TO 98' MEDIUM GRAY LARGE FRAG OF MP W/ WEAK PY W/ TRACE CU ENRICHMENT. FROM 98 TO 100' SOFT ALTERED MP W/ STRONG HM & SOME BLACK OX TRACES OF GYPSUM IN FRACTURES
				103'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							2.0% HM 3				-	-	-	-	-	-						SOFT HIGHLY ALTERED MP W/ PEOX COLOES. SMALL FRAGMENTS OF CLAY NO VISIBLE SULFIDES - NO VISIBLE COOK
				108'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							1.5% HM 3			BLACK OX	-	-	-	-	-	-						ALTERED MP REDDISH BROWN CLAY W/ FRAGMENTS TRACES OF BLACK OX IN CLAY. NO VISIBLE SULFIDES.
Composite				113'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							2.5% HM 3				-	-	-	-	-	-						ALTERED MP CLAYS COLORED DARK RED. NO VISIBLE SULFIDES OR CU OX
				118'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							1.5% HM 3				-	-	-	-	-	-						ALTERED MP CRUMBLY REDDISH BROWN NO VISIBLE SULFIDES OR CU OX
				123'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							1.5% HM 3				-	-	-	-	-	-						ALTERED MP MODERATELY CRUMBLY CLAY REDDISH BROWN NO VISIBLE SULFIDES. NO VISIBLE COOK
				128'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							2.0% HM 3				-	-	-	-	-	-						ALTERED MP REDDISH BROWN MODERATELY CRUMBLY CLAY W/ FEW FRAGMENTS NO VISIBLE SULFIDES. NO VISIBLE CU OX.
				133'						PALT: 3 SALT: 5 CLAY: 5% LCAP: 5							5% HM 1				.5%	1	TR CU 1	1	-	-						LIGHT GRAY MP - LARGE FRAGMENTS DISS. VERY SMALL GRAINS OF PY W/ VERY SMALL TRACE OF ENRICH. NO VISIBLE CU OX
Composite																																

Project:

Hole Number: TSGT-1

Date Drilled:

Date Drilled:

Type: SONIC

Northing: 19405.4

Hole Depth: 410

Easting: 95366

Orientation - 90

CE: 6207.6

Logged by: RJW

CORE SIZE CHANGE @ 186' FROM $5\frac{1}{4}"$ TO $3\frac{5}{8}"$ DIA.

05-04-05

Date Drilled:				Type: C-10	Hole Depth: 110		Orientation: 70		Logged by: KSW		CS-4-05		Notes															
Analysis		Interval		Drill Log		Graphic Log		Alteration		Mineralization (vol%)		Enrich		(Rock Description, Alteration, Mineralization, Structure)														
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock		Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide
				133'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							TR	3 ARC			1.0%	1	TR	1	-	-				MP - MEDIUM GRAY W/ SLIGHTLY YELLOWISH CLAY. VERY SMALL DISSEMINATED GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OX. FINE SPRAYS OF GYPSUM IN FRACTURES.
				133'				PALT: 3 SALT: 6 CLAY: 6 1/2 LCAP:							5% TR			1%	1	-	-	-	-					AMP FRAGMENTS IN YELLOWISH CLAY. SMALL DISSEMINATED GRAINS OF PY. NO VISIBLE CU OX. FINE SPRAYS OF GYPSUM IN FRACTURES.
				143'				PALT: 3 SALT: 6 CLAY: 6 1/2 LCAP:							5% TR			5%	1	TR	1	-	-					AMP FRAGMENTS IN YELLOWISH CLAY. SMALL DISSEMINATED GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OX. FINE SPRAYS OF GYPSUM IN FRACTURES.
				148'				PALT: 3 SALT: 6 CLAY: 6 1/2 LCAP:							15% TR			15%	1	TR	1	TR	1					AMP FRAGMENTS (LARGE) IN YELLOWISH CLAY. DISSEMINATED GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OX.
				153'				PALT: 3 SALT: 14 CLAY: 14 1/2 LCAP:							ARC			15%	1	TR	CC	TR	1					LARGE FRAGMENTS OF MP W/ NO FE OX. NO VISIBLE CU OX.
Composite								PALT: 3 SALT: 5 CLAY: 5 1/2 LCAP:							TR			5%	1	TR	CC							LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTHATE. TR CC IN CLAY. NO VISIBLE CU OX.
				163'				PALT: 3 SALT: 5 CLAY: 5 1/2 LCAP:							TR			5%	3	25	CC			21%				LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPINEL W/ NO VISIBLE CHALCANTHATE. TR CC IN CLAY. NO VISIBLE CU OX.
				168'				PALT: 3 SALT: 6 CLAY: 6 1/2 LCAP:							19% ARC			5%	1	15	CC							LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK HAS SMALL MOSBY DISS. GRAINS OF PY W/ NO VISIBLE ENRICH. CLAY HAS SPINEL DISS. CC.
				173'				PALT: 3 SALT: 6 CLAY: 6 1/2 LCAP:							19% ARC			5%	1	15	CC	1						MINOR FE OX IN CLAY FROM 172 TO 173 FEET. 173' TO 174' MINOR FE OX IN CLAY FROM 174 TO 175' MP FRAGMENTS W/ SPINEL DISS. GRAINS OF PY W/ MINOR ENRICH. GRAINS OF PY IN CLAY W/ MINOR CC ENRICH. NO VISIBLE CHALCANTHATE.
				178'				PALT: 3 SALT: 6 CLAY: 6 1/2 LCAP:							19% ARC			5%	3	25	CC	TR	1					ALTERED MP IN PURE GRAY FE OX COLORED CLAY. SMALL DISS. GRAINS OF PY. W/ MINOR ENRICH. NO VISIBLE CHALCANTHATE.
Composite								PALT: 3 SALT: 5 CLAY: 5 1/2 LCAP:							19% ARC			5%	3	25	CC	TR	1					ALTERED MP IN PURE GRAY FE OX COLORED CLAY. SMALL DISS. GRAINS OF PY. W/ MINOR ENRICH. NO VISIBLE CHALCANTHATE.

Hole Number: TSGT-1

Northing: 19405.4

Type: SONIC

Easting: 9536.6

C.E. 6207.6

Logged by

Analysis			Interval		Drill Log		Graphic Log		Alteration		Mineralization (vol%)														Enrich		Notes			
Tcu	OxCu	OLT	Elev.	FL	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	CN	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
			233'						PALT: 3 SALT: 3 CLAY: 50%							TR JRK	3		10%	1	TR CC	1	-	-						ALTERED MP w/ LIGHT GRAY CLAY - 50% W/HA YELLOWISH TANG VERY SMALL DISSEM GENINS OF PY w/ WEAK CC SCU ENRICH NO VISIBLE CU OX
			236'						PALT: 5 SALT: 5 CLAY: 60%							240-250 KSP	3		15%	3	TR CC	3	-	-						MOSTLY ALTERED IIO - RED W/HA FROM 240' TO 242'; THEN GT COLORED FROM 242' TO 243' LIGHT GRAY FROM 250' TO 240' 1.5% PY w/ VERY WEAK CC ENRICH. NO VISIBLE CU OX.
			243'						PALT: 3 SALT: 3 CLAY: 50%							16-14 GT TR	3		15%	3	TR CC	3	TR	1						ALTERED IIO w/ ~10% K-SPK VERY WEAKLY ENRICHED PY AND VISIBLE CU OX.
			246'						PALT: 5 SALT: 5 CLAY: 50%							150-155 KSP	3		10%	3	TR CC	3	TR	1						ALTERED IIO; REDDISH FROM 250.5 TO 252'; REMAINING LIGHT GRAY BROWNGY VERY SPARSE SCATTERED CC ENRICH. NO VISIBLE CU OX
			250'						PALT: 5 SALT: 5 CLAY: 50%							250-255 KSP	3		10%	3	TR CC	3	TR	1						ALTERED IIO TO 256' (MEDIUM GRAY) THEN ALTERED MP - SMALL DISSEM. GENINS OF PY w/ VERY WEAK ENRICH. NO VISIBLE CU OX.
			253'						PALT: 5 SALT: 5 CLAY: 50%							255-260 KSP	3		10%	1	TR CC	1	-	-						ALTERED IIO TO 256' (MEDIUM GRAY) THEN ALTERED MP - SMALL DISSEM. GENINS OF PY w/ VERY WEAK ENRICH. NO VISIBLE CU OX.
Composite:									PALT: 5 SALT: 5 CLAY: 50%							255-260 KSP	3		10%	1	TR CC	1	-	-						ALTERED IIO TO 256' (MEDIUM GRAY) THEN ALTERED MP - SMALL DISSEM. GENINS OF PY w/ VERY WEAK ENRICH. NO VISIBLE CU OX.
			263'						PALT: 5 SALT: 5 CLAY: 50%							260-265 KSP	3		15%	3	TR CC	1	-	-						MIXED ALTERED IIO & MP; IIO ~10% K SPK. AM & GT IN CLAY FROM 258' TO 261'; VERY WEAK ENRICH OF PY. NO VISIBLE CU OX
			266'						PALT: 5 SALT: 5 CLAY: 50%							260-265 KSP	3		10%	3	TR CC	1	-	-						FROM 265 TO 264' NO OX. ALTERED IIO THEN HM > GT COLORED CLAY w/ FRAGMENTS NO VISIBLE CU OX
			273'						PALT: 5 SALT: 5 CLAY: 50%							270 GT	3		10%	3	TR CC	1	-	-						ALTERED IIO; MINOR GT & HM COLORED CLAY FROM 268 TO 270.5; THEN MEDIUM GRAY. VERY WEAK ENRICH OF PY. NO VISIBLE CU OX
			278'						PALT: 3 SALT: 3 CLAY: 50%							TR GT	3		15%	3	TR CC	3	TR CC	3						ALTERED MP w/ MEDIUM TO DARK GRAY CLAY. PY, CPY, EN WITH WEAK ENRICH NO VISIBLE CU OX.
Composite:			283'						PALT: 3 SALT: 3 CLAY: 50%							TR GT	3		10%	3	TR CC	3	-	-						ALTERED MP FRAGMENTS IN MEDIUM GRAY TO DARK CLAY. 10% PY w/ COULETTE & CC ENRICH (WEAK) NO VISIBLE CU OX

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

05-04-05

Date Drilled: 10-12-04 Type: SONIC

Hole Depth: 410'

Orientation: -90°

Logged by: RJW

Analysis			Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)		Enrich		Notes													
Tcu	OxCu	QLT	Elev	Fl.	H ₂ O	Rock					Code	WC	YC	QS	Qtz	Ksp	Chi	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
			285'								PALT: 3 SALT: 5 CLAY: 50%							25% HA	3			2%	1	TR CC	1	-	-					ALTERED MP W/ CLAY COLORED W/ VARYING AMOUNTS OF HA, VERY SPARSE DISSEM OF PY W/ TR. OF CC ENRICH. NO VISIBLE CU OX
			290'								LCAP:							25% HA	3			2%	3	TR CC	3	-	-					ALTERED MP W/ HIGH CLAY CONTENT/ VERY SPARSE PY W/ VERY WEAK ENRICH. MINOR YELLOWISH CLAY FROM 280 TO 285'. NO VISIBLE CU OX
			295'								PALT: 3 SALT: 5 CLAY: 50%							25% HA	3			2%	3	TR CC	3	-	-					FROM 295 TO 299' ALTERED GRAINZ MP NO PL. 1.5% HA. FROM 299 TO 298' GRN CLAY & FRAGMENTS OF MP W/ 10% PY WEAK ENRICH. NO VISIBLE CU OX
			298'								LCAP:							25% HA	3			1%	3	1%	3	-	-					ALTERED MP - MOSTLY SMALL FRAGMENTS & DUST. VERY WEAK & SPARSE ENRICH. VERY SMALL SPRAYS OF GYPSUM IN FRACTURES. NO VISIBLE CU OX
			303'								PALT: 3 SALT: 6 CLAY: 60%							TR GT	3			5%	3	TR CC	3	-	-					ALTERED MP - GRN FROM 305 TO 304' LIGHT BROWN FROM 304 TO 306' YELLOWISH GRN FROM 306 TO 308' TRACE CU ENRICH. TRACE GYPSUM ALONG FRACTURES. NO VISIBLE CU OX
			308'								LCAP:							5% GR	3			1%	3	TR CU	3	-	-					ALTERED MP FROM 309 TO 310' COLORED BY HA & GT. FROM 310 TO 313' GRN W/ YELLOW (TR) SMALL GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OX
			313'								PALT: 3 SALT: 5 CLAY: 50%							5% GR	3			1%	3	TR CC	3	-	-					MOSTLY MEDIUM BROWN CLAY GT > HA W/ SMALL DISSEM GRAINS OF PY W/ WEAK ENRICH. NO VISIBLE CU OX
			318'								LCAP:							3% GR	3			1%	1	1%	1	-	-					ALTERED MP W/ YELLOWISH CLAY 1.0% PY W/ WEAK CU ENRICH. NO VISIBLE CU OX
			323'								PALT: 3 SALT: 6 CLAY: 60%							2% GR	3			1%	1	TR CU	1	-	-					ALTERED MP W/ MEDIUM GRN CLAY W/ YELLOWISH 1/2" SPOTS. PY MOSTLY SMALL DISSEM GRAINS W/ CU ENRICH. NO VISIBLE CU OX
			328'								LCAP:							5% GR	3			1%	3	TR CU	3	-	-					ALTERED (11) 10% K-SPAR LARGE HARD FRAGMENTS W/ YELLOWISH CLAY VERY SMALL DISSEM GRAINS OF PY W/ WEAK ENRICH. NO VISIBLE CU OX
			333'								PALT: 5 SALT: 4 CLAY: 40%							TR TAR	3			1%	1	TR CC	1	-	-					
Composite:											LCAP:																					

Hole Number: TSGT-1

Date Drilled: _____ Type: _____

Hole Depth: 410'

Orientation: -70°

Logged by: RTU

05-04-05

05-04-05

Analysis			Interval		Drill Log		Alteration		Graphic Log Notes		Alteration		Mineralization (vol%)														Enrich		Notes				
Tcu	OxCu	CLT	Elev.	Fl.	H ₂ O	Rock					Code	WC	YC	OS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
			335'								PALT: 5 SALT: 5 CLAY: 50%							35% FeOx	3			5%	1	TR CC	1	-	-						ALTERED 110' FROM 333' TO 336' LIGHT MED. GRAY; FROM 336' TO 338' - LIGHT REDDISH BROWN. VERY WEAK ENRICH W/ CU & CC. NO VISIBLE CU OX.
			338'								PALT: 5 SALT: 5 CLAY: 50%							TR GRAY	3			5%	3	TR CU	1	-	-						ALTERED 110' MEDIUM GRAY W/ TRACES OF SPARKY GT. VERY SPARSE ENRICH W/ CU. NO VISIBLE CU OX. 10% K-SPAR.
			343'								PALT: 5 SALT: 5 CLAY: 50%							TR GRAY	3			1%	3	TR CU	1	-	-						ALTERED 110' MEDIUM TO DARK BROWN. CLAY: 344' TO 346' FROM 343' TO 344' LIGHT GRAY W/ YELLOWISH COBES, WEAK CU ENRICHMENT. NO VISIBLE CU OX.
			348'								PALT: 5 SALT: 5 CLAY: 50%							TR GRAY	3			1%	3	TR CC	1	TR	1						ALTERED 110' CRUMBLY CLAY LIGHT REDDISH BROWN. WEAK ENRICH W/ CC. NO VISIBLE CU OX. 10% K-SPAR.
			353'								PALT: 5 SALT: 5 CLAY: 50%							TR GRAY	3			1.5%	3	TR CC	3	-	-						ALTERED 110'; FROM 356' TO 358' HEAVY REDDISH-BROWN CLAY (MOTTLED) WEAK TO MODERATE ENRICH. NO VISIBLE CU OX.
			358'								PALT: 5 SALT: 5 CLAY: 50%							TR GRAY	3			1.5%	3	TR CC	3	-	-						ALTERED 110' LIGHT TO MED GRAY TO 360' THEN LIGHT BROWN CLAY. WEAK ENRICH OF PY W/ CU & CC. NO VISIBLE CU OX.
Composite:											PALT: 5 SALT: 5 CLAY: 50%							1% GT	3			1.5%	3	TR CC	3	TR	1						ALTERED MP; TO 366' MEDIUM GRAY FROM 360' TO 368' LIGHT BROWN CLAY. VERY WEAK ENRICHMENT OF CU & CC. NO VISIBLE CU OX.
			363'								PALT: 5 SALT: 5 CLAY: 50%							5% SPARKY	3			1.5%	1	TR CC	1	-	-						ALTERED 110' ~ 15% K-SPAR. LIGHT BROWN COLOR IN CLAY. WEAK ENRICH OF PY W/ CC. NO VISIBLE CU OX.
			368'								PALT: 5 SALT: 5 CLAY: 50%							25% GT	3			5%	3	TR CC	1	-	-						ALTERED MP. CLAYS LIGHT BROWN W/ SOME YELLOWISH, SPARSE DISSEM PY. NO VISIBLE ENRICH. NO VISIBLE CU OX.
			373'								PALT: 5 SALT: 5 CLAY: 50%							5% GT	3			5%	1	-	-	-	-						ALTERED MP CLAY COLORED MEDIUM REDDISH BROWN. NO VISIBLE SULFIDES. NO VISIBLE CU OX.
			378'								PALT: 5 SALT: 5 CLAY: 50%							20% SPARKY	3			-	-	-	-	-	-						ALTERED MP CLAY COLORED MEDIUM REDDISH BROWN. NO VISIBLE SULFIDES. NO VISIBLE CU OX.
Composite:											PALT: 5 SALT: 5 CLAY: 50%											-	-	-	-	-	-						ALTERED MP CLAY COLORED MEDIUM REDDISH BROWN. NO VISIBLE SULFIDES. NO VISIBLE CU OX.

Project

Hole Number: TSGT-1

Northing: 19405.4'

Easting: 9536.6

62076

Date Drilled:

Type: SONIC

Hole Depth: 410'

Easting: 1500
Orientation: 90

C.E.: 6207.6
3711

000000

[illegible]

Pheips Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project:

Hole Number:

Date Drilled: 10-02-07 Type: SPN/C

Northings: 11549.9

Hole Depth: 281'

Easting: 170089

Orientation: -90°

CE: 6378.0

Logged by: RJW

CORK DIAMETER: $5\frac{1}{4}"$

04-20-05

04-19-05

Date Entered: 11-13-07		Type: 3-1-1	Note Depth: 0.1	Generation: 1	Logged by: JCS	Mineralization (vol%)														Enrich	Notes							
Analysis		Interval	Drill Log	Graphic Log	Graphic Log Notes	Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
						PALT:																						
						SALT:																						
						CLAY:																						
						LCAP:																						
						PALT:																						
						SALT:																						
						CLAY:																						
						LCAP:																						
						PALT:																						
						SALT:																						
						CLAY:																						
						LCAP:																						
						PALT:																						
						SALT:																						
						CLAY:																						
						LCAP:																						
						PALT:																						
						SALT:																						
						CLAY:																						
						LCAP:																						
						PALT:																						
						SALT:																						
						CLAY:																						
						LCAP:																						
						PALT:																						

Project:

Hole Number: TSGT-2

Date Drilled: 10-02-04 Type: SONIC

Northings: 11549.9

Hole Depth: 281'

Easting: 17008.9

Orientation: -90°

C.E. 6378.0

Logged by: RJW

04-19-05

[illegible]

Drill Hole Logging Form

Project:

Hole Number: TSGT-2

Date Drilled: 04-20-05

Type: CONIC

Northing: 11599.9

Hole Depth: 281'

Easting: 17008.2

Orientation: -90°

C.E.: 6378.0

Logged by: RWJ

04-20-05

Date drilled:		Type:	Interval	Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)														Enrich		Notes					
Tcu	OxCu	QLT	Elev.	Fl.	H ₂ O	Rock				Code	WC	YC	QS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)				
										PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							2% Fe	5.2			7.5%	3	CC St	3								MONZONITE PORPHYRY HIGH CLAY (COARSE) WEAK PT W/ WEAK TO MOD ENRICH W/ CC. V. CL. JTR. V. GT CONTAINS OF SOME FEEDBACK. MINOR TR OF CHALCANTHES ON SOME FRACTURES			
			133'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							2% Fe	5.2			5%	1	CC CV	1								MINOR ALTERED MONZONITE PORPHYRY WEAK PT W/ BOTH CC & CU ENRICH. INERT SPARSE TRAC CHALCANTHES HIGH CLAY 3A NOT FROM			
			138'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							5% Fe	7.2			7.1%	1	TR CC	1								HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY VERY SPARSE PT W/ BOTH CC & CU ENRICH. NO VISIBLE CU OR MINERALS.			
			143'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							3% Fe	5.2			5%	3	TR CC	3								HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY VERY SPARSE PT W/ BOTH CC & CU ENRICH. TR & HA OXID. OF PT TR, GYPSUM.			
			148'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							3% Fe	5.2			3%	1	TR CC	1								HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY ENRICHED SPARSE ENRICHED PT			
			153'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							10%	3			7.1%	2	-	-								HIGHLY ALTERED MONZONITE PORPHYRY ALMOST ALL PT ENRICHED TO HA, TR, GT BOTH DISSEMINATED. NO VISIBLE CU OR MINERALS.			
			158'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							5%	3			TR	3	-	-									HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY TR PT REMAINING, DISSEMINATED TO HA, TR, GT. NO VISIBLE CU OR MINERALS.		
			163'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							5%	3																HIGHLY ALTERED MONZONITE PORPHYRY ALMOST COMPLETELY ENRICHED TO HA, TR, GT. 2% PT ENRICH OR OXIDATION PROX HA, GT, TR, BOTH DISSEMINATED. NO VISIBLE CU OR MINERALS.	
			168'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							7% Fe	3			1%	3	-	-										HIGHLY ALTERED MONZONITE PORPHYRY PARTLY OXIDIZED PT W/ NO ENRICH. NO VISIBLE CU OR MINERALS. HA, GT ON FRACTURES	
			173'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10							4% Fe	3																ALTERED MONZONITE PORPHYRY PARTLY OXIDIZED PT WITH HA, GT, TR IN DIS. & FRACTURES HIGH CLAY NO VISIBLE CU OR MINERALS	
			178'							PALT: 2 SALT: 6 CLAY: 60 LCAP: 10																									
Composite:																																			
Composite:																																			

Drill Hole Logging Form

Project:

Hole Number: TS3T-2

Northing: 11549.9

Easting: 17008.7

C.E.: 63.73.0

Date Drilled: 10-02-04

Type: SONIC

Hole Depth: 231'

Orientation: -90°

Logged by: FSW

04-20-05

Date Drilled: 10-02-2019		Type: COMPOSITE	Hole Depth: 273		Orientation: - 12		Logged by: J. J. J.																										
Analysis			Interval	Drill Log	Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich	Notes											
Tcu	OxCu	QLT	Elev.	FL	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)			
					CR: ↓				PALT: 3 SALT: 5 CLAY: 50 LCAP:							4% FeOx	3			-	-	-	-								HIGHLY ALTERED MONZONITE FORMATION PI ALMOST COMPLETELY OXIDIZED TO HM. ST. JAC. NO VISIBLE CU SULFIDES OR CU OX MINERALS. HIGH CLAY CONTENT		
			183						PALT: 3 SALT: 5 CLAY: 50 LCAP:							3% FeOx	12			-	-	-	-									SLIGHTLY ALTERED MONZONITE FORMATION PI OXIDIZED TO HM. ST. JAC. NO VISIBLE CU SULFIDES OR CU OX MINERALS OBTAINED - HIGH CLAY	
			188						PALT: 3 SALT: 5 CLAY: 50 LCAP:							4% FeOx	3			-	-	-	-									HIGHLY ALTERED FORMATION - OXIDIZED PI OXIDIZED TO HM. ST. JAC. NO VISIBLE CU SULFIDES - HIGH CLAY CONTENT TR. CHALCANTHE ON FRACTURES	
			193						PALT: 3 SALT: 5 CLAY: 50 LCAP:							1% FeOx	3			75%	1	20%	1									MONZONITE FORMATION ALTERED BLOCKS OF ENTIRE POSITELY OXIDIZED BY W/HEAVY FATTY (CC) MINOR OXIDIZATION DET. NO VISIBLE CU OX MINERALS	
			196						PALT: 3 SALT: 5 CLAY: 50 LCAP:							2% FeOx	2			10%	3	25%	5%									MONZONITE FORMATION WEAKLY ALTERED PI W/HEAVY NOV. ONLY MINOR FEOK IN CLAYS. NO VISIBLE CU OX MINERALS TRACE OXYGEN IN FRACTURES	
Composite:			203						PALT: 3 SALT: 4 CLAY: 50 LCAP:							3% FeOx	3			75%	3	VERY TR	1									MONZONITE FORMATION PARTIALLY W/PI W/VERY WEAK TR OF ENRICH. OTHER PART 201-210, 212-213 PI OXIDIZED TO HM. ST. JAC.	
			208						PALT: 3 SALT: 5 CLAY: 50 LCAP:							3% FeOx	3			-	-	-	-									MONZONITE FORMATION HIGHLY ALTERED NO SULFIDES PRESENT. BLACK CU OXIDES IN FRACTURE SURFACES. GYPSUM PRESENT ON FRACTURE SURFACES	
			213						PALT: 3 SALT: 4 CLAY: 50 LCAP:							3% FeOx	3			TR	1	VERY TR											MONZONITE FORMATION ALTERED VERY MINOR TR. PI W/ENRICH BUCK CU OX ON FRACTURE SURFACES NO VISIBLE CU OX MINERALS
			218						PALT: 3 SALT: 5 CLAY: 50 LCAP:							2% FeOx	2			-	-	-	-									MONZONITE FORMATION ALTERED CHALKY WHITE. JACOSITE - GT ON FRACTURE SURFACES. NO VISIBLE CU OX MINERALS	
			223						PALT: 3 SALT: 6 CLAY: 50 LCAP:							1% FeOx	1			-	-	-	-										ALTERED MONZONITE FORMATION - STAINED YELLOWISH LIGHT BROWN. HIGH CLAY NO VISIBLE SULFIDES. NO VISIBLE CU OX MINERALS
Composite:			229						PALT: 3 SALT: 6 CLAY: 50 LCAP:																								

Composite:

Composite:

NOTE: 216 to 218 SENT
TO SOURCE FOR SAMPLE

Drill Hole Logging Form

Project:

Hole Number: TSGT-2

Northing: 11549.9

Easting: 17008.9

C.E.: 6378.0

04-21-05

Date Drilled: 10-02-04

Type: SONIC

Hole Depth: 281'

Orientation: -90

Logged by: FJW

04-20-05

Analysis		Interval	Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)										Enrich	Notes						
Tcu	OxCu	QLT	Elev	FL	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
			258	FL		DRY			PALT: 3							2% FeOx	3			-	-	VERY TR	2	-	-					ALTERED MONZONITE PORPHYRY HIGH CLAY ALMOST NO SULFIDE REMAINING TR BLACK COXIDE ON FRACTURE SURFACES CLAY YELLOWISH LIGHT BROWN NONVISIBLE GREEN COX ALTERED MONZONITE PORPHYRY HIGH CLAY NO REMAINING SULFIDES, FeOx AS PATCH & FRACTURE COATING (GTS) JAR. NO VISIBLE CU OR MINERALS.
			258	FL					SALT: 6							2% FeOx	3			-	-	-	-	-	-					ALTERED MONZONITE PORPHYRY VERY LIGHT YELLOWISH BROWN TR SULFIDE ALMOST COMPLETELY OXIDIZED TO FeOx (GTS) NO VISIBLE CU OR MINERALS.
			258	FL					CLAY: 60%							2% FeOx	3			TR	1	TR	1	-	-					ALTERED MONZONITE PORPHYRY LIGHT YELLOW BROWN COLOR TO 248; HA COLORED 248 TO 250' TRACE OF PY NO VISIBLE CU OR MINERALS.
			258	FL					LCAP:							3% FeOx	3			TR	1	TR	-	-	-					ALTERED MONZONITE PORPHYRY HIGH CLAY - LIGHT YELLOWISH BROWN TRACE PY W/ ENRICH VERY SPARSE - VERY SMALL GRAINS NO VISIBLE GREEN CU OR MINERALS.
			258	FL					PALT: 3							2% FeOx	3			TR	1	TR	1	-	-					ALTERED MONZONITE PORPHYRY - MOSTLY LIGHT YELLOWISH BROWN CLAY. VERY SLIGHT TRACE OF VERY SMALL GRAINS OF PY W/ ENRICH. NO VISIBLE CU OR MINERALS PRESENT.
			258	FL					SALT: 7							2% FeOx	3			VERY TR	1	VERY TR	1	-	-					ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY ALMOST NO VISIBLE PY - FEELS LIKE GRAMS MINUTE TRACES OF CHALCANTHINE ALONG FRACTURES JAR & ON FRACTURES & DIS.
			258	FL					CLAY: 10%							2% FeOx	3			VERY TR	1	VERY TR	1	-	-	TR CHALK				ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY JAR, ST, HA DIS & IN FRACTURES NO VISIBLE CU OR MINERALS.
			258	FL					LCAP:							2% FeOx	3			-	-	-	-	-	-					ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					PALT: 3							2% FeOx	3			-	-	-	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					SALT: 5							2% FeOx	3			-	-	-	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					CLAY: 50%							2% FeOx	3			5% 1	TR	1	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					LCAP:							2% FeOx	3			-	-	-	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					PALT: 3							2% FeOx	3			-	-	-	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					SALT: 5							2% FeOx	3			-	-	-	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					CLAY:							2% FeOx	3			-	-	-	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.
			258	FL					LCAP:							2% FeOx	3			-	-	-	-	-	-	TR CHALK	TR CHALK			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA.

E.O.H. 281'

LARGE (5") PIECES

Project:

Hole No.

TEST-2

Hole Depth:

Hole Depth:

Orientation: -90°

Orientation: -90

Logged by: RJW

Logged by: RJW

Analysis			Drill Log				Graphic Log		Alteration		Mineralization (vol%)												Enrich		Notes							
Tcu	OxCu	QLT	Elev.	FL	H ₂ O	Rock				WC	YC	QS	Qtz	Ksp	CH	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)		
			0'	0.1												2%	3	-	-	5%	1	1%	1	-	-						MIXED FINE-GRANED GRANODIORITE PORPHYRY PY ENRICHED & PARTIALLY OXIDIZED JALVEGT ON FRACTURES ALSO MOVIBLE CU OXIDE MINERALS HIGH CLAY CTG	
			26'													2%	3	-	-	5%	1	1%	1	-	-						MIXED PORPHYRY & GRANODIORITE ENRICHED & PARTIALLY OXIDIZED JALVEGT ON FRACTURES NO VISIBLE CU OX MINERALS	
			76'													1%	3	TR	2	-	-	-									GRANODIORITE W/ 5% FRESH BIOTITE NO VISIBLE PY, TRACES BLACK CU OX. SOME ALTERED GRANODIORITE LIGHT BROWN CLAYS GILA CONGLOM.	
			126'													1%	3	-	-	-	-										FRESH GRANODIORITE W/ 5% BIOTITE SOME ALTERED GRANODIORITE (FELDSPAR) LIGHT BROWN CLAYS GILA CONGLOM.	
			176'													1%	3	-	-	-	-										PARTY ALTERED GRANODIORITE W/ TR ENRICHED PY (SCATTERED GRAINS) SOME ALTERATION OF BIOTITE NO VISIBLE CU OX MINERALS, KOPPEL OF GILA CONGLOM.	
275	Composite		226'													1%	3	-	-	TR 2.1%	1	TR 7.1%	1	-								PARTLY ALTERED GRANODIORITE TRACES OF PY W/ GOOD ENRICH. NO VISIBLE CU OX MINERALS LIGHT BROWN CLAY. NO VISIBLE CU OX MINERALS GILA CONGLOM.
			276'													1%	3	-	-	TR 2.1%	1	TR 2.1%	1	-								PARTLY ALTERED GRANODIORITE BIOTITE PARTIALLY ALTERED TR ENRICHED PY-SCATTERED GRAINS. BLACK CU OX ALONG FRACTURES & GRAN EDDY SPARS GILA CONGLOM.
			306'													15%	3	TR	2	TR 2.1%	1	TR 2.1%	1	-								PARTIALLY ALTERED GRANODIORITE SOME PARTIALLY ALTERED LIGHT BROWN CLAY VERY SPARSLEY SCATTERED ENRICHED PY GRAINS TR OF BLACK CU OX NO GREEN CU OX VISIBLE
			376'													15%	3	TR	2	TR 2.1%	1	TR 2.1%	1	-								TO 39' SLIGHTLY ALTERED GRANODIORITE FROM 39' TO 42.6' "CROWDED" MONTE PORPHYRY W/ VERY SMALL SCATTERED GRAINS OF ENRICHED PY NO VISIBLE CU OX GILA CONGLOM.
			456'													15%	3			2.1%	1	2.1%	1	-								VERY SLIGHTLY ALTERED GRANODIORITE W/ FAIRLY FRESH BIOTITE VERY SPARSLEY SCATTERED GRAINS OF ENRICHED PY LIGHT BROWN CLAY NO VISIBLE CU OX
750	Composite		476'													15%	3			2.1%	1	2.1%	1	-								

Project:

34-22-05

Logged by: RTW

[illegible]

Project:

Hole Number: TSGT-3

Northings: 14300.3

Expenditure 15998.5

6297.6

Date Drilled: 10-05-04 Type: SONIC

Hole Depth:

Orientation: $= 90^\circ$

CE: 6-

04.05.05

Analysis		Interval		Drill Log		Alteration		Graphic Log Notes		Alteration		Mineralization (vol%)												Enrich		Notes							
Tcu	OxCu	OLT	Elev.	FL	H ₂ O	Rock						WC	YC	QS	Qtz	Ksp	Chi	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide		
			98.6															29% HA	1			29%	1	TR	1	TR	1						FROM 102.6 TO 103 SAME AS ABOVE FROM 105 TO 107.6 - HIGHLY ALTERED 500-110 FRAGMENTS - PY COMPLETELY OXIDIZED TO HM. HIGH CLAY. NO VISIBLE CU OR MINERALS.
			102.6															29% HA	1			-	-	-	-	-	-						FROM 102.6 TO 103 SAME AS ABOVE FROM 105 TO 107.6 - HIGHLY ALTERED 500-110 FRAGMENTS - PY COMPLETELY OXIDIZED TO HM. HIGH CLAY. NO VISIBLE CU OR MINERALS.
			107.6															29% HA	1			-	-	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY CONTENT PY COMPLETELY OX TO HM. NO ENRICH OR CU OX MINERALS.
			112.6															29% HA	1			-	-	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY ALL SULFIDES COMPLETELY OXIDIZED TO HM. NO ENRICH NO VISIBLE CU OR MINERALS.
			117.6															29% HA	1			-	-	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY ALL SULFIDES COMPLETELY OXIDIZED TO HM. NO ENRICH NO VISIBLE CU OR MINERALS.
			122.6															29% HA	1			-	-	-	-	-	-						HIGHLY ALTERED 110 HIGH CLAY NO REMAINING SULFIDES - COMPLETELY OX TO MOIST HM. NO VISIBLE CU OX.
			127.6															29% HA	1			-	-	-	-	-	-						HIGHLY ALTERED 110 HIGH CLAY CONTENT NO REMAINING SULFIDES - PY COMPLETELY OXIDIZED TO HM. NO VISIBLE CU OX.
			132.6															29% HA	1			-	-	-	-	-	-						HIGHLY ALTERED 110 HIGH CLAY CONTENT NO REMAINING SULFIDES - PY COMPLETELY OX TO HM. SOME FRAGMENTS OF MP. NO VISIBLE CU OX.
			137.6															29% HA	1			MIN TR	1	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY CONTENT MINUTE TR OF REMAINING SULFIDES HM IN CLAY. NO VISIBLE CU OX.
			142.6															29% HA	1			-	-	-	-	-	-						HIGHLY ALTERED MP W/ FRAG OF FRESH GRANODIORITE. NO REMAINING SULFIDES. NO VISIBLE CU OX MINERALS.
			147.6															29% HA	3			-	-	-	-	-	-						HIGHLY ALTERED 110 W/ GT > HM. NO REMAINING SULFIDES. NO VISIBLE CU OX.

Project:

Hole Number: T5CF3

Northing: 14300.3

Easting: 15998.5

CE: 6297.6

Date Drilled: 10-05-04 Type: SONIC

Hole Depth: 250

Orientation: -90°

Logged by:

04-25-05

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)										Enrich		Notes					
Tcu	OxCu	QLT	Elev.	FL	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
			152.6						PALT: 5 SALT: 7 CLAY: 706 LCAP:							1% GRAPHITE	1			-	-	-	-	-	-					FROM 147 DOWN - FRAGMENTS OF CRUMBLY IIO W/ ORGANIC DIET NO SULFIDES - NO CU OXIDE MINERALS GILA CONGLOM?	
			151.6						PALT: 5 SALT: 7 CLAY: 706 LCAP:							1% GRAPHITE	1			-	-	-	-	-	-					HIGHLY ALTERED IIO - CRUMBLY - HIGH CLAY NO SULFIDES - NO SECONDARY CU OXIDES. GILA CONGLOM.?	
			162.6						PALT: 3 SALT: 6 CLAY: 681 LCAP:							1% GRAPHITE	1		TR	1	-	-	-	-	-					MOSTLY GRANULAR COARSE SAND FRAGMENTS & PEBBLES OF MP-NO LARGE FRAGMENTS EXCEPT FOR MINOR PY IN SOME MP PEBBLES - NO SULFIDES NO CU OR MINERALS.	
			167.6						PALT: 3 SALT: 6 CLAY: 681 LCAP:							2.5% GRAPHITE	1		TR	1	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY NO LARGE ROCKS - JUST PEBBLES W/ VERY SMALL DSS GRAINS OF PY NO ENRICH NO CU OR MINERALS	
			172.6						PALT: 3 SALT: 68 CLAY: 681 LCAP:							7.5% GRAPHITE	1		TR	1	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY W/ PEBBLES CONTAIN VERY SMALL DSS GRAINS OF PY NO ENRICH NO CU OR MINERALS	
			177.6						PALT: 3 SALT: 6 CLAY: 681 LCAP:							2.5% GRAPHITE	1		-	-	TR CU	2	-	-	-	BLK DY-TR					HIGHLY ALTERED MP HIGH CLAY OCCASIONAL SMALL FRAGMENTS - TR CU W/ MINOR GYPSUM IN FRAGMENTS MOSTLY ANGULAR GRANULAR LARGE SAND
			182.6						PALT: 3 SALT: 6 CLAY: 681 LCAP:							2.5% GRAPHITE			-	-	-	-	-	-	-					ALTERED MP HIGH CLAY GRANULAR c. 180.5' LARGE COBBLE OF GRANODIORITE NO VISIBLE PY NO ENRICH. NO CU OXIDE.	
			187.6						PALT: 3 SALT: 6 CLAY: 681 LCAP:							2.5% GRAPHITE			-	-	-	-	-	-	-	TR BLK DY-TR	2				HIGHLY ALTERED MP HIGH CLAY GRANULAR W/ PEBBLES NO VISIBLE SULFIDES OR CU OX.
			192.6						PALT: 3 SALT: 6 CLAY: 681 LCAP:							2% HRT			-	-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY LOOSE CEMENTED GRANULAR - PEBBLES OF MP NO VISIBLE PY NO ENRICH NO CU OX. TO 192'	
			197.6						PALT: 3 SALT: 6 CLAY: 306 LCAP:							7.25% GT		2%	3	-	-	-	-	-	-					192' CONTACT W/ LARGE FRAGMENTS OF MP CONTAINING PY - MINOR OXIDATION - GT NO VISIBLE ENRICHMENT OR CU OX HARD ROCK	

15

10

Phelps Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project:

Hole Number: TSQT-3

Northing: 14300.3
 Hole Depth: 250'

Easting: 15998.5

CE: 6297.6

Hole Number: 7561-5
Date Drilled: 10-05-04 Type: SONIC

Northings: 250'

Orientation: -90°

Logged by: RTW

04-25-05

[illegible]

Drill Hole Logging Form

Project:

Hole Number: TSGT-4

Northing: 10938.6

Easting: 4155.5

CE: 6310.7

Date Drilled: 07-28-04

Type: C

Hole Depth: 212

Orientation: -90

Logged by: KTW

05-02-05

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)												Enrich		Notes						
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock				Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:																						
										SALT:																						
										CLAY:																						
										LCAP:																						
										PALT:							</															

Drill Hole Logging Form

Project:

Hole Number: TSGT-1

Date Drilled: 10-13-04 Type: 30X11C

Northing: 19405.4

Hole Depth: 410

Easting: 9536.6

Orientation: -90°

C.E.: 6207.6

Logged by: RJW

05-03-05

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich		Notes							
Tcu	OxCu	QLT	Elev.	Fl.	H ₂ O	Rock				Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
				0'						PALT: 3							2.2%	3		2%	1	-	-	-	-						
				3'						SALT: 5							GR														
				3'						CLAY: 50%																					
				3'						LCAP:																					
				8'						PALT: 3							TR	3	GREEN	2.5%	3	2.5%	.1%	1	CHAL						
				8'						SALT: 5																					
				8'						CLAY: 50%																					
				8'						LCAP:																					
				13'						PALT: 3							TR	3	GREEN	2.5%	3	2%	.1%	1	CHAL						
				13'						SALT: 5																					
				13'						CLAY: 50%																					
				13'						LCAP:																					
				18'						PALT: 3							1.7%	2		10%	3	-	-	-	-						
				18'						SALT: 5							HA														
				18'						CLAY: 50%																					
				18'						LCAP:																					
				23'						PALT: 3							None			20%	3	-	-	-	-						
				23'						SALT: 4																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							None			20%	3	TR	3	-	-						
				23'						SALT: 4																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					
				23'						CLAY: 10%																					
				23'						LCAP:																					
				23'						PALT: 3							2.0%			10%	3	TR	3	-	-						
				23'						SALT: 5																					

Project:

Hole Number: TSGT-1

Nothing: 19405.4

Section 95366

62076

Date Drilled:

Type:

Help Death: 410

Easting: 170000

CE: 6207.6
BFW

1111

[illegible]

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

Date Drilled:

Type:

Hole Depth: 410

Orientation: -90

Logged by:

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)										Enrich		Notes						
Tcu	OxCu	QLT	Elev	FL	H ₂ O	Rock				Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
				88'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							10% HM 3				5%	1	CU 1%	1	-	-					FROM 85 TO 86' - 4M IN CLAY W/ MINOR GT FROM 86 TO 88' - LARGE FRAGMENTS OF MP MEDIUM GRAY WEAK PY W/ VERY WEAK CU ENRICHMENT	
				93'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							15% HM IN CLAY	TR BULKY B			25%	1	TR CU	1	-	-					ALTERED MP - STRONG HM IN CLAY - LARGE FRAGMENTS OF MP VERY WEAK PY W/ TR OF CU ENRICH. VERY MINOR TR OF BLACK OX.	
				98'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							20% HM 3	BLACK OX			5%	1	TR CU	1	-	-					FROM 95 TO 98' MEDIUM GRAY LARGE FRAG OF MP W/ WEAK PY W/ TRACE CU ENRICHMENT. FROM 98 TO 100' SOFT ALTERED MP W/ STRONG HM & SOME BLACK OX TRACES OF GYPSUM IN FRACTURES	
				103'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							20% HM 3				-	-	-	-	-	-					SOFT HIGHLY ALTERED MP W/ BLACK COLORED. SMALL FRAGMENTS OF CLAY NO VISIBLE SULFIDES - NO VISIBLE COOK	
				108'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							15% HM 3	BLACK OX			-	-	-	-	-	-					ALTERED MP REDDISH BROWN CLAY W/ FRAGMENTS TRACES OF BLACK OX IN CLAY. NO VISIBLE SULFIDES.	
Composite																	25% HM 3				-	-	-	-	-	-					ALTERED MP CLAYS COLORED DARK RED. NO VISIBLE SULFIDES OR CU OX	
				113'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							15% HM 3				-	-	-	-	-	-					ALTERED MP CRUMBLY REDDISH BROWN NO VISIBLE SULFIDES OR CU OX	
				118'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							15% HM 3				-	-	-	-	-	-					ALTERED MP MODERATELY CRUMBLY CLAY REDDISH BROWN NO VISIBLE SULFIDES NO VISIBLE COOK	
				123'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							20% HM 3				-	-	-	-	-	-					ALTERED MP REDDISH BROWN MODERATELY CLAY W/ FEW FRAGMENTS NO VISIBLE SULFIDES NO VISIBLE CU OX.	
				128'						PALT: 3 SALT: 5 CLAY: 5% LCAP:							5% HM 3	1	STAIN INCLAY		5%	1	TR CU	1	-	-					LIGHT GRAY MP - LARGE FRAGMENTS DISS. VERY SMALL GRAINS OF PY W/ VERY SMALL TRACE OF ENRICH. NO VISIBLE CU OX	
Composite																																

Composite:

Project:

Hole Number: TSGT-1

Date Drilled:

Date Drilled:

Type: SONIC

Northing: 19405.4

Hole Depth: 410

Easting: 95366

Orientation - 90

CE: 6207.6

Logged by: RJW

CORE SIZE CHANGE @ 186' FROM $5\frac{1}{4}"$ TO $3\frac{5}{8}"$ DIA.

25-04-05

Date Drilled:				Type: C-10	Core Depth: 110	Orientation: 70		Logged by: KSW		CS-4-10		Notes																
Analysis		Interval		Drill Log		Graphic Log		Alteration		Mineralization (vol%)		Enrich																
Tcu	Cu/Cu	OLT	Elev.	Ft.	H ₂ O	Rock		Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide
				133'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							TR	3 ALC			1.0%		1	TR	1	-	-			MP - MEDIUM GRAY W/ SLIGHTLY YELLOWISH CLAY. VERY SMALL DISPERSED GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.
				133'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				1%		1	-	-	-	-			MP FRAGMENTS IN YELLOWISH CLAY. SMALL DEEP GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.
				143'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		1	TR	1	-	-			MP FRAGMENTS IN YELLOWISH CLAY. SMALL DEEP GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.
				148'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		1	TR	1	-	-			MP FRAGMENTS (LARGE) IN YELLOWISH CLAY. DISP PY GRAINS W/ VERY WEAK ENRICH. NO VISIBLE CU OK.
				153'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		1	TR	1	-	-			LARGE FRAGMENTS OF MP W/ NO FeOx NO VISIBLE CU OK
Composite:				153'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		1	TR	1	-	-			
				163'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		1	TR	1	-	-			LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPIN W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY NO VISIBLE CU OK
				168'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		3	25 CC			21%			LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SPIN W/ NO VISIBLE CHALCANTITE. TR CC IN CLAY NO VISIBLE CU OK
				173'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		1	15 CC						FRAGMENTS OF MP IN MEDIUM GRAY CLAY. ROCK HAS SMALL MODERN DISS GRAINS OF PY W/ NO VISIBLE ENRICH. CLAY HAS SPIN DISS. CC
				178'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		1	15 CC	1					MINOR FeOx IN CLAY FROM 172 TO 173 FEELS 173 TO 174 MINOR FeOx IN CLAY FROM 174 TO 178 MP FRAGMENTS W/ SMALL DEEP GRAINS OF PY W/ WEAK ENRICH. GRAINS OF PY IN CLAY W/ MINOR CC ENRICH. NO VISIBLE CHL ALTERED MP IN PURE GRAYS FeOx COYDED CLAY. SMALL DISS GRAINS OF PY W/ MINOR ENRICH. NO VISIBLE CHL OR
Composite:				183'				PALT: 3 SALT: 4 CLAY: 4 1/2 LCAP:							5%				5%		3	25 CC	TR	1				

Drill Hole Logging Form

Project:

Hole Number: TSGT-1

Date Drilled: 10-13-04 Type: 30X11C

Northing: 19405.4

Hole Depth: 410

Easting: 9536.6

Orientation: -90°

C.E.: 6207.6

Logged by: RJW

05-03-05

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich		Notes							
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock				Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY																					

Project:

Whole-Milk

194054

100

Nothing: 1.15
1.15 440

95246

Easting: 121

100-71

CE: 6207.6

<

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

Date Drilled:

Type:

Hole Depth: 410

Orientation: -90

Logged by:

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)										Enrich		Notes						
Tcu	OxCu	QLT	Elev	FL	H ₂ O	Rock				Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
				88'						PALT: 3 SALT: 5 CLAY: 5%							1.0% HM 1.0% PY 3'				.5%	1	Cu	.1%	1	-	-					FROM 85 TO 86' - 4M IN CLAY W/ MINOR GT FROM 86 TO 88' - LARGE FRAGMENTS OF MP MEDIUM GRAY WEAK PY W/ VERY WEAK CV ENRICHMENT
				93'						PALT: 3 SALT: 5 CLAY: 5%							1.5% HM IN CLAY		TR BLACK B		.25%	1	TR Cu	1	-	-						ALTERED MP STRONG HM IN CLAY - LARGE FRAGMENTS OF MP VERY WEAK PY W/ TR OF CV ENRICH. VERY MINOR TR OF BLACK OX.
				98'						PALT: 3 SALT: 5 CLAY: 5%							2.0% HM 3		BLACK OX		.5%	1	TR Cu	1	-	-						FROM 95 TO 98' MEDIUM GRAY LARGE FRAG OF MP W/ WEAK PY W/ TRACE CV ENRICHMENT. FROM 98 TO 100' SOFT ALTERED MP W/ STRONG HM & SOME BLACK OX TRACES OF GYPSUM IN FRACTURES
				103'						PALT: 3 SALT: 5 CLAY: 5%							2.0% HM 3				-	-	-	-	-	-						SOFT HIGHLY ALTERED MP W/ PEOX COLOES. SMALL FRAGMENTS OF CLAY NO VISIBLE SULFIDES - NO VISIBLE COOK
				108'						PALT: 3 SALT: 5 CLAY: 5%							1.5% HM 3		BLACK OX		-	-	-	-	-	-						ALTERED MP REDDISH BROWN CLAY W/ FRAGMENTS TRACES OF BLACK OX IN CLAY. NO VISIBLE SULFIDES.
Composite				113'						PALT: 3 SALT: 5 CLAY: 5%							2.5% HM 3				-	-	-	-	-	-						ALTERED MP CLAYS COLORED DARK RED. NO VISIBLE SULFIDES OR Cu OX
				118'						PALT: 3 SALT: 5 CLAY: 5%							1.5% HM 3				-	-	-	-	-	-						ALTERED MP CRUMBLY REDDISH BROWN NO VISIBLE SULFIDES OR Cu OX
				123'						PALT: 3 SALT: 5 CLAY: 5%							1.5% HM 3				-	-	-	-	-	-						ALTERED MP MODERATELY CRUMBLY CLAY REDDISH BROWN NO VISIBLE SULFIDES. NO VISIBLE COOK
				128'						PALT: 3 SALT: 5 CLAY: 5%							2.0% HM 3				-	-	-	-	-	-						ALTERED MP REDDISH BROWN MODERATELY CRUMBLY CLAY W/ FEW FRAGMENTS NO VISIBLE SULFIDES. NO VISIBLE Cu OX.
				133'						PALT: 3 SALT: 5 CLAY: 5%							5% HM 3				.5%	1	TR Cu	1	-	-						LIGHT GRAY MP - LARGE FRAGMENTS DISS. VERY SMALL GRAINS OF PY W/ VERY SMALL TRACE OF ENRICH. NO VISIBLE Cu OX
Composite																																

Project:

Hole Number:

Date Drilled:

Date Drilled:	
Analysis:	

Type: 30A12

Northing: 19405.4

Hole Depth: 410

Fasting:

Orientation

CE: 6207.6

Logged by: RJW

CORE SIZE CHANGE @ 186' FROM $5\frac{1}{4}"$ TO $3\frac{5}{8}"$ DIA.

05-04-07

Analysis		Interval		Drill Log		Alteration		Graphic Log Notes		Alteration		Mineralization (vol%)		Enrich		Notes																		
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock						WC	YC	QS	Qtz	Ksp	Cnl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)		
			133'															TR	3 ALCUT			1.0%	1	TR	1	-	-					MP - MEDIUM GRAY W/ SLIGHTLY YELLOWISH CLAY. VERY SMALL DISSEMINATED GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.		
			133'															5% TR				1%	1	-	-	-	-					AND FRAGMENTS IN YELLOWISH CLAY. SMALL DISS. GRAINS OF PY. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.		
			143'															5% TR				5%	1	TR	1	-	-					MP FRAGMENTS IN YELLOWISH CLAY. SMALL DISS. GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OK. FINE SPRAYS OF GYPSUM IN FRACTURES.		
			148'															5% TR				1%	1	TR	1	TR	1					MP FRAGMENTS (LARGE) IN YELLOWISH CLAY. DISS. PY GRAINS W/ VERY WEAK ENRICH. NO VISIBLE CU OK.		
			153'															ALCUT				1%	1	TR	CC	TR	1					LARGE FRAGMENTS OF MP W/ NO FE OX AND VISIBLE CU OK.		
Composite			153'																															
			163'															TR TR				1%	1	TR	CC									LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS W/ SP. PY W/ NO VISIBLE CHALCOANTHITE. TR CC IN CLAY. NO VISIBLE CU OK.
			168'															TR TR				5%	3	2%	CC			2 1/2%						LARGE FRAGMENTS OF MP IN HEAVY GRAY CLAY. ROCK FRAGMENTS CONTAIN MODERATE DISS. SMALL GRAINS OF PY W/ NO VISIBLE CHALCOANTHITE. CC IN HEAVY CLAY. W/ MINOR CHALCOANTHITE.
			173'															1% TR				5%	1	1%	CC									FRAGMENTS OF MP IN MEDIUM GRAY CLAY. ROCK HAS SOME MODERATE DISS. GRAINS OF PY W/ NO VISIBLE WEAK ENRICH. CLAY HAS SOME DISS. CC.
			178'															1% GRAN				5%	1	1%	CC	1								MINOR PEY IN CLAY FROM 172 TO 175 FEET. FROM 173 TO 174 MINOR PEY IN CLAY. FROM 174 TO 178 MP FRAGMENTS W/ SMALL DISS. GRAINS OF PY W/ WEAK ENRICH. GRAINS OF PY IN CLAY W/ MINOR CC ENRICH. NO VISIBLE CUPY. ALTERED MP IN PURE GRAY FE OX COYDED CLAY. SMALL DISS. GRAINS OF PY. W/ MINOR ENRICH. NO VISIBLE CU OK.
Composite			163'															1% GRAN				5%	3	2%	CC	TR	1							

Pheips Dodge Tyrone Mine - Geological Services
Drill Hole Logging Form

Page: 6 of 9

Project: TSGT-1

Hole Number: 5941C Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

Date Drilled: Type: SONIC Hole Depth: 410

Orientation: -90° Logged by:

Analysis			Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich		Notes								
Tcu	Ox/Cu	QLT	Elev.	Fl.	H ₂ O	Rock					Code	WC	YC	QS	Qtz	Ksp	CN	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
			233'								PALT: 3 SALT: 3 CLAY: 50%							TR JRK	3		10%	1	TR CUT	1	-	-						ALTERED MP w/ LIGHT GRAY CLAY - SOME WITH YELLOWISH TINGE. VERY SMALL DISSOL. GRAINS OF PY w/ WEAK CC/SCU ENRICH. NO VISIBLE CU OX.	
			236'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							240-250 K-SPK	3		15%	3	TR CC	3	-	-						MOISTLY ALTERED IIO - RED W/ H/M FROM 240' TO 242'; THEN GT COLORING FROM 242' TO 243'; LIGHT GRAY FROM 250' TO 240' 1.5% PY w/ VERY WEAK CC ENRICH. NO VISIBLE CU OX.	
			243'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							16-14 GT-TR	3		15%	3	TR CC	3	TR	1						ALTERED IIO w/ ~10% K-SPK. VERY WEAKLY ENRICHED PY. NO VISIBLE CU OX.	
			248'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							150-150 K-SPK	3		10%	3	VERY MAYBE TR	3	TR	1						ALTERED IIO; REDDISH BROWN FROM 248.5 TO 252'; REMAINDER LIGHT GRAY BROWN (GT). VERY SPARSE-SCATTERED CC ENRICH. NO VISIBLE CU OX.	
			253'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							250-250 K-SPK	3		10%	1	TR CC	1	-	-						ALTERED IIO TO 256' (MEDIUM GRN) THEN ALTERED MP - SMALL DISSOL. GRAINS OF PY w/ VERY WEAK ENRICH. NO VISIBLE CU OX.	
			258'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							250-250 K-SPK	3		10%	3	TR CC	1	-	-						ALTERED IIO TO 256' (MEDIUM GRN) THEN ALTERED MP - SMALL DISSOL. GRAINS OF PY w/ VERY WEAK ENRICH. NO VISIBLE CU OX.	
Composite:			263'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							250-250 K-SPK	3		10%	3	TR CC	1	-	-						MIXED ALTERED IIO & MP; IIO ~10% K-SPK. H/M IN CLAY FROM 258' TO 261'. VERY WEAK ENRICH OF PY. NO VISIBLE CU OX.	
			268'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							250-250 K-SPK	3		10%	3	TR CC	1	-	-						FROM 263 TO 264' NO OX. ALTERED IIO THEN H/M GT COLORED CLAY w/ FRAGMENTS. NO VISIBLE CU OX.	
			273'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							250-250 K-SPK	3		10%	3	TR CC	1	-	-						ALTERED IIO; MINOR GT > H/M COLORED CLAY FROM 268 TO 270.5; THEN MEDIUM GRAY. VERY WEAK ENRICH OF PY. NO VISIBLE CU OX.	
			278'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							TR GR	3		15%	3	TR CC	3	TR BA	3						ALTERED MP w/ MEDIUM TO DARK GRAY CLAY. PY, CPy, ENL WITH WEAK ENRICH. NO VISIBLE CU OX.	
			283'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%							TR H/M	3		10%	3	29 SILICA	3	-	-						ALTERED MP FRAGMENTS IN MEDIUM GRAY TO DARK CLAY. 1.0% PY w/ COARSE & CC ENRICH (WEAK). NO VISIBLE CU OX.	
Composite:			288'								LCAP: 5 PALT: 5 SALT: 5 CLAY: 50%																						

Project:

Hole Number: TSGT-1

Northing: 19405.4

Easting: 9536.6

C.E.: 6207.6

05-04-05

Date Drilled: 10-12-04 Type: SONIC

Hole Depth: 410'

Orientation: -90°

Logged by: RJW

Analysis			Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)		Enrich		Notes														
Tcu	OxCu	QLT	Elev.	Fl.	H ₂ O	Rock					Code	WC	YC	QS	Qtz	Ksp	Chi	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
			285'								PALT: 3 SALT: 5 CLAY: 50%							25% HA	3			2%	1	TR CC	1	-	-					ALTERED MP W/ CLAY COLORED W/ VARYING AMOUNTS OF HA, VERY SPARSE DISSEM OF PY W/ TR. OF CC ENRICH. NO VISIBLE CU OX	
			290'								LCAP:							25% HA	3			2%	3	TR CC	3	-	-					ALTERED MP W/ HIGH CLAY CONTENT/ VERY SPARSE PY W/ VERY WEAK ENRICH. MINOR YELLOWISH CLAY FROM 280 TO 285'. NO VISIBLE CU OX	
			295'								PALT: 3 SALT: 5 CLAY: 50%							25% HA	3			2%	3	TR CC	3	-	-					FROM 295 TO 297' ALTERED GRAINZ MP NO PL. 1.5% HA. FROM 297 TO 298' GRN CLAY & FRAGMENTS OF MP W/ 10% PY WEAK ENRICH. NO VISIBLE CU OX	
			298'								LCAP:							25% HA	3			1%	3	1%	3	-	-					ALTERED MP - MOSTLY SMALL FRAGMENTS & DUST. VERY WEAK & SPARSE ENRICH. VERY SMALL SPRAYS OF GYPSUM IN FRACTURES. NO VISIBLE CU OX	
			303'								PALT: 3 SALT: 6 CLAY: 60%							TR GT	3			5%	3	TR CC	3	-	-					ALTERED MP - GRN FROM 305 TO 307' LIGHT BROWN FROM 307 TO 308' YELLOWISH GRN FROM 308 TO 309' TRACE CU ENRICH. TRACE GYPSUM ALONG FRACTURES. NO VISIBLE CU OX	
			308'								LCAP:							5% GR	3			1%	3	TR CU	3	-	-					ALTERED MP FROM 309 TO 310' COLORED BY HA & GT. FROM 310 TO 313' GRN W/ YELLOW (TR) SMALL GRAINS OF PY W/ VERY WEAK ENRICH. NO VISIBLE CU OX	
			313'								PALT: 3 SALT: 5 CLAY: 50%							5% GR	3			1%	3	TR CC	3	-	-					MOSTLY MEDIUM BROWN CLAY GT > HA W/ SMALL DISSEM GRAINS OF PY W/ WEAK ENRICH. NO VISIBLE CU OX	
			318'								LCAP:							3% GR	3			1%	1	1%	1	-	-					ALTERED MP W/ YELLOWISH CLAY 1.0% PY W/ WEAK CU ENRICH. NO VISIBLE CU OX	
			323'								PALT: 3 SALT: 6 CLAY: 60%							2% GR	3			1%	1	TR CU	1	-	-					ALTERED MP W/ MEDIUM GRN CLAY W/ YELLOWISH 1/2" SPOTS. PY MOSTLY SMALL DISSEM GRAINS W/ CU ENRICH. NO VISIBLE CU OX	
			328'								LCAP:							5% GR	3			1%	3	TR CU	3	-	-					ALTERED (10) 10% K-SPAR LARGE HARD FRAGMENTS W/ YELLOWISH CLAY VERY SMALL DISSEM GRAINS OF PY W/ WEAK ENRICH. NO VISIBLE CU OX	
			333'								PALT: 5 SALT: 4 CLAY: 40%							TR TAR	3			1%	1	TR CC	1	-	-					ALTERED (10) 10% K-SPAR LARGE HARD FRAGMENTS W/ YELLOWISH CLAY VERY SMALL DISSEM GRAINS OF PY W/ WEAK ENRICH. NO VISIBLE CU OX	
											LCAP:																						
Composite:																																	
Composite:																																	

Project

Hole Number: TSGT-1

Northing: 19405.4'

Easting: 9536.6

62076

Date Drilled:

Type: SONIC

Hole Depth: 410'

Easting: 1538
Orientation: 90

C.E.: 6207.6
3711

000000

[illegible]

Pheips Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project:

Hole Number:

Date Dilled: 10-02-2011 Type: SPNIC

Northings: 11549.9

Hole Depth: 281'

Easting: 170089

Orientation: -90°

CE: 6378.0

Logged by: RJW

CORK DIAMETER: $5\frac{1}{4}"$

04-20-05

04-20-05
04-19-05[illegible]

Project:

Hole Number: TSGT-2

Date Drilled: 10-02-04 Type: SONIC

Northings: 11549.9

Hole Depth: 281'

Easting: 17008.9

Orientation: -90°

C.E. 6378.0

Logged by: RJW

04-19-05

[illegible]

Drill Hole Logging Form

Project:

Hole Number: TSGT-2

Hole Number _____
Date Drilled _____

Type: *SPALIC*

Northing: 11599.9

Hole Depth: 281

Easting: 11008.0

Orientation: -90°

C.E: 63780

Logged by: RTU

04-20-05

Date Drilled:		Type:	Interval	Drill Log	Alteration	Graphic Log	Graphic Log Notes	Alteration										Mineralization (vol%)										Enrich	Notes			
Tcu	OxCu	OLT	Elev.	FT	H ₂ O	Rock		Code	WC	YC	QS	Qz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)			
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							2% Fe	1% Fe			7% Py	3 PySt	3 Cc									MONZONITE PORPHYRY HIGH CLAY (2%) - WEAK PY IN WEAK TO MOD ENRICH W/ CC & CV. JAR & GT COATINGS OF SOME FRACTURES. MINOR TR OF CHALCANTHE ON SOME FRACTURES		
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							2% Fe	1% Fe			5% Py	1 PySt	1 Cc									LIGHTLY ALTERED MONZONITE PORPHYRY WEAK PY IN BOTH CC & CV ENRICH (VERY SPARSE) TRACE CHALCANTHE HIGH CLAY JAR & S FROM		
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							5% Fe	1% Fe			7% Py	1 PySt	1 Cc									HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY VERY SPARSE PY W/ CC & CV ENRICH. NO VISIBLE CU OR MINERALS.		
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							3% Fe	1% Fe			5% Py	3 PySt	3 Cc									HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY VERY SPARSE PY W/ BOTH CC & CV ENRICH. JAR & HM OXID. OF PY TR. GYPSUM.		
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							5% Fe	1% Fe			5% Py	1 PySt	1 Cc									HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY EXTREMELY SPARSE ENRICHED PY		
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							10% Fe	3			7% Py	2	-	-									HIGHLY ALTERED MONZONITE PORPHYRY ALMOST ALL PY OXIDIZED TO HM, JAR, GT BOTH DISSEMINATED. NO VISIBLE CU OR MINERALS.	
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							5% Fe	3			TR Py	3	-	-										HIGHLY ALTERED MONZONITE PORPHYRY HIGH CLAY TR PY REMAINING, MOSTLY OXIDIZED TO HM, JAR, GT. NO VISIBLE CU OR MINERALS.
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							5% Fe	3			5% Py	3												HIGHLY ALTERED MONZONITE PORPHYRY MOSTLY COMPLETELY OXIDIZED SURFACES OF PY. 2% PY NO ENRICH OR OXIDATION POOR HM, GT, JAR BOTH DISSEMINATED. NO VISIBLE CU OR MINERALS.
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							7% Fe	3			1% Py	3	-	-										HIGHLY ALTERED MONZONITE PORPHYRY PARTLY OXIDIZED PY W/ NO ENRICH NO VISIBLE CU OR MINERALS. HM, GT ON FRACTURES
								PALT: 5 SALT: 6 CLAY: 10 LCAP:							4% Fe	3																ALTERED MONZONITE PORPHYRY MOSTLY OXIDIZED PY WITH HM, JAR, GT IN DISSEMINATED HIGH CLAY NO VISIBLE CU OR MINERALS

Drill Hole Logging Form

Project:

Hole Number: TS3T-2

Northing: 11549.9

Easting: 17008.7

C.E.: 63.73.0

Date Drilled: 10-02-04

Type: SONIC

Hole Depth: 231'

Orientation: -95°

Logged by: FSW

04-20-05

Date Drilled: 10-02-2012		Type: Core	Hole Depth: 273		Orientation: - 12		Logged by: J. J. J.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
--------------------------	--	------------	-----------------	--	-------------------	--	---------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Composite:

Composite:

NOTE: 216 to 218 SENT
TO SOURCE FOR SAMPLE

Drill Hole Logging Form

Project:

Hole Number: TSGT-2

Northing: 11549.9

Easting: 17008.9

C.E.: 6378.0

04-21-05

Date Drilled: 10-02-04

Type: SONIC

Hole Depth: 281'

Orientation: -90

Logged by: FJW

04-20-05

Analysis			Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich		Notes						
Tcu	OxCu	CLT	Elev	FL	H ₂ O	Rock			Code	WC	YC	QS	Qtz	Ksp	Ch	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
			238	DRY					PALT: 3 SALT: 6 CLAY: 60% LCAP:							2% FeOx	3			-	-	VERY TR	2	-	-					ALTERED MONZONITE PORPHYRY HIGH CLAY ALMOST NO SULFIDE REMAINING TR BLACK COXIDE ON FRACTURE SURFACES CLAY YELLOWISH LIGHT BROWN NONVISIBLE GREEN COXIDE	
			239						PALT: 3 SALT: 6 CLAY: 60% LCAP:							2% FeOx	3			-	-	-	-	-	-					ALTERED MONZONITE PORPHYRY HIGH CLAY NO REMAINING SULFIDES, FeOx AS PATCH & FRACTURE COATING (GTS) JAR NO VISIBLE CU OR MINERALS	
			240						PALT: 3 SALT: 6 CLAY: 60% LCAP:							2% FeOx	3			TR	1	TR	1	-	-					ALTERED MONZONITE PORPHYRY VERY LIGHT YELLOW BROWN TR SULFIDE ALMOST COMPLETELY OXIDIZED TO FeOx (GTS) NO VISIBLE CU OR MINERALS	
			246						PALT: 3 SALT: 6 CLAY: 60% LCAP:							3% FeOx	3			TR	1	TR	-	-	-	-					ALTERED MONZONITE PORPHYRY LIGHT YELLOW BROWN COLOR TO 248; HA COLORED 248 TO 250; TRACE OF PY NO VISIBLE CU OR MINERALS
			253						PALT: 3 SALT: 6 CLAY: 60% LCAP:							2% FeOx	3			TR	1	TR	1	-	-					ALTERED PORPHYRY HIGH CLAY LIGHT YELLOW BROWN TRACE PY W/ GRAIN VERY SPARSE-VERY SMALL GRAINS NO VISIBLE GREEN CU OR MINERALS	
Composite:			259						PALT: 3 SALT: 7 CLAY: 70% LCAP:							2% FeOx	3			VERY TR	1	VERY TR	1	-	-					ALTERED MONZONITE PORPHYRY-MOSTLY LIGHT YELLOWISH BROWN CLAY, VERY SLIGHT TRACE OF VERY SMALL GRAINS OF PY W/ JENSEN, NO VISIBLE CU OR MINERALS PRESENT	
			265						PALT: 3 SALT: 7 CLAY: 70% LCAP:							2% FeOx	3			VERY TR	1	VERY TR	1	-	-	TR CHAL				ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY ALMOST NO VISIBLE PY - FEELING GRAMS MINUTE TRACES OF CHALCANTHINE ALONG FRACTURES, JAR & ON FRACTURES & DIS	
			263						PALT: 3 SALT: 7 CLAY: 70% LCAP:							2% FeOx	3			-	-	-	-	-	-					ALTERED MONZONITE POR. FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY JAR, ST, HA DIS & IN FRACTURES NO VISIBLE CU OR MINERALS	
			267						PALT: 3 SALT: 5 CLAY: 50% LCAP:							2% FeOx	3			-	-	-	-	-	-	TR CHAL	TR CHAL			ALTERED MONZONITE PORPHYRY FEELS LIKE TO CHALKY WHITE CLAY NO VISIBLE PY OR CC TRACES OF BLACK COXIDE & CHALCANTHINE ALONG FRACTURES IN CLAY FEEL OF DIS & ON FRACTURES JAR, ST, HA	
			273						PALT: 3 SALT: 5 CLAY: 50% LCAP:							2% FeOx	3			5% 1	TR	1	-	-	-	TR CHAL	TR CHAL			ALTERED MP. FEELS LIKE TO CHALKY WHITE CLAY 1% PY W/ COARSELY WEATHERED IN FRT PY HEAVY OXIDIZED IN FRT W/ HA TRAILER, BLACK CU ON LARGE (5") PIECES	
Composite:			281						PALT: 3 SALT: 5 CLAY: 50% LCAP:							2% FeOx	3			5% 1	TR	1	-	-	-	TR CHAL	TR CHAL				

E.O.H. 281'

LARGE (5") PIECES

Project:

Hole No.

TEST-2

Hole Depth:

Hole Depth:

Orientation: -90°

Orientation: -90

Logged by: RJW

Logged by: RJW

[illegible]

Project:

Hole Number: TSGT-3

Northing: 14300.3

Hole Depth: 250'

Easting: 15998.5

Orientation: -90°

67976

CE: 6291.6
RTU

34-22-05

[illegible]

Project:

Hole Number: TSGT-3

Date Drilled: 10-05-04

Type: SONIC

Northing: 14300.3

Hole Depth: 250'

Easting: 15998.5

Orientation: -90°

C.E: 6297.6

Logged by:

04-25-05

Analysis		Interval	Drill Log	Graphic Log	Graphic Log Notes	Alteration	Alteration	Mineralization (vol%)										Enrich	Notes
Tcu	Ox	Qtz	Elev.	Fl.	H ₂ O	Rock													(Rock Description, Alteration, Mineralization, Structure)
			98.6																L.F.F. CORROD FRAGMENTS OF 110 - FRESH
			102.6																ALMOST ALL DISSECA. MIN. NO OXIDATION
																			VERY LITTLE ENRICH. NO CU OR MINERALS
																			UTILE CLAY.
			107.6																FROM 102.6 TO 103 SAME AS ABOVE, FROM
																			103 TO 107.6 - HIGHLY ALTERED 500 & 110
																			FRAGMENTS - PY COMPLETELY OXIDIZED TO
																			H.M. HIGH CLAY. NO VISIBLE CU OR OX.
			112.6																HIGHLY ALTERED MP HIGH CLAY CONTENT
																			PY COMPLETELY OX TO H.M. NO ENRICH
																			OR CU OX MINERALS.
			117.6																HIGHLY ALTERED MP HIGH CLAY ALL
																			SULFIDES COMPLETELY OXIDIZED TO H.M.
																			NO ENRICH. NO VISIBLE CU OX MINERALS.
			122.6																HIGHLY ALTERED 110 HIGH CLAY NO
																			REMAINING SULFIDES - COMPLETELY OX
																			TO MODERATE H.M. W/ MINERALS. NO VISIBLE
																			CU OX.
			127.6																HIGHLY ALTERED 110 HIGH CLAY CONTENT
																			NO REMAINING SULFIDES - PY COMPLETELY
																			OXIDIZED TO H.M. NO VISIBLE CU OX
			132.6																HIGHLY ALTERED 110 HIGH CLAY CONTENT
																			NO REMAINING SULFIDES - PY COMPLETELY
																			OX TO H.M. SOME FRAGMENTS OF MP
																			NO VISIBLE CU OX.
			137.6																HIGHLY ALTERED MP HIGH CLAY CONTENT
																			MINUTE TR OF REMAINING SULFIDE
																			H.M. IN CLAY. NO VISIBLE CU OX
			142.6																HIGHLY ALTERED MP W/ FRGS OF FRESH
																			GRANODIORITE. NO REMAINING SULFIDES
																			NO VISIBLE CU OX MINERALS
			147.6																HIGHLY ALTERED 110 W/ (GT) H.M. NO
																			REMAINING SULFIDES - NO VISIBLE CU
																			OX.

75

30

Phelps Dodge Tyrone Mine - Geological Services
Drill Hole Logging Form

Page 4 of 5

Project:

Hole Number: T5CF3

Northing: 14300.3

Easting: 15998.5

CE: 6297.6

Date Drilled: 10-05-04 Type: SONIC

Hole Depth: 250

Orientation: -90°

Logged by:

04-25-05

Analysis		Interval	Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)										Enrich		Notes								
Tcu	OxCu	QLT	Elev.	FL	H ₂ O	Rock			Code	WC	YC	OS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide		
			152.6		DRY				PALT: 5 SALT: 7 CLAY: 706 LCAP:							1% GRAPHITE	1			-	-	-	-	-	-					FROM 147 DOWN - FRAGMENTS OF CRUMBLY IIO W/ ORGANIC DIET NO SULFIDES - NO CU OXIDE / MINERALS GILA CONGLOM?	
			151.6						PALT: 5 SALT: 7 CLAY: 706 LCAP:							1% GRAPHITE	1			-	-	-	-	-	-					HIGHLY ALTERED IIO - CRUMBLY - HIGH CLAY NO SULFIDES - NO SECONDARY CU OXIDES. GILA CONGLOM.?	
			162.6						PALT: 3 SALT: 6 CLAY: 680 LCAP:							1% GRAPHITE	1		TR	1	-	-	-	-	-					MOSTLY GRANULAR COARSE SAND FRAGMENTS & PEBBLES OF MP-NO LARGE FRAGMENTS EXCEPT FOR MINOR PY IN SOME MP PEBBLES - NO SULFIDES NO CU OR MINERALS.	
			167.6						PALT: 3 SALT: 6 CLAY: 680 LCAP:							2.5% GRAPHITE	1		TR	1	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY NO LARGE ROCKS - JUST PEBBLES W/ VERY SMALL DSS GRAINS OF PY NO ENRICH NO CU OR MINERALS	
			172.6						PALT: 3 SALT: 6 CLAY: 680 LCAP:							7.5% GRAPHITE	1		TR	1	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY W/ PEBBLES CONTAIN VERY SMALL DSS GRAINS OF PY NO ENRICH NO CU OR MINERALS	
			177.6						PALT: 3 SALT: 6 CLAY: 680 LCAP:							2.5% GRAPHITE	1		-	-	TR CU	2	-	-	-	BLK DY-TR				HIGHLY ALTERED MP HIGH CLAY OCCASIONAL SMALL FRAGMENTS - TR CU W/ MINOR GYPSUM IN FRAGMENTS MOSTLY ANGULAR GRANULAR LARGE SAND	
			182.6						PALT: 3 SALT: 6 CLAY: 680 LCAP:							2.5% GRAPHITE			-	-	-	-	-	-	-					ALTERED MP HIGH CLAY GRANULAR c. 180.5' LARGE COBBLE OF GRANODIORITE NO VISIBLE PY NO ENRICH. NO CU OXIDE.	
			187.6						PALT: 3 SALT: 6 CLAY: 680 LCAP:							2.5% GRAPHITE			-	-	-	-	-	-	-	TR BLK DY-TR	2				HIGHLY ALTERED MP HIGH CLAY GRANULAR W/ PEBBLES NO VISIBLE SULFIDES OR CU OX.
			192.6						PALT: 3 SALT: 6 CLAY: 680 LCAP:							2% HRT			-	-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY LOOSE CEMENTED GRANULAR - PEBBLES OF MP NO VISIBLE PY NO ENRICH NO CU OX. TO 192'	
			197.6						PALT: 3 SALT: 6 CLAY: 306 LCAP:							7.25% GT		2%	3	-	-	-	-	-	-					192' CONTACT W/ LARGE FRAGMENTS OF MP CONTAINING PY - MINOR ORIENTATION - GT NO VISIBLE ENRICHMENT OR CU OX HARD ROCK	

15

10

Phelps Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project:

Hole Number: TSQT-3

Date Drilled: 10-05-04 Type: SONIC

Northing: 14300.3,
 Hole Depth: 250'

Hole Depth: 250

Easting: 15998.5
Orientation: -90°

Orientation: -90°

CE: 6297.6
Logged by: RJW

Logged by: RTW

04-25-05

[illegible]

Drill Hole Logging Form

Project:

Hole Number: TSGT-4

Northing: 10938.6

Easting: 4155.5

CE: 6310.7

Date Drilled: 07-28-04

Type: C

Hole Depth: 212

Orientation: -90

Logged by: KTW

05-02-05

Analysis		Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (vol%)												Enrich		Notes					
Tcu	OxCu	QLT	Elev.	Ft.	H ₂ O	Rock				Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					
										LCAP:																					
										PALT:																					
										SALT:																					
										CLAY:																					

Drill Hole Logging Form

Project:

Hole Number: TSGT-4

Northing: 10838.6

Easting: 4155.5

C.E.: 6310.7

Date Drilled: 07-23-04 Type: SP-1C

Hole Depth: 273

Orientation: -90°

Logged by:

[illegible]

Project:

Hole Number: T5GT-4

Nothing: 10338.6

Fasting: 4155.5

CE: 6310.7

Date Drilled: 09-23-04 Type: SONIC

Hole Depth: 2.73

Orientation: -70°

Logged by: RJW

05-02-05

Analysis			Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)										Enrich		Notes								
Tcu	OxCu	QLT	Elev.	Fl.	H ₂ O	Rock					Code	WC	YC	QS	Qtz	Ksp	CN	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)			
			80.0								PALT: 3 SALT: 6 CLAY: 60%							10% HMA	3	BLK CuOx	2	-	-	-	-	-	-							HIGHLY ALTERED MP - HIGH CLAY MEDIUM BROWN COLOR TR BLACK Cu OX ON FEATURES	
			71.0								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3	BLK CuOx	2	-	-	-	-	-	-							HIGHLY ALTERED MP HIGH CLAY STRONG HM FROM 72 TO 95' NO VISIBLE SULFIDES OR ENRICHMENT TR BLACK Cu OXIDES ON FRACTURES	
			70.2								PALT: 3 SALT: 6 CLAY: 60%							15% HMA	3	BLK CuOx	2	-	-	-	-	-	-			TR GREEN Cu IN CLAY				HIGHLY ALTERED MP HIGH CLAY NO VISIBLE SULFIDES OR ENRICHMENT TR OF BLACK OX ON FRACTURES TR GREEN SOLUBLE Cu IN CLAY	
			101.0								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3	Cu OX	2	-	-	-	-	-	-							HIGHLY ALTERED MP HIGH CLAY MEDIUM RED COLOR NO VISIBLE TRACES OF GREEN Cu OXIDES	
			102.7								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3	Cu OX	2	-	-	-	-	-	-							HIGHLY ALTERED MP HIGH CLAY MEDIUM GREEN COLOR NO VISIBLE SULFIDES OR ENRICH	
			111.0								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3	Cu OX	2	-	-	-	-	-	-							HIGHLY ALTERED MP HIGH CLAY STRONG HM FROM 112' TO 115' NO VISIBLE SULFIDES. FROM 115' TO 116' GT>HMA	
			116.0								PALT: 3 SALT: 6 CLAY: 60%							15% GT>HMA	3	Cu OX	2	-	-	-	-	-	-					TR BLACK Cu OX			HIGHLY ALTERED MP HIGH CLAY MEDIUM TO LIGHT BROWN COLOR NO VISIBLE SULFIDES
			121.2								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3			-	-	-	-	-	-							HIGHLY ALTERED MP HIGH CLAY MEDIUM REDDISH BROWN COLOR NO VISIBLE SULFIDES	
			126.2								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3			-	-	-	-	-	-							HIGHLY ALTERED MP HIGH CLAY MEDIUM REDDISH BROWN NO VISIBLE SULFIDES NO VISIBLE Cu OX	
			131.2								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3			-	-	-	-	-	-							HIGHLY ALTERED MP HIGH CLAY FROM 134 TO 136' LIGHT YELLOWISH BROWN NO VISIBLE SULFIDES NO VISIBLE Cu OX.	
			135.7								PALT: 3 SALT: 6 CLAY: 60%							20% HMA	3			-	-	-	-	-	-								

P Phelps Dodge Tyrone Mine - Geological Services
Drill Hole Logging Form

Project:

Hole Number: T5GT-4

Northing: 10333.6

Easting: 4155.5

CE: 6310.7

Date Drilled: 02-28-05 Type: SOHC

Hole Depth: 273

Orientation: -90

Logged by: RJW

05-02-05

Page: 4 of 6

Analysis						Interval	Drill Log		Graphic Log	Graphic Log Notes	Alteration					Mineralization (vol%)														Enrich	Notes			
Tcu	Ox/Cu	CLT	Elev.	Fl.	H ₂ O	Rock					Code	WC	YC	QS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Qmin1	Qmin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)		
											PALT: 3 SALT: 6 CLAY: 60% LCAP:							30 HM	3	BLACK OX	2	-	-	-	-	-	-						HIGHLY ALTERED PORPHYRY HIGH CLAY FROM 139' TO 140' STRONG RED HM COLOR. TR BLACK OX COATINGS NO VISIBLE SULFIDES OR ENRICHMENT	
			141.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							25 HM	3	-	-	-	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY FROM 142' TO 144' DARK RED; OVERWASH MEDIUM BROWN NO VISIBLE SULFIDES NO VISIBLE CU OX		
			146.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							20 GT HM	3	-	-	TR	1	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY FINE GRINNED TR PY NO VISIBLE ENRICH MEDIUM BROWN COLOR	
			151.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							10 GT HM	3	BLACK OX	2	TR	1	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY NO VISIBLE SULFIDES OR ENRICH. TR BLACK OX MEDIUM BROWN COLOR	
			156.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							15 HM	3	-	-	-	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY LIGHT BROWN EXCEPT 156 TO 158- THEN MEDIUM TO DARK RED. NO VISIBLE SULFIDES		
			161.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							15 GT HM	3	BLACK OX	2	-	-	-	-	-	-							
Composite											PALT: 3 SALT: 6 CLAY: 60% LCAP:							15 GT HM	3	BLACK OX	2	-	-	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY LIGHT BROWN COLOR NO VISIBLE SULFIDES TR BLACK OX ON SURFACES	
			166.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							15 GT HM	3	BLACK OX	2	TR	1	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY LIGHT BROWN COLOR (DRY) TR PY NO VISIBLE ENRICH. TR BLACK CU OX	
			171.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							10 FR-GT	-	-	-	-	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY LIGHT YELLOWISH BROWN COLOR NO VISIBLE SULFIDES OR ENRICHMENT NO VISIBLE CU OX.		
			176.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							10 GT HM	-	-	TR	1	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY LIGHT BROWN w/ YELLOWISH TINGE TR PY. NO ENRICH. NO VISIBLE CU OX		
			181.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:							10 GT	-	-	20	1	-	-	-	-						HIGHLY ALTERED MP HIGH CLAY FROM 181 TO 186 LIGHT BROWN COLOR NO VISIBLE CU OX NO ENRICH		
			186.0								PALT: 3 SALT: 6 CLAY: 60% LCAP:																							
Composite											PALT: 3 SALT: 6 CLAY: 60% LCAP:							10 GT	-	-	20	1	-	-	-	-								

50

50

Pheips Dodge Tyrone Mine - Geological Services
Drill Hole Logging Form

Page: 5 of 6

Project:

Hole Number: TSGT-4

Northing: 10838.6

Easting: 4155.5

C.E.: 310.7

Date Drilled: 03-23-01 Type: SONIC

Hole Depth: 273

Orientation: - 90°

Logged by: RJW

05-03-05

Analysis			Interval		Drill Log		Graphic Log		Graphic Log Notes		Alteration		Alteration		Mineralization (vol%)														Enrich		Notes		
Tcu	Ox	Cu	QLT	Elev.	Fl.	H ₂ O	Rock				Code	WC	YC	OS	Qtz	Ksp	Chl	FeOx	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Omin1	Omin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
											PALT: 3 SALT: 6 CLAY: 60 LCAP:							15% GFAH 3	TR BLACK OK	2	-	-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY NO VISIBLE SULFIDES OR ENRICH TR BLACK OK ON SURFACES	
				191.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							20% GFAH 3	TR BLACK OK	2	-	-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY NO VISIBLE SULFIDES MEDIUM BROWN COLOR-REDDISH FROM 175-196' TR BLACK OK ON SURFACES	
				196.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							19% GFAH 3	TR BLACK OK	2	-	-	-	-	-	-	CHALC IN CLAY					HIGHLY ALTERED MP HIGH CLAY NO VISIBLE SULFIDES LIGHT TO MEDIUM BROWN TR VERY SPARSE SOLUBLE CU ABSORBED IN GRAINS OF CLAY TR BLACK OK ON SURFACES	
				201.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							19% GFAH 3	TR BLACK OK	2	-	-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY NO VISIBLE SULFIDES LIGHT TO MEDIUM BROWN. GT MUCH GREATER THAN HA	
				206.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							19% GFAH 3	TR BLACK OK	2	-	-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY NO VISIBLE SULFIDES OR CU OK LIGHT TO MEDIUM BROWN GT GREATER THAN HA	
				211.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							15% GFAH 3			-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY LIGHT TO MEDIUM BROWN EXCEPT 213 TO 214'- REDDISH NO VISIBLE SULFIDES OR CU OK		
				216.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							10% GFAH 3	TR BLACK OK		-	-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY LIGHT TO MEDIUM BROWN TR BLACK OK ON SURFACES NO VISIBLE SULFIDES. FROM 220 TO 221- PIECES OF H.O.	
				221.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							10% GFAH 3			-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY LIGHT TO MEDIUM BROWN NO VISIBLE SULFIDES-NO VISIBLE CU OK		
				226.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							10% GFAH 3			-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY LIGHT TO MEDIUM BROWN NO VISIBLE SULFIDES-NO VISIBLE CU OK HA INCREASING		
				231.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:							15% GFAH 3			-	-	-	-	-	-					HIGHLY ALTERED MP HIGH CLAY CONTENT LIGHT REDDISH-BROWN COLOR NO VISIBLE SULFIDES OR CU OK		
				236.0							PALT: 3 SALT: 6 CLAY: 60 LCAP:																						
Composite:											PALT: 3 SALT: 6 CLAY: 60 LCAP:																						
Composite:											PALT: 3 SALT: 6 CLAY: 60 LCAP:																						

Drill Hole Logging Form

Project:

Hole Number: T3GT-4

Northing: 10353.6

Easting: 4155.5

CE: 6510.7

Date Drilled: 07-28-04 Type: SOHC

Hole Depth: 25

Orientation: 20°

Logged by: RJW

05-03-05

[illegible]

APPENDIX B-3

2005 ROTOSONIC BOREHOLE LOGS

ROTOSONIC COREHOLE LOG - Tyrone Borehole S-3

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/15/2005

Coordinates N: E:

Sheet 1 of 3

Location: Tyrone Mine

Drill rig: Sonic

Azimuth: N/A

Inclination:

Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)					% 3-inch plus (%)					Maximum particle size in.					ISRM Strength Index for CLASTS										D-Point Load-diametral	A-Point Load-axial	S-Sieve	PI-Plasticity Index	Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2	R1	R0	Physical Testing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
0	Red brn Clayey gravel (GC), cohesive, fine low to med plasticity	GC	10YR 5/4	M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S-3

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date:

Coordinates N:

E:

Sheet

2 of 3

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination:

Depth (ft)	Soil / Rock Type		Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)					% 3-inch plus (%)					Maximum particle size in.					ISRM Strength Index for CLASTS						Physical Testing		Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Group Symbol			Moisture	0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2					R1	R0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
40	clayey sands to clayey gravel (SC to GC), rd brn, variable plasticity (low to med), clay/cohesive zones S4 to S5	SC to GC	10R 4/6	M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

ROTOSONIC COREHOLE LOG - Tyrone Borehole S-3

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date:

Coordinates N: E:

Sheet 3 of 3

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination:

Depth (ft)	Soil / Rock Type		Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index		Notes Test Results							
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Group Symbol			Moisture	0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3		R2	R1	R0	Physical Testing			
80	Weathered zone, clayey sand, cohesive, variable plasticity, stiff to very stiff (S4 to S5), weathered rocky zone at 88'	SC	10R 4/6	M to SM																									80			
-																															-	
-																																-
-																																-
85	Weathered zone, clayey sand, cohesive, variable plasticity, stiff to very stiff (S4 to S5), weathered rocky zone at 88'	SC	10R 4/6	M to SM																										85		
-																															-	
-																																-
-																																-
90	Weathered zone, clayey sand, cohesive, variable plasticity, stiff to very stiff (S4 to S5), weathered rocky zone at 88'	SC	10R 4/6	M to SM																										90		
-																																-
-																																-
-																																-
95	gravelly zone, clayey gravel (GC), variable plasticity, stiff to very stiff groundmass	GC	10R 4/6	M to SM																										95		
-																																-
-																																-
-																																-
100	gravelly zone, clayey gravel (GC), variable plasticity, stiff to very stiff groundmass	GC	10R 4/6	M to SM																										100		
-																																-
-																																-
-																																-
103'	Basal contact, organic silt and clay, stiff (S4), dk brn with red mottles, organic debris	OL to OH	5R 2/2	M																										-		
105'	Gila conglomerate, yellow brn, mostly sand with 10% clay, mod plasticity, slightly cohesive, locally gravelly. The Gila shows evidence of leaching from 105 to 106.5 and is locally cemented. Appears unaffected below 106.5.	SC	10YR 5/4	SM																										105		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
110																														110		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																														-		
-																																

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S-4

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/16/2005

Coordinates N:

E:

Sheet

1 of 4

Location: Tyrone Mine

Drill rig: Sonic

Azimuth: N/A

Inclination:

90

Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maxiumum particle size in.				ISRM Strength Index for CLASTS						D-Point Load-diametral A-Point Load-axial S-Seive PI-Plasticity Index				Notes Test Results			
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2	R1	R0			Physical Testing	
0	Rocky zone, clayey gravel, gray to olive gray, locally mottled	GC	5Y 6/1	M																									0		
-			5Y 6/1																											-	
-			5Y 5/2 to 10YR 7/4																											-	
5					5Y 5/2 to 10YR 7/4																									5	
-	7.5' lt brn clayey gravel, fines high plasticity, angular rock frags composed of silica	GC	5Y 5/2																											-	
-																														-	
10	10' gray to olive gray, locally reddish, clayey gravel, non plastic to plastic fines, angular fragments	GC			5Y 5/2																										10
-					5Y 5/2																										-
-			5YR 7/2																											15	
15					5YR 7/2																									-	
-	clayey/cohesive zone, clayey gravel, matrix soft to firm (S2 to S3),	GC	5Y 7/2 to 5Y 5/2																											-	
-																														-	
20																															20
-																															-
-	Clayey/cohesive zone, greenish gray clayey gravel to clayey sand, (GC to SC), matrix stiff to very stiff (S4 to S5)	GC to SC	5Y 7/2 to 5Y 5/2																											-	
-																														-	
30																															30
-																															-
-	clayey gravel, fewer fines, mostly -1" gravel (+/- 50%),	GC	5Y 7/2 to 5Y 5/2																											-	
-																														-	
35																															35
-																															-
-			5Y 7/2 to 5Y 5/2																											-	
-																														-	
40																															-
-																															-

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S-4

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/16/2005

Coordinates N:

E:

Sheet

2 of 4

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination:

Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maxiumum particle size in.				ISRM Strength Index for CLASTS							D-Point Load-diametral A-Point Load-axial S-Seive PI-Plasticity Index				Notes Test Results					
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20 20-40 40-60 60-80 80+	0-3 3-8 8-20 20-50 50+	1 2 3 4 5+	R6 R5 R4 R3 R2 R1 R0	Physical Testing																								
40	Clayey zone, clayey gravel to clayey sand (GC to SC), yellowish gray, matrix stiff to very stiff (S4 to S5), rocky at 45-47	GC to SC	5GY 6/1																													40		
-																																		-
-																																		-
-																																		-
45																																		45
-	Silty to clayey gravel (GC to GM), non plastic fines, stiff to very stiff,	GC to GM	5Y 6/1 to 5Y 5/2																													-		
-																																	-	
-																																		-
-																																		-
50																																		50
-	rock/boulder	GC	5YR 5/6																													-		
-																																	-	
-																																	-	
-																																	-	
55																																		55
-	Clayey gravel red brn, matrix stiff to very stiff, mod plasticity	GC	5YR 5/6																													-		
-																																	-	
-																																	-	
-																																	-	
60																																		60
-	clayey gravel to sand (GC to SC), stiff to very stiff matrix, low plasticity	GC to SC	5YR 5/6																													-		
-																																	-	
-																																	-	
-																																	-	
65																																		65
-	Clayey gravel, lt gray to mottled red, low to mod plasticity fines, cohesive	GC	N7 locally 5YR 4/4																													-		
-																																	-	
-																																	-	
-																																	-	
70																																		70
-	Clayey Gravel (GC), gray, mottled, locally plastic, groundmass S4 to S5	GC	N7 locally 5YR 4/4																													-		
-																																	-	
-																																	-	
-																																	-	
75																																		75
-	rock/boulder	GC	5YR 4/4																													-		
-																																	-	
-																																	-	
-																																	-	
80																																		80

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S-4

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/16/2005

Coordinates N:

E:

Sheet

3 of 4

Location: Tyrone Mine

Drill rig:

Azimuth: N/A

Inclination:

Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)		% 3-inch plus (%)		Maximum particle size in.		ISRM Strength Index for CLASTS		D-Point Load-diametral A-Point Load-axial S-Seive PI-Plasticity Index		Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20		20-40		40-60		60-80		80+			0-3		3-8		8-20		20-50		50+		1		2		3		4		5+		R6		R5		R4		R3		R2		R1		R0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S5

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/17/2005

Coordinates N: E:

Sheet 1 of 5

Location: Tyrone

Drill rig: Sonic

Azimuth: N/A

Inclination:

90

Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS				Physical Testing		Notes Test Results								
	SM-slightly moist																															
	M-moist																															
	VM-very moist																															
Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)					Moisture	0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2	R1	R0	D-Point Load-diametral	A-Point Load-axial	S-Seive	PI-Plasticity Index	
0	Clayey gravel (GC), pale orange to lt brn, 20-30% clay, fines plastic, 50% rock, S5	GC	10YR 8/2	M																											0	
5	Rocky zone/boulder, gray porphyry, slightly weathered	Rock	10YR 5/2	SM																											5	
10	Clayey gravel red brn, cobbles in sandy groundmass, 10% clay, NP	GC	5YR 6/4	M																												
15	Rocky zone/boulder	Rock	N7	SM																											15	
20	Clayey to sandy gravel, red brn, minor clay, slightly cohesive to cohesive	GC	10R 4/6	M																												
25	Cohesive/clayey zone, red brn, very stiff (S5), moderate plasticity,	GC	10R 4/6	M																											25	
30	Cohesive/clayey zone, red brn, very stiff (S5), moderate plasticity,	GC	5YR 5/6	M																												
35	Cohesive/clayey zone, red brn, very stiff (S5), moderate plasticity,	GC	10R 4/6	M																											35	
40	Cohesive/clayey zone, red brn, very stiff (S5), moderate plasticity,	GC	5YR 5/6	M																												

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S5

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/17/2005

Coordinates N: E:

Sheet 2 of 5

Location: Tyrone

Drill rig:

Azimuth: N/A

Inclination:


Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Moisture	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS				D-Point Load-diametral A-Point Load-axial S-Seive PI-Plasticity Index				Notes Test Results			
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Physical Testing					0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2		R1	R0	
40	Clayey gravel, GC, lt brn, locally cohesive, 10% clay, NP to moderate plasticity		5YR 5/6																						Bucket sample 40-42.5	40				
45							Increasing clay, +/- 20%	5YR 4/4																						45
50							Lt brn		5YR 6/4																					
55			5YR 6/4																							55				
60	Cohesive zone, S5, 25% clay, plastic fines			5YR 4/4																					S. PI	T5-56.5-57.5 (10.9 lb)	60			
65	Rocky/boulder	Rock	N7																							65				
70	Clayey gravel, locally cohesive, lt brn, mottled, very stiff (S3), mod plasticity, increasing clay (20%) at 70'	GC	5YR 5/4																							70				
75																												75		
80	Rock zone/boulder, mostly rock frags in sandy groundmass	GP	N7/N6																							80				

Scale:

Drilling Contractor:

Driller:

USC (MPa)	
R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S5

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/17/2005

Coordinates N:

E:

Sheet

3 of 5

Location: Tyrone

Drill rig:

Azimuth: N/A

Inclination:

Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS								D-Point Load-diametral A-Point Load-axial S-Seive PI-Plasticity Index		Notes Test Results																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2	R1	R0		Physical Testing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
80	Clayey gravel, pale lt. brn, cohesive zone, few large cobbles. Mostly -3" gravel, 20=30% clay, very stiff (S5), sandy fines	GC	10R 5/4	M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



ROTOSONIC COREHOLE LOG - Tyrone Borehole S5

Project: Tyrone 1A Stockpile

Datum:

Collar Elev:

Project No.: 013-1595-002

Drill date: 9/17/2005

Coordinates N:

E:

Sheet

4 of 5

Location: Tyrone

Drill rig:

Azimuth: N/A

Inclination:

Depth (ft)	Soil / Rock Type		Group Symbol	Color code (Munsell)	D-dry SM-slightly moist M-moist VM-very moist S-saturated	Core recovery (%)				% 3-inch plus (%)				Maximum particle size in.				ISRM Strength Index for CLASTS				D-Point Load-diametral A-Point Load-axial S-Sieve PI-Plasticity Index				Notes Test Results		
	Description (i.e. Group Name, % fines/sand/gravel, plasticity, color, HCL reaction, cementation, angularity, odor, structure)	Moisture				0-20	20-40	40-60	60-80	80+	0-3	3-8	8-20	20-50	50+	1	2	3	4	5+	R6	R5	R4	R3	R2		R1	R0
Physical Testing																												

120	Yellowish gray sandy clay (SC) groundmass 30% residual (decrepit) cobbles, 20% clay	SC	5YR 7/2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
-----	---	----	---------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Scale:

Drilling Contractor:

Driller:

USC (MPa)

R0	0.25-1.0
R1	1.0-5.0
R2	5.0-25
R3	25-50
R4	50-100
R5	100-250
R6	>250



[illegible]

APPENDIX B-4

**2005 PHELPS DODGE TYRONE, INC.
GEOLOGIC LOGS**

Project 1A-18 DUMP

File Number: 5041 F1 S1-1A

File Number: 5041C #1 SJ-1A Northridge

English:

C.E.

Gen'fies:

Located by: *KTW*

Date Drilled: 07-13-05 Type: Hole Casing:				Location: V. C. V.				Notes																			
Analysis		Grill Log		Graphic Log		Graphic Log Notes		Alteration		Mineralization (wt%)		Endite															
Tcu	OxCo	CLT	Elev. Ft.	H ₂ O	Rock	Code	WC	YC	OS	Cbz	Kso	CH	FeOx	FeSt	C.Ox	CuSt	Py	Pysl	Cs	CoSl	Cpy	CpySl	Orr 1	Orr 2	Othar	Oxide	
			25.0			PALT:																					VERY LIGHT YELLOWISH BROWN CLAY
			21.5			SALT:																					CLAY - LESS THAN ABOVE - BLOCKY -
			17.5			CLAY:																					NUMEROUS ANGULAR COARSE SAND
			30.0			LCAP:																					FRAGMENTS - MOIST LESS HARD THAN
			30.0			PALT:																					ABOVE. 30-35% CLAY SOME PEBBLE
			30.0			SALT:																					LIGHT GRAY MOIST CLAY W/
			30.0			CLAY:																					NUMEROUS ANGULAR COARSE
			32.5			LCAP:																					SANDS PEBBLES ~30% CLAY
			32.5			PALT:																					DOES NOT FORM BALLS.
			32.5			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					
			36.0			SALT:																					
			36.0			CLAY:																					
			36.0			LCAP:																					
			36.0			PALT:																					

Project: IASIB DUMP CHARACTERISTICS

Project: IASIBCS,
File Number: SIA-2

North's: 9431.726

Easting: 16943.572

65. 6158.877

LOCATED BY: R. J. WAIDLER

Date Dr: 09-14-05 Type:

Note Cards:

Orientation

Loc: 105 57:

Compos:

Drill Hole Logging Form
Project: **LAST B DUMP CHARACTERISTICS**

Hole Number: **31A-2**

Northings:

Eastings:

C.E.:

Date Drilled: **09-14-05**

Hole Depth:

Orientation:

Logged by: **RJW**

Analysis			Interval		Dml Log		Graph's Log		Graph's Log Notes		Alteration		Alteration		Mineralization (vol%)												Enrich		Notes					
Tcu	OrCu	CLT	Elev.	FL	H ₂ O	Rock			Code	WC	YC	OS	Da	Kso	Ch	FeCa	FeSt	CuOx	CuSt	Py	PjS	Ce	CoSt	Cpy	CoSt	Om.1	Om.2	Other	Grade	(Rock Description, Alteration, Mineralization, Structure)				
			30						PALT:																						MEDIUM TO DARK RED CLAY MATRIX			
			31.5						SALT:																						~20-25% CLAY - STICKY - FORMS BALLS			
			32.5						CLAY:																						w/ ANGULAR COARSE SAND GRAVEL			
			33.5						LCAP:																						NO LARGE ROCK FRAGMENTS			
			34.5						PALT:																						MOIST CLAY STICKY			
			35.5						SALT:																						FROM 27.5 TO 29' - DRY MOSTLY ROCK			
			36.5						CLAY:																						FRAGMENTS UP TO 3" ACROSS			
			37.5						LCAP:																						FROM 29' TO 30' - WET - MEDIUM			
			38.5						PALT:																						CLAY ~ 25% HEAVY STICKY FORMS			
			39.5						SALT:																						BALLS; w/ ANGULAR COARSE SAND GRAVEL			
			40.5						CLAY:																						MEDIUM RED CLAY MATRIX ~ 15%			
			41.5						LCAP:																						CLAY w/ NUMEROUS ROCK FRAGMENTS			
			42.5						PALT:																						& COARSE ANGULAR SAND MOIST			
			43.5						SALT:																						ROCK FRAGMENTS UP TO 3" ACROSS			
			44.5						CLAY:																						CLAY DOES NOT FORM BALLS			
			45.5						LCAP:																						MEDIUM RED CLAY MATRIX ~ 15%			
			46.5						PALT:																						CLAY w/ NUMEROUS ROCK FRAGMENTS			
			47.5						SALT:																						UP TO 3" ACROSS. ANGULAR COARSE			
			48.5						CLAY:																						SAND & GRAVEL CLAY STICKY BUT MOIST			
			49.5						LCAP:																						DOES NOT FORM BALLS TOO MUCH SAND			
			50.5						PALT:																						DEEP RED HEAVY STICKY CLAY			
			51.5						SALT:																						~ 25% FORMS BALLS - WITH ANGULAR			
			52.5						CLAY:																						COARSE SAND GRAVEL & ROCK			
			53.5						LCAP:																						FRAGMENTS UP TO 3" ACROSS			
			54.5						PALT:																						MOIST			
			55.5						SALT:																						FROM 37.5 TO 53.5 SAME AS ABOVE			
			56.5						CLAY:																						HEAVY STICKY BALLING, CLAY MOIST			
			57.5						LCAP:																						FROM 38.5 TO 40' - DRY LARGE			
			58.5						PALT:																						6" ACROSS TO GRAVEL SIZED			
			59.5						SALT:																						ROCK FRAGMENTS - NO CLAY			
			60.5						CLAY:																						MEDIUM RED CLAY MATRIX			
			61.5						LCAP:																						~ 15% TO 20% CLAY - DOES NOT BALL			
			62.5						PALT:																						w/ ANGULAR COARSE SAND & GRAVEL			
			63.5						SALT:																						NO LARGE ROCK FRAGMENTS			
			64.5						CLAY:																						MOIST			
			65.5						LCAP:																						MEDIUM RED STICKY CLAY ~ 20%			
			66.5						PALT:																						15% FAIRLY FORMS BALLS - w/			
			67.5						SALT:																						INCLUDES ANGULAR COARSE SAND			
			68.5						CLAY:																						GRAVEL NO LARGE ROCK FRAGMENTS			
			69.5						LCAP:																						MOIST			
			70.5						PALT:																						MEDIUM RED CLAY MATRIX ~ 15%			
			71.5						SALT:																						CLAY - DOES NOT BALL - BLOCKY			
			72.5						CLAY:																						ANGULAR DAMP w/ ANGULAR			
			73.5						LCAP:																						COARSE SAND GRAVEL & SOME			
			74.5						PALT:																						ROCK FRAGMENTS UP TO 3" ACROSS			
			75.5						SALT:																						LIGHT BROWN SANDY CLAY - 30%			
			76.5						CLAY:																						CLAY - WET FORMS BALLS - w/			
			77.5						LCAP:																						ANGULAR COARSE SAND GRAVEL			
			78.5						PALT:																						NO LARGE ROCK FRAGMENTS			
			79.5						SALT:																									
			80.5						CLAY:																									
			81.5						LCAP:																									

END MATHEMATICS SECTION

840
MAY 2008
SECTION

Project: SIA-2
Hole Number: 07-15-05
Date Drilled: 07-15-05
Type:
Northings:
Hole Depth:
Eastings:
Orientation:
C.E.: RJW
Logged by: RJW

Analysis			Interval		Drill Log		Grain Log		Grain Log Notes		Alteration		Alteration										Mineralization (vol%)										Enter	Notes	
Ten	Cu	CLT	Ev.	Ft	H ₂ O	Rock			Code	WC	YC	CS	Qz	Ksp	Ch	FeC	FeSt	CuOx	CuSt	Py	PySt	Cc	CcSt	Cpy	CpySt	Om n1	Om n2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)					
				100.0					PALT:																						DRY, CHROMIT ALTERED MP				
				102.5					SALT:																						FRAGMENTS, GRAVEL, CLAY, SAND				
				102.5					CLAY:																						SIZE UP TO 4" ACROSS, DAMP TO				
				105.0					LCAP:																						ALMOST DRY, CLAY ~ 10%				
				105.0					PALT:																						LIGHT BROWN COLOR				
				107.5					SALT:																						NUMEROUS FRAGMENTS OF ALTERED				
				107.5					CLAY:																						MP UP TO 3" ACROSS, GRAY TO LIGHT				
				110.0					LCAP:																						BROWN CLAY SAND, GRAVEL, DAMP				
				110.0					PALT:																						TO ALMOST DRY.				
				110.0					SALT:																						LAST THREE INTERVALS ALL VERY				
				110.0					CLAY:																						SIMILAR - DAMP TO ALMOST DRY				
				110.0					LCAP:																						NUMEROUS FRAGMENTS OF ALTERED				
				110.0					PALT:																						MP, CLAY, SAND GRAVEL LIGHT				
				110.0					SALT:																						GRAYISH BROWN FRAGMENTS UP				
				110.0					CLAY:																						TO 3" ACROSS, ~ 15% CLAY				
				110.0					LCAP:																						NON-BALLING.				
				110.0					PALT:																							E.U.N. @ 110'			
				110.0					SALT:																										
				110.0					CLAY:																										
				110.0					LCAP:																										
				110.0					PALT:																										
				110.0					SALT:																										
				110.0					CLAY:																										
				110.0					LCAP:																										
				110.0					PALT:																										
				110.0					SALT:																										
				110.0					CLAY:																										
				110.0					LCAP:																										
				110.0					PALT:																										
				110.0					SALT:																										
				110.0					CLAY:																										
				110.0					LCAP:																										

Phelps Dodge Tyro Mine - Geological Services

Drill Hole Logging Form

Precinct: 1A & 2B Sample Characterization

Hole Number: SA1-3

Northing: 10092.41

Date Drilled: 9-15-05 Type: Sonic Hole Depth: 310'

Easting: 18990.928

CE: 6169.825

Orientation: -70°

Logged by: A. Londe

Page: 1 of 5

* Golder removed some material listed below.

Analysis			Interval	Drill Log	Graphic Log	Graphic Log Notes	Alteration	Alteration										Mineralization (Vol%)										Enrich	Notes
Ten	Oxide	CLT	Elev.	FL	H ₂ O	Rock	Code	WC	YC	OS	Qz	Ksp	Chl	FeOx	FeS	CuOx	CuS	Py	PySt	Cc	CeSt	Cpy	CpySt	Cmst	Cmst2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
				0			PALT:																					Light brown, grey to clay	
							SALT:																					Adm. with clay, forms clay	
							CLAY:																					balls / grains (to 1.5")	
				2.5			LCAP:																						will compact under shovel
							PALT:																						Gray to minor red boulders, cobbles
				2.5			SALT:																						to gravel (up to 5") dry to
							CLAY:																						loosely sandy or sticky
							LCAP:																						times in 2" support shovel
				5.0			PALT:																						Orange to white sand gravel,
				5.0			SALT:																						with minor clay, barely forms
							CLAY:																						gritty clay balls, wet to 5.5" cobbles
							LCAP:																						in 5% clay, damp, wet in
				7.5			PALT:																						clay, will support shovel
				7.5			SALT:																						Orange to brown, gravel
							CLAY:																						cobbles, sand, clay, 1/2"
							LCAP:																						clay, will form clay balls
				10.0			PALT:																						damp, clay is moist, will
				10.0		Golden 9.35 lbs. removed	SALT:																					compact under shovel	
							CLAY:																						tan, brown, orange gravel,
				2.5			LCAP:																						clay, minor cobbles (up to 2.5")
							PALT:																						clay forms gritty balls, damp
							SALT:																						will compact under shovel
							CLAY:																						15% clay
Composite:				12.5			PALT:																						Brown, tan yellow clay, cobbles
							SALT:																						(up to 4.5") and gravel, clay
							CLAY:																						will form gritty balls, damp
				15.1			LCAP:																						15% clay, will compact under
							PALT:																						shovel
							SALT:																						Red light brown, grey gravel
				15.9			CLAY:																						clay & cobbles (up to 4.5")
							LCAP:																						1 1/2" clay, middle wet to damp
							PALT:																						forms gritty clay balls
				17.5			SALT:																						will support shovel
				17.5			CLAY:																						Red to white gravel, clay &
							LCAP:																						cobbles (up to 2.5") clay forms
							PALT:																						gritty balls, is mildly wet to
				20.0			SALT:																						damp, will compact under shovel
							CLAY:																						20% clay
				20.0			LCAP:																						Red light brown, white yellow
							PALT:																						gravel, cobbles (up to 2.5") minor
							SALT:																						about 10% clay, will form
							CLAY:																						gritty clay balls, damp, will
				21.5			LCAP:																						compact under shovel
				22.5			PALT:																						Red light brown, white yellow
							SALT:																						gravel, cobbles (up to 2.5")
							CLAY:																						about 10% clay, will form
							LCAP:																						gritty clay balls, will compact
				25'			PALT:																						under shovel
							SALT:																						
							CLAY:																						
							LCAP:																						
Composite:				25'			PALT:																						
							SALT:																						
							CLAY:																						
							LCAP:																						

Oct 28 04 03:48a

Careers:

On5 Hole Logging Form
Project: A & IB Dump Characterization

Hold Number: S1A-3

Hold Number: S1A-3

Date Printed: 9-15-05

Nerching:

Hold Breath: 110'

Easting:

Orientation: -90°

C.E.:

Logged by: A. Lande

Interval taken by
Golder for analysis

Golden	
8,40 lbs.	
removed	

Date Dated: 7-5-35 Type: S. O. N. A.

Ho's Dept: 1145

Orientation: -90°

Logged by A. Landa

Page: 4 of 5

Date Drilled: 7-5-75 Type: 350		Hole Depth: 110		Analysis		Interval		Core Log		Graphic Log		Alteration		Chemical		Mineralization (vol%)		Fission		Notes															
Tau	Cu	CLT	Elev	FL	H ₂ O	Rock							Code	WC	VC	GS	Os	Ks	CN	FaOx	FeSt	CuOx	CuSt	Fy	PySt	Cc	CoSt	Cpy	CpySt	Crn1	Orn1	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)	
			75										FALT:																						Red. white - 75% calc. up to 2.5'
			73.5										FALT:																						Red. white - 75% calc. up to 2.5'
			72.5										FALT:																						Red. white - 75% calc. up to 2.5'
			71.5										FALT:																						Red. white - 75% calc. up to 2.5'
			70.5										FALT:																						Red. white - 75% calc. up to 2.5'
			70										FALT:																						Red. white - 75% calc. up to 2.5'
			69.5										FALT:																						Red. white - 75% calc. up to 2.5'
			69										FALT:																						Red. white - 75% calc. up to 2.5'
			68.5										FALT:																						Red. white - 75% calc. up to 2.5'
			68										FALT:																						Red. white - 75% calc. up to 2.5'
			67.5										FALT:																						Red. white - 75% calc. up to 2.5'
			67										FALT:																						Red. white - 75% calc. up to 2.5'
			66.5										FALT:																						Red. white - 75% calc. up to 2.5'
			66										FALT:																						Red. white - 75% calc. up to 2.5'
			65.5										FALT:																						Red. white - 75% calc. up to 2.5'
			65										FALT:																						Red. white - 75% calc. up to 2.5'
			64.5										FALT:																						Red. white - 75% calc. up to 2.5'
			64										FALT:																						Red. white - 75% calc. up to 2.5'
			63.5										FALT:																						Red. white - 75% calc. up to 2.5'
			63										FALT:																						Red. white - 75% calc. up to 2.5'
			62.5										FALT:																						Red. white - 75% calc. up to 2.5'
			62										FALT:																						Red. white - 75% calc. up to 2.5'
			61.5										FALT:																						Red. white - 75% calc. up to 2.5'
			61										FALT:																						Red. white - 75% calc. up to 2.5'
			60.5										FALT:																						Red. white - 75% calc. up to 2.5'
			60										FALT:																						Red. white - 75% calc. up to 2.5'
			59.5										FALT:																						Red. white - 75% calc. up to 2.5'
			59										FALT:																						Red. white - 75% calc. up to 2.5'
			58.5										FALT:																						Red. white - 75% calc. up to 2.5'
			58										FALT:																						Red. white - 75% calc. up to 2.5'
			57.5										FALT:																						Red. white - 75% calc. up to 2.5'
			57										FALT:																						Red. white - 75% calc. up to 2.5'
			56.5										FALT:																						Red. white - 75% calc. up to 2.5'
			56										FALT:																						Red. white - 75% calc. up to 2.5'
			55.5										FALT:																						Red. white - 75% calc. up to 2.5'
			55										FALT:																						Red. white - 75% calc. up to 2.5'
			54.5										FALT:																						Red. white - 75% calc. up to 2.5'
			54										FALT:																						Red. white - 75% calc. up to 2.5'
			53.5										FALT:																						Red. white - 75% calc. up to 2.5'
			53										FALT:																						Red. white - 75% calc. up to 2.5'
			52.5										FALT:																						Red. white - 75% calc. up to 2.5'
			52										FALT:																						Red. white - 75% calc. up to 2.5'
			51.5										FALT:																						Red. white - 75% calc. up to 2.5'
			51										FALT:																						Red. white - 75% calc. up to 2.5'
			50.5										FALT:																						Red. white - 75% calc. up to 2.5'
			50										FALT:																						Red. white - 75% calc. up to 2.5'
			49.5										FALT:																						Red. white - 75% calc. up to 2.5'
			49										FALT:																						Red. white - 75% calc. up to 2.5'
			48.5										FALT:																						Red. white - 75% calc. up to 2.5'
			48										FALT:																						Red. white - 75% calc. up to 2.5'
			47.5										FALT:																						Red. white - 75% calc. up to 2.5'
			47										FALT:																						Red. white - 75% calc. up to 2.5'
			46.5										FALT:																						Red. white - 75% calc. up to 2.5'
			46										FALT:																						Red. white - 75% calc. up to 2.5'
			45.5										FALT:																						Red. white - 75% calc. up to 2.5'
			45										FALT:																						Red. white - 75% calc. up to 2.5'
			44.5										FALT:																						Red. white - 75% calc. up to 2.5'
			44										FALT:																						Red. white - 75% calc. up to 2.5'
			43.5										FALT:																						Red. white - 75% calc. up to 2.5'
			43										FALT:																						Red. white - 75% calc. up to 2.5'
			42.5										FALT:																						Red. white - 75% calc. up to 2.5'
			42										FALT:																						Red. white - 75% calc. up to 2.5'
			41.5										FALT:																						Red. white - 75% calc. up to 2.5'
			41										FALT:																						Red. white - 75% calc. up to 2.5'
			40.5										FALT:																						Red. white - 75% calc. up to 2.5'
			40										FALT:																						

Correspondence:

On5 Hole Logging Form
Project: A & IB Dump Characterization

Hold Number: S1A-3

Hold Number: S1A-3

Date Printed: 9-15-05

Nerching:

Hold Breath: 110'

Easting:

Orientation: -90°

C.E.:

Logged by: A. Lande

Composée:

P. 12

Oct 28 04 03:49a

Phelps Dodge Tyrone Mine - Geological Services

C-3 Hole Logging Form

Project: LA #20 Stockpile Characterization

Hole Number: SLA-3

Date Drilled: 9-5-05 Type: Sonar

North ing:

Hole Depth: 111'

Easting:

Orientation: -90°

C.E.:

Logged by: A. Londe

* Golder removed some material listed below.

Page: 4 of 5

Date Drilled: 7-5-05 Type: 3 3/4" Hole Depth: 114'			Interval			Core Log			Graphic Log			Graphic Log Notes			Alteration			Mineralization (wt%)												Errors		Notes	
Ten	CaCu	CLT	Elev	FL	H ₂ O	Rock											FeOx	FeSt	CuOx	CuSt	Fy	PySt	Cc	CoSt	Cpy	CpySt	Orin1	Orin2	Other	Oxide	(Rock Description, Alteration, Mineralization, Structure)		
			75																													Red. white to 2.5' coarse gravel to 2.5'	
			73.5																													gravel to 2.5' (K503) damp	
			72.5																													in clay matrix, will support shovel	
			71.5																														
			70.5																														
			70																														
			69.5																														
			69																														
			68.5																														
			68																														
			67.5																														
			67																														
			66.5																														
			66																														
			65.5																														
			65																														
			64.5																														
			64																														
			63.5																														
			63																														
			62.5																														
			62																														
			61.5																														
			61																														
			60.5																														
			60																														
			59.5																														
			59																														
			58.5																														
			58																														
			57.5																														
			57																														
			56.5																														
			56																														
			55.5																														
			55																														
			54.5																														
			54																														
			53.5																														
			53																														
			52.5																														
			52																														
			51.5																														
			51																														
			50.5																														
			50																														
			49.5																														
			49																														
			48.5																														
			48																														
			47.5																														
			47																														
			46.5																														
			46																														
			45.5																														
			45																														
			44.5																														
			44																														
			43.5																														
			43																														
			42.5																														
			42																														
			41.5																														
			41																														
			40.5																														
			40																														
			39.5																														
			39																														
			38.5																														
			38																														
			37.5																														
			37																														
			36.5																														
			36																														
			35.5																														

Drill Hole Logging Form

Drill Hole Logging Form
Project: 1 ft # 18 stockpile characterization

Home Number 5 1A-3

Non-Eng:

Mo's Death: 11/10/

Easting:

Orientation: -0.30

C.E.:

Loaned by: A. Lando

[illegible]

Drill Hole Logging Form

Drill Hole Logging Form
Project: 1 ft # 18 stockpile characterization

Hold Number 51A-3

Non-Eng:

Mo's Death: 11/10/19

Easting:

Orientation: -0.30

C.E.:

Logged by: A. Lando

[illegible]

Page: 1 of 1

* Golds removed material from intervals listed below.

Date Drilled 3-15-65 Type

[illegible]

Preps Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project **2A Sump Characteristics**

Hole Number: **SIA-4**

Date Cored: **9/15/05** Type: **Sonic**

North: **g**

Hole Depth: **150'**

Easting:

Orientation: **-90°**

C.E.:

Logged by: **A. Lande**

*Golder removed interval 37.5-40' and material from locations listed below.

Page: 2 of 6

Analysis		Interval	Core Log	Graphic Log	Graphic Log Notes	Alteration	Alteration														Enrich	Notes						
Tcu	Ox Cu	GLT	Elev.	FL	H ₂ O	Rock	Code	WC	VC	QS	Qz	Xep	Ch	FeOx	FeSt	C.Ox	CuSt	Pv	PySt	Cc	CcSt	Cpy	CpySt	Or 11	Qmz2	Other Oxide	(Rock Description, Alteration, Mineralization, Structure)	
			30.5				PALT:																					White-gray gravel & clay (up to 1.5") with some clay (25%) forms gritty clay balls will compact with weight of shovel.
			32.5				SALT:																					White-gray cobbles gravel & clay (up to 4" dia.) mildly wet clay forms balls mostly gritty will compact under shovel weight.
			35				CLAY:																					
			35				LCAP:																					
			37.5				PALT:																					Gray-brown cobbles and gravel ~10% mildly wet clay forms gritty clay balls (up to 3.5" cobbles) will support shovel
			37.5				SALT:																					
			40				CLAY:																					Gray gravel with minor cobbles (up to 2") and ~10% clay no clay balls too much sand will support a shovel.
			40				LCAP:																					
			42.5				PALT:																					Gray-white gravel & clay (up to 1.5" dia.) clay 35% mildly wet forms gritty clay balls, shovel will compact.
			42.5				SALT:																					
			45				CLAY:																					Gray-white boulders (up to 5") cobbles gravel & clay mildly wet (15% clay) forms gritty clay balls will compact under shovel
			45				LCAP:																					
			47.5				PALT:																					Gray-red thin boulders (up to 4") gravel some clay (15%) no clay balls damp will support shovel.
			47.5				SALT:																					
			50				CLAY:																					Gray gravel cobbles (up to 2.5") and clay (15-20%) damp to mildly wet will form gritty clay balls will compact under shovel.
			50				LCAP:																					
			52.5				PALT:																					Gray gravel (up to 1") and ~10% clay damp forms gritty clay balls will compact under shovel.
			52.5				SALT:																					
			55				CLAY:																					Gray-white boulders (up to 5") cobbles gravel & clay ~15% damp to dry will form gritty clay balls will support shovel
			55				LCAP:																					

Golder took this interval

Golder 10.55 lbs. Removed

* Golden removed material listed below Page 3 of 5

[illegible]

Phis is Dodge Tyronne Mine - Geological Services

Dr: Hole Logging Form

Project: **LH & LB stockpile Characterization**

Wade Number: **S1A-4**

Date Drilled: **9-6-05** Type: **Sonic**

Northings:

Hole Depth: **150'**

Eastings:

Orientation: **-90°**

C.E.:

Logged by: **A. Londe**

* Golden removed material from interval 80-90' listed below.

Analysis		Interval	Drill Log	Graphic Log	Graphic Log Notes	Alteration	Alteration										Mineralization (wt%)										Enrich	Notes
Ten	Oxide	CLT	Elev. / FL	H ₂ O / Rock		Code	WC	YC	OS	Cl	Ksc	CH	FeOx	FeSi	CuOx	ClEt	Py	P ₂ Si	Cc	CaSi	Cz	CaySi	Om	Om2	Om3	Om4	Oxide	(Rock Description, Alteration, Mineralization, Structural)
			80			PALT																						Light brown boulder gravel (up to 5") and clay (10%) damp to fine gritty clay balls. will compact under shovel
			82.5			PALT																						Brown-grey boulders cobbles (up to 5") and minor clay (2%) and clay balls. will support shovel
			85			PALT																						Light brown-grey cobbles gravel (up to 2") minor clay (5%) damp to fine gritty clay balls. will support shovel
			87.5			PALT																						Red, grey, yellow cobbles gravel (up to 2") and minor clay (5%) will form gritty clay balls. will support shovel
			90			PALT																						Red to grey cobbles, gravel (up to 2") minor clay (2%) damp to fine gritty clay balls. will support shovel
			92.5			PALT																						Red, tan, yellow boulders (up to 5") cobbles, gravel, minor clay (2.5%) clay balls. will support shovel
			95			PALT																						Red, yellow, grey boulders (up to 5") cobbles, gravel, minor clay (3.0%) will support shovel
			97.5			PALT																						Red, orange, grey boulders (up to 5") cobbles, gravel, minor clay (3.0%) will support shovel
			100			PALT																						Red, yellow, grey boulders (up to 5") cobbles, gravel, minor clay (3.0%) will support shovel
			102.5			PALT																						Red, yellow, grey boulders (up to 5") cobbles, gravel, minor clay (3.0%) will support shovel
			105			PALT																						Red, yellow, grey boulders (up to 5") cobbles, gravel, minor clay (3.0%) will support shovel

Composite:

* Golder removed material from intervals listed below, Page 5 of 6

Analysis		Interval	Drill Log	Graphic Log	Graphic Log Notes	Alteration	Alteration	Mineralization (vol%)												Enrich	Notes								
Tau	Cu/Cu	CLT	Elev.	FL	H ₂ O	Rock		Code	WC	YC	OS	Cx	Xan	CH	FeOx	FeS	CuOx	C.S.	Fy	PyS	Co	CcS	Cpy	CpyS	Cmn1	Cmn2	Other	Oxide	(Rock Description, Alteration, Mineralization Structure)
				105				PALT																					light brown, clay & gravel (up to 1") in clay matrix (25%)
				107.5				SALT																				*	clay balls taken, should be similar
				107.5				CLAY																					
				107.5				LCAP																					
				107.5				PALT																					white gray cobbles (up to 2.5")
				107.5				SALT																					gravel and very coarse clay
				107.5				CLAY																					forming clay balls, will support some gravel, (25% clay)
				110				LCAP																					
				110				PALT																					fine to coarse gravel, minor cobbles (up to 2")
				110				SALT																					finer clay (25%), no clay balls, will compact some under shovel
				110				CLAY																					
				112.5				LCAP																					
				112.5				PALT																				*	light brown, saturate clay
				112.5				SALT																					gravel, 50% clay, forms clay balls, intermediate gravel, should will sink in this zone
				112.5				CLAY																					"tooth pick"
				115				LCAP																					
				115				PALT																				*	too dark wet to mold in wet
				115				SALT																					clay (25%) forms clay balls, cobbles (up to 3") and gravel, will not support shovel
				115				CLAY																					
				117.5				LCAP																					
Composite				117.5				PALT																					Tan grey boulders (up to 5")
				117.5				SALT																					cobbles, gravel & clay (15%)
				117.5				CLAY																					will form gritty clay balls, mildly wet, will damp, will compact under shovel
				120				LCAP																					
				120				PALT																					tan grey cobbles (up to 2.5")
				120				SALT																					gravel & clay (15%) mildly wet, forms gritty clay balls, will compact under shovel
				120				CLAY																					
				122.5				LCAP																					
				122.5				PALT																				*	Tan grey boulders (up to 5")
				122.5				SALT																					cobbles, gravel & clay (10%)
				122.5				CLAY																					mildly wet, forms clay ball, will compact under shovel
				125				LCAP																					
				125				PALT																					Tan gravel (up to 1.5") and
				125				SALT																					some clay (25%) mildly wet, forms gritty clay balls, will compact some under shovel
				125				CLAY																					
				127.5				LCAP																					
				127.5				PALT																				*	Tan grey boulders (up to 5")
				127.5				SALT																					cobbles, gravel & clay (10%)
				127.5				CLAY																					mildly wet, forms clay ball, will support shovel
				130				LCAP																					
Composite				130				PALT																				*	Tan gravel (up to 1.5") and
				130				SALT																					some clay (25%) mildly wet, forms gritty clay balls, will compact some under shovel
				130				CLAY																					
				130				LCAP																					

Drill Hole Logging Form
Project 1A-1B Stockpile Characterization

Ho's Number: S 1 A-4

Nothing:

Easting:

C.E.

Orientation: $\sim 45^\circ$

Logged by: A. L. G. 10/10/10

Date Filed: 9/16/15 Type: 505c

Male Death: 1.50'

Dot 28 04 03:48a

Phepa Codge Tyrone Mine - Geological Services

D-3 Hole Logging Form

Project 1A-5 1B Stockpile Characterization

Hole Number: 51A-5

Northing: 9894.590

Date On: 9/16/05

Type: Core

Hole Depth: 200.5

Easting: 18440.855

Orientation: 4.00

C.E.: 6373.529

Logged by: A. Lunde

*Golden removed some sample listed below.

Page: 1 of 9

Analysis			Interval	Geo Log	Graphic Log Notes	Alteration										Mineralization (vol%)										Enrich	Notes		
Ten	Ox Cu	CLT	Elev. Ft	H ₂ O	Rock		Code	WC	YC	GS	Ch	FeOx	FeSt	CuOx	CuSt	Py	PyS	Cc	CcSt	Cpy	CpyS	Grnt	Grnt2	Other	Oxide	(Rock Description Alteration, Mineralization, Structure)			
			0				FALT:																				Tan - grey cobbles (up to 3.5")		
							SALT:																				gravel and clay, mildly wet to dry, forms gritty clay balls, will compact under shovel		
							CLAY:																						
			2.5				LCAP:																				tan, red, grey cobbles (up to 2.5")		
			2.5				FALT:																				gravel and clay (5%) damp		
							SALT:																				to mildly wet, forms clay balls, will compact under shovel		
							CLAY:																						
			5				LCAP:																						
			5				FALT:																				Grey, red boulders (up to 5")		
							SALT:																				cobbles, gravel, minor		
							CLAY:																				fines, no clay balls, will support shovel		
							LCAP:																						
			7.5				FALT:																						
			7.5				SALT:																				Tan red, grey boulders (up to 5")		
							CLAY:																				cobbles, gravel and clay (30%), forms gritty clay balls, damp will compact under shovel		
							LCAP:																						
			10				FALT:																				Grey, light brown, red boulders		
			10				SALT:																				(up to 5") cobbles, gravel & minor clay (20%), forms gritty clay balls, damp to dry will support shovel		
							CLAY:																						
							LCAP:																						
Corrected			12.5				FALT:																					Grey, red boulders cobbles, gravel, minor red clay, mildly wet to dry, forms gritty clay balls, will support under shovel	
			12.5				SALT:																						
							CLAY:																						
							LCAP:																						
			15				FALT:																				Red, orange, grey cobbles (up to 3") gravel and minor clay (2.5%) mildly wet to damp, forms gritty clay balls		
			15				SALT:																						
							CLAY:																						
							LCAP:																						
			17.5				FALT:																				grey red boulders (up to 5") gravel and some clay (40%) mildly wet to damp forms gritty clay balls, will compact minor under shovel		
			17.5				SALT:																						
							CLAY:																						
							LCAP:																						
			20				FALT:																				Grey, red boulders (up to 5") cobbles, gravel, track clay		
			20				SALT:																				No clay balls, will support shovel, damp		
							CLAY:																						
							LCAP:																						
			23.8				FALT:																				Grey, light brown, red boulders (up to 5") cobbles, gravel and minor clay (10%), clay balls, will support shovel, damp		
							SALT:																						
							CLAY:																						
							LCAP:																						
Corrected			25				FALT:																						

Golden
12.5 lbs.
Removed

Project: 2A-1B Stockpile Characterization

Hole Number: 51A-5

Necking:

Date Drilled: 9-16-05 Type: Sonic

Hole Depth: 200.5'

Easting:

Orientation: -90°

C.E.:

Logged by: A. Londe

Golder took 4.0-4.5 for analysis, page 2 of 1
and returned sample from interval listed below.

Analysis										Alteration										Mineralization (vol%)										Errors	Notes																				
Interval										Graphic Log										Graphic Log Notes										Alteration										Mineralization (vol%)										Errors	Notes
Tcz	Cu	OLT	Elev.	FL	H ₂ O	Rock				Code	WC	YC	OS	Oz	Ksp	Chl	FeOx	FeSi	CuOx	CuSt	Py	PySi	Cc	CsSt	Cpy	CpySt	Qtz-1	Omn2	Cther	Coxide	(Rock Description, Alteration, Mineralization, Structure)																				
			25							PALT:																						tan light brown cobbles (up to 2") gravel and minor clay damp to mildly wet, forms gritty clay balls (2-3"), will compact under shovel.																			
			27.5							LCAP:																						Orange, grey cobbles (up to 3") gravel and clay (4-5") mildly wet to damp, forms gritty clay balls, will compact under shovel.																			
			27.5							PALT:																						Red, grey cobbles (up to 2") gravel and clay (10-12") forms pretty clay balls, will compact under shovel, mildly wet to damp.																			
			30							SALT:																						Red, orange, grey cobbles (up to 4") gravel and clay (5-6") mildly wet, forms gritty clay balls, will compact under shovel.																			
			30							CLAY:																																									
			32.5							LCAP:																							Orange, grey boulders (up to 5") cobbles, gravel, and clay (2-3") damp to mildly wet, under gritty clay balls, will support shovel.																		
			32.5							PALT:																							Grey, light brown boulders cobbles / gravel and minor clay (3-4") damp to mildly wet, forms gritty clay balls, will support shovel.																		
			35							SALT:																							Brown, black, tan boulders (up to 6") cobbles, gravel, and clay (3-4") form gritty clay balls, will support shovel.																		
			35							CLAY:																							Light brown, grey, boulders cobbles & clay (5-6") mildly wet, forms clay balls, damp locally, will compact under shovel.																		
			37.5							LCAP:																							* Red, brown, gravel and clay (2-3") wet, forms clay balls, (mildly gritty); shovel will sink.																		
			37.5							PALT:																																									
			40							SALT:																																									
			40							CLAY:																																									
			42.5							LCAP:																																									
			42.5							PALT:																																									
			42.5							SALT:																																									
			45							LCAP:																																									
			45							PALT:																																									
			45							SALT:																																									
			47.5							CLAY:																																									
			47.5							LCAP:																																									
			47.5							PALT:																																									
			47.5							SALT:																																									
			50							CLAY:																																									
			50							LCAP:																																									

Felph Dodge Tyrone Mine - Geological Services

Drill Hole Logging Form

Project 1A & 1B Stockpile Characterization

Hole Number: S1A-5

Date Drilled: 9-17-05 Type: Sonic

Hole Depth: 200.5'

Estimate: -90°

C.E.: A. Londe

* Golden removed sample 1.0m interval 1st bin, Page: 3 of 9

Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015										Hole Data: 20015									
------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--	------------------	--	--	--	--	--	--	--	--	--

Compos

Oct 28 04 03:57a

Phelps Dodge Tyrone Mine - Geological Services

Drill Hole Log Form
Project: **2A# 2 ID stockpile characterization**

Hole Number: **SLA-5**

Date Drilled: **9-17-05** Type: **Sonic** Northings: **Hole Center 700.5'**

Easting:

Orientation: **-70°**

C.E.:

Logged by: **A. Landa**

Page: **4 of 9**

*Sider removed sample from intervals listed below,

Date Entered: 9-17-2025

Core Number: 2005

Core Type: Sonic

Location: -70°

Logged by: A. Lande

Orientation: Enrich

Notes: (Rock Description, Alteration, Mineralization, Structures)

Analyses		Interval	D-T Log	Graphic Log	Graphic Log Notes	Alteration	Alteration					Mineralization (wt%)										Enrich	Notes						
Tau	Ox	Cu	Qtz	Fe	Fe	Fe	WC	YC	OS	Qz	Ksp	Chl	FeOx	FeSi	DuOx	CuSi	Py	Pys	Cc	CcSi	Cpy	CpySi	Omin	Om	12	Other	Oxide	(Rock Description, Alteration, Mineralization, Structures)	
				75																									Grey orange Boulders (up to 5") cobbles, gravel, & minor clay (5%) Dry, no clay balls, will support shovel.
				77.5																									Grey orange Boulder (up to 5") cobbles, gravel, & trace fines. Dry to damp, will support shovel. No clay balls.
				80																									Light brown, yellow, grey Boulder (up to 5") cobbles, gravel and clay (10%) mild wet, clay balls, will compact under shovel.
				82.5																									Light brown, grey Boulders (up to 5") cobbles, gravel, clay (7%) mild wet to damp, clay balls, will compact under shovel.
				85																									Orange tan Boulders (up to 5") cobbles, gravel & minor fines. No clay balls, damp, will support shovel.
Composite				87.5																									Tan grey Boulders (up to 5") cobbles, gravel & clay (5%) damp fine, clay balls, will compact under shovel.
				90																									Light brown and cobbles gravel, minor fines (5%) clay, (up to 2.5") will compact under shovel.
				92.5																									Red grey cobbles (up to 2") gravel, clay (10%) mild wet, clay balls, will compact under shovel.
				95																									Red tan cobbles (up to 3.5") gravel and clay (15%) mild wet, fine clay balls, will compact under shovel.
				97.5																									Brown, red Boulder (up to 5") gravel, minor fines, damp will support shovel.
Composite				100																									

P. 15

Oct 28 04 03:57a

Press Dodge Tyrore Mine - Geological Services

Drill Hole Logging Form

Project: 1A & 1B Stockpile Characterization

Hole Number: SIA-5

Date Drilled: 9-17-05 Type: Sonic

Marking:

Hole Depth: 200.5

Easting:

Orientation: -90°

C.E.:

Logged by: A. Lande

* Goldier removed sample from interval listed below.

Page 5 of 7

Analysis		Interval	Drill Log	Graphic Log	Graphic Log Notes	Alteration		Mineralization (vol%)														Enrich		Notes				
Feu	CuCu	CLT	Elev.	Fl.	H ₂ O	Rock	Code	WC	YC	CS	CS	Ksc	CR	FeOx	FeSt	CuOx	ClSt	Py	P ₂ St	Cc	CoSt	Cpy	CoSt	Om	Om-2	Other	Oxide	
			120				PALT.																					Brown cobbles (up to 2.5") gravel and clay (13%) mildly wet to damp, forming clay balls, will support shovel.
			122.5				LCAP.																					Red grey boulder (up to 5") gravel, v. minor fines (13%) clay damp to dry, will support shovel.
			125				PALT.																					Grey, red boulders (up to 5") cobbles, v. minor fines, dry to damp, will support shovel.
			127.5				LCAP.																					Grey boulders (up to 5") cobbles, gravel, clay (13%) mildly wet, forming clay balls, will support shovel.
			130				PALT.																					Grey, yellow boulders (up to 5") gravel & minor clay (13%) damp, no clay balls, will support shovel.
			132.5				SALT.																					Grey boulders (up to 5") gravel, v. minor fines (13%) clay, no clay balls, damp, will support shovel.
			135				LCAP.																					Grey, yellow boulders (up to 5") cobbles and clay (13%) will form clay balls (brittle), damp, will support shovel.
			137.5				PALT.																					Brown gravel with minor fines (13%) clay, no clay balls, damp, will support a shovel.
			140				SALT.																					Grey, yellow boulders (up to 5") cobbles, gravel, (13%) clay, damp, no clay balls, will support a shovel.
			142.5				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			145				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			147.5				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			150				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			152.5				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			155				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			157.5				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			160				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			162.5				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			165				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			167.5				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			170				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			172.5				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			175				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			177.5				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			180				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			182.5				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			185				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			187.5				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			190				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			192.5				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			195				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			197.5				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			200				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			202.5				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			205				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			207.5				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			210				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			212.5				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			215				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			217.5				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			220				PALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			222.5				SALT.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.
			225				LCAP.																					Grey, yellow cobbles (up to 5") gravel & clay (13%) no clay balls, will support a shovel.

Oct 28 04 03:57a

Project: **1A & 1B Stackpile Characterization**Hole Number: **51A-B**Date Drilled: **9-17-05** Type: **Sonic**

Nearing:

Hole Depth: **720.5'**

Easting:

Orientation: **-90°**

C.E.:

Logged by: **A. Lande*** Golder took 145-147.5 for testing
and sample from interval listed below

Page: 6 of 9

Analysis		Interval	Drill Log	Graphic Log	Graphic Log Notes	Alteration		Alteration										Mineralization (wt%)										Errors	Notes	
Tau	Oxide	Grav.	Fl.	H ₂ O	Rock		Code	WC	VC	OS	Qtz	Ksp	Chl	FeOx	FeSt	CuCo	CuSi	Py	PySt	Ce	CoSi	Cey	CpySt	Om-1	Om-2	QtzSt	Caide		(Rock Description, Alteration, Mineralization, Structure)	
			125				PALT.																							Grey, fine mud cobbles (up to 2.5") gravel, minor clay (2%)
							SALT.																							No clay balls, damp, will support a shovel.
							CLAY.																							
			127.5				LCAP.																							
			128.5				PALT.																							
							SALT.																							
							CLAY.																							
			130				LCAP.																							
			132				PALT.																							
							SALT.																							
							CLAY.																							
			132.5				LCAP.																							
			132.5				PALT.																							
							SALT.																							
							CLAY.																							
			135				LCAP.																							
			135				PALT.																							
							SALT.																							
							CLAY.																							
			137.5				LCAP.																							
							PALT.																							
							SALT.																							
							CLAY.																							
			137.5				LCAP.																							
							PALT.																							
							SALT.																							
							CLAY.																							
			137.9				LCAP.																							
							PALT.																							
							SALT.																							
							CLAY.																							
			140				LCAP.																							
							PALT.																							
							SALT.																							
							CLAY.																							
			140				LCAP.																							
							PALT.																							
							SALT.																							
							CLAY.																							
			142.5				LCAP.																							
			142.5				PALT.																							
							SALT.																							
							CLAY.																							
			145				LCAP.																							
			145				PALT.																							
							SALT.																							
							CLAY.																							
			147.5				LCAP.																							
			147.5				PALT.																							
							SALT.																							
							CLAY.																							
			150				LCAP.																							

Golder Took
for testing

* Other removed sample from intervals listed below.

Analysis		Interval	Dist Loc	Graphic Loc	Graphic Log Notes	Alteration	Alteration										Alteration (vols)										Enrich	Notes	
Tcu	Ox Cu	CLT	Elev.	Ft	H ₂ O	Rock																							(Rock Description, Alteration, & Realization Structure)
				153																									Red grey boulders (up to 5")
																													clay, gravel, minor clay
																													(153) damp, will support
																													a shovel
				52.5																									Red brown cobbles (up to 3.5")
																													gravel, some clay (153)
																													forms clay balls, will
																													support a shovel, damp
				55																									Red grey, light brown, cobbles
																													up to 2.5" gravel & clay
																													(153) mildly wet to damp
																													forms clay balls, will support
																													under shovel
				57.5																									Grey, yellow boulders, gravel
																													(up to 5") and clay (153)
																													forms clay balls, damp
																													to mildly wet, will support
																													shovel
				60																									Yellow grey cobbles (up to 2")
																													gravel and clay (153)
																													damp, forms clay balls,
																													will support under shovel
				62.5																									* Red brown gravel (up to 1")
																													and clay (153), wet/saturated
																													will form a fine clay balls -
																													shovel will sink
				65																									* Brown cobbles (up to 2.5" gravel)
																													and clay (1202) wet to damp
																													partially saturated, shovel
																													will sink, forms clay
																													balls
				67.5																									Red grey cobbles (up to 4.5")
																													gravel and minor clay (1202)
																													dry to damp, no clay balls
																													will support a shovel
				70																									Red grey cobbles (up to 3.5")
																													gravel and minor clay (1202)
																													dry to damp, no clay balls
																													will support a shovel
				72.5																									Tan light brown cobbles
																													gravel (up to 2.5") and clay
																													(153) damp, forms clay
																													balls, will support under
																													shovel
				74																									

Drill Hole Logging Form

Project 1A & 1B Stockpile Characterization

Hole Number: S1A-5

Northing:

Date Drilled: 9-17-05 Type: Sonic Hole Depth: 200.5

Easting:

Orientation: -90°

G.E.:

Logged by: A. Landa

Analysis			Interval		Drill Log		Graphic Log		Geochem Log Notes		Alteration		Mineralization (vol%)												Enrich		Notes					
Ten	Oxide	Q/LT	Elev.	FL	H ₂ O	Rock			Code	WC	YC	OS	Qz	Ksp	Ch	FeOx	FeS	CuOx	CuSt	Py	PySt	Cc	CoSt	Cpy	CpySt	Cmm	Orn	Qz	Grain	Grain	(Rock Description, Alteration, Mineralization, Structure)	
			198						PALT:																						Orange grey gravel with some clay (ves?) mildly wet	
			200.5						CLAY:																						no clay (ves?) will compact under shove	
			Foot						LCAP:																							
									PALT:																							
									SALT:																							
									CLAY:																							
									LCAP:																							
									PALT:																							
									SALT:																							
									CLAY:																							
									LCAP:																							
									PALT:																							
									SALT:																							
									CLAY:																							
									LCAP:																							
									PALT:																							
									SALT:																							
									CLAY:																							
									LCAP:																							
									PALT:																							
									SALT:																							
									CLAY:																							
									LCAP:																							
									PALT:																							
									SALT:																							
									CLAY:																							
									LCAP:																							
									PALT:																							
									SALT:																							
									CLAY:																							
									LCAP:																							

Composites:

APPENDIX C
LABORATORY INDEX TESTING

APPENDIX C-1

2000 GRAIN-SIZE ANALYSIS

PERCENT PASSING


PARTICLE SIZE (mm)

Sieve Size (mm)	Percent Passing (%)
1000	100
750	100
600	100
425	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	100
200	100
150	100
125	100
100	100
75	100
60	100
425	100
375	100
300	100
250	1

20-Jan-00
MJK
DMD

GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: GTP-03/02

DEPTH (ft):

DESCRIPTION: Fine to coarse SAND,
and fine to coarse gravel,
some clay (SC)

MC (As tested): 1.0%

LL: 33

PL: 20

PI: 13


Gs: -

**TYRONE/STABILITY/
993-2546.001**

20-Jan-00
MJK
DMD

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: GTP-06/03

DEPTH (ft):

DESCRIPTION: Fine to coarse GRAVEL,
some fine to coarse sand,
little clay (GP-GC)

MC (As tested): 3.7%

LL: 42

PL: 20

PI: 22


Gs: -

**TYRONE/STABILITY/
993-2546.001**

22-Jan-00
MJK
DMD

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: GTP-09/05

DEPTH (ft):

DESCRIPTION: Fine to coarse GRAVEL,
some fine to coarse sand,
little clay (GP-GC)

MC (As tested): 3.3%

LL: 39

PL: 20

PI: 19


Gs: -

**TYRONE/STABILITY/
993-2546.001**

22-Jan-00
MJK
DMD

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: GTP-10/04

DEPTH (ft):

DESCRIPTION: Fine to coarse GRAVEL,
some fine to coarse sand,
some clay (GC)

MC (As tested): 3.4%

LL: 47

PL: 21

PI: 26

Gs: -

**TYRONE/STABILITY/
993-2546.001**

22-Jan-00
MJK
DMD

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

The graph illustrates the particle size distribution of a 100% sand sample. The x-axis represents the particle size in millimeters on a logarithmic scale, ranging from 1000 mm to 0.001 mm. The y-axis represents the percentage of particles passing through the sieve, ranging from 0% to 100%. The data points are connected by a smooth curve, showing that the majority of the sand particles are between 1 mm and 10 mm in size.

Particle Size (mm)	Percent Passing (%)
1000	100
750	100
600	100
475	100
300	100
250	87
200	81
150	74
100	61
75	49
60	37
47.5	26
37.5	20
30	16
25	14
20	11

22-Jan-00
MJK
DMD

GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO

The graph illustrates the particle size distribution of a 100% sand sample. The x-axis represents the particle size in millimeters on a logarithmic scale, with major ticks at 1000, 100, 10, 1, 0.1, 0.01, and 0.001. The y-axis represents the percentage of material passing through the sieve, ranging from 0 to 100 in increments of 10. The data points are connected by a smooth curve, showing that the majority of the sand is composed of particles between 100 and 10 mm in size.

Particle Size (mm)	Percent Passing (%)
1000	100
600	100
425	100
300	87
250	74
200	67
150	50
106	31
75	21
60	16
425	13
300	11
250	9
200	8

22-Jan-00
MJK
DMD

GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO

APPENDIX C-2

**2001 SOIL SUMMARY AND
GRAIN-SIZE ANALYSIS**

TABLE C-2.1
SUMMARY OF SOIL DATA

Sample Type	Sample Number	USCS Soil Classification	Atterberg Limits			Grain-size Distribution		
			LL	PL	PI	% Finer 3/4"	% Finer #4	% Finer #200
bucket	TYTP01-1	GC	38	17	21	77	48	13
	TYTP01-2	GW-GC	30	14	16	78	48	10
	TYTP01-3	GP-GC	36	18	18	75	38	9
	TYTP01-4	GC	40	17	23	76	53	15
	TYTP01-5	GC	39	16	23	79	49	15
	TYTP01-6	GW-GC	29	16	13	70	42	8
	TYTP01-7	SC	28	15	13	81	63	15
	TYTP01-8	SC	24	16	8	85	60	15
	TYTP01-9	GC	30	18	12	80	58	24
	TYTP01-10	SC	30	18	12	96	80	17
	TYTP01-11	GC	37	17	20	85	50	13
	TYTP01-12	GC	30	16	14	77	46	14

Notes:

LL = Liquid Limit


PL = Plastic Limit

PI = Plastic Index

USCS = Unified Soil Classification System

PCF = pounds per cubic foot

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: TYTP01-1

DEPTH (ft):

DESCRIPTION: Clayey gravel with sand (GC)

MC (As tested): 5.7%

LL: 38

PL: 17

PI: 21


Gs: Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

23-Oct-01
TM
NG

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: TYTP01-3

DEPTH (ft):

DESCRIPTION: Poorly graded gravel with clay and sand (GP-GC)

MC (As tested): 7.1%

LL: 36

PL: 18

PI: 18


Gs: Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

22-Oct-01
MP
NG

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
COBBLES	GRAVEL		SAND			FINES

SAMPLE #: TYTP01-4

DEPTH (ft):

DESCRIPTION: Clayey gravel with sand (GC)

MC (As tested): 3.3%

LL: 40

PL: 17

PI: 23


Gs: Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

18-Oct-01
TM
NG

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #:	TYTP01-5
DEPTH (ft):	
DESCRIPTION:	Clayey gravel with sand (GC)


MC (As tested):	10.1%
LL:	39
PL:	16
PI:	23
Gs:	Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

19-Oct-01
MC
NG

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: TYTP01-6

DEPTH (ft):

DESCRIPTION: Well-graded gravel with clay and sand (GW-GC)

MC (As tested): 6.3%

LL: 29

PL: 16

PI: 13


Gs: Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

19-Oct-01
MP
NG

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #:	TYTP01-7
DEPTH (ft):	
DESCRIPTION:	Clayey sand with gravel (SC)


MC (As tested):	7.5%
LL:	28
PL:	15
PI:	13
Gs:	Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

19-Oct-01
MP
NG

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #:	TYTP01-8
DEPTH (ft):	
DESCRIPTION:	Clayey sand with gravel (SC)


MC (As tested):	5.4%
LL:	24
PL:	16
PI:	8
Gs:	Gs

G & K / Tyrone Closure hearing / AZ
013-1595


24-Oct-01
MC
MB

GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES


SAMPLE #: TYTP01-10
 DEPTH (ft):
 DESCRIPTION: Clayey sand with gravel (SC)

MC (As tested): 3.7%
 LL: 30
 PL: 18
 PI: 12
 Gs: Gs

G&K/TYRONE CLOSURE HEARING/AZ
 013-1595.002

22-Oct-01
MP
NG

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES


SAMPLE #: TYTP01-11
 DEPTH (ft):
 DESCRIPTION: Clayey gravel with sand (GC)

MC (As tested): 7.8%
 LL: 37
 PL: 17
 PI: 20
 Gs: Gs

G&K/TYRONE CLOSURE HEARING/AZ
 013-1595.002

22-Oct-01
MP
NG

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #:	TYTP01-12
DEPTH (ft):	
DESCRIPTION:	Clayey gravel with sand (GC)


MC (As tested):	5.8%
LL:	30
PL:	16
PI:	14
Gs:	Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

22-Oct-01
MP
NG

**GOLDER ASSOCIATES INC.
LAKEWOOD, COLORADO**

**PARTICLE-SIZE DISTRIBUTION ASTM D 421 AND D 422
US STANDARD SIEVE OPENING SIZES**



COBBLES	Coarse	Fine	Cor	Med	Fine	Silt or Clay Size
	GRAVEL		SAND			FINES

SAMPLE #: TYTP01-2
DEPTH (ft):
DESCRIPTION: Well-graded gravel with clay and sand (GW-GC)

MC (As tested): 7.2%
LL: 30
PL: 14
PI: 16
Gs: Gs

**G&K/TYRONE CLOSURE HEARING/AZ
013-1595.002**

19-Oct-01
MC
NG

APPENDIX C-3

**2004 1C STOCKPILE SOIL SUMMARY
AND GRAIN-SIZE ANALYSIS**

TABLE C-3.1
SUMMARY OF SOIL DATA

Sample Type	Sample Number	Sample Depth (feet)	USCS Soil Classification	Delivered Moisture (%)	Atterberg Limits			Grain-size Distribution			Specific Gravity	Moisture/Density Relationship	
					LL	PL	PI	% Finer 3/4"	% Finer #4	% Finer #200		PCF (Dry)	Moist (%)
Bulk	GA04-TY-1-GT	--	GC	8.8	34	20	14	70	41	18	--	--	--
Bulk	GA04-TY-2-GT	--	GC	7.6	35	21	14	80	52	22	--	--	--
Bulk	GA04-TY-3-GT	--	GC	10.5	40	21	19	69	40	17	--	--	--
Bulk	GA04-TY-4-GT	--	GP-GC	1.9*	50	17	33	46	15	6	--	--	--
Bulk	GA04-TY-5-GT	--	GC	5.4	33	19	14	59	33	14	--	--	--
Bulk	GA04-TY-6-GT	--	GC	8.4	35	19	16	66	42	20	--	--	--
Bulk	GA04-TY-7-GT	--	GC	5.9	36	19	17	64	36	14	--	--	--
Bulk	GA04-TY-8-GT	--	GC	8.0	30	19	11	68	42	17	--	--	--

Notes:

* Delivered moisture content taken from Bulk sample due to no bag sample present

LL = Liquid Limit

PL = Plastic Limit

PI = Plastic Index

USCS = Unified Soil Classification System

PCF = pounds per cubic foot

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: GA04-TY-1-GT

Depth: --

TYPE: BULK



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	84.7	Coarse Gravel	29.82
1.0"	25.0	75.0		
0.75"	19.0	70.2		
0.375"	9.5	56.0	Fine Gravel	29.48
#4	4.8	40.7		
#10	2.00	36.3		
#20	0.85	31.5	Coarse Sand	4.36
#40	0.43	27.1		
#60	0.25	23.9	Medium Sand	9.30
#100	0.15	21.0		
#200	0.075	18.1		
			Fine Sand	8.96

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
8.8	34	20	14	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	18.09
0.034	16.0		
0.022	14.5		
0.013	13.0		
0.0091	11.9		
0.0065	10.4		
0.0032	7.8		
0.0014	5.4		

DESCRIPTION: Pale reddish brown clayey gravel with sand

USCS: GC

TECH: JR
DATE: 10/4/2004
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: GA04-TY-2-GT

Depth: --

TYPE: BULK



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	93.0	Coarse Gravel	20.18
1.0"	25.0	85.0		
0.75"	19.0	79.8		
0.375"	9.5	65.9	Fine Gravel	28.23
#4	4.8	51.6		
#10	2.00	45.8		
#20	0.85	38.5	Coarse Sand	5.77
#40	0.43	32.8		
#60	0.25	28.9	Medium Sand	13.05
#100	0.15	25.3		
#200	0.075	21.9		
			Fine Sand	10.91

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
7.6	35	21	14	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	21.86
0.034	18.2		
0.022	16.9		
0.013	15.8		
0.0090	14.5		
0.0065	12.9		
0.0032	9.7		
0.0014	6.2		


DESCRIPTION: Pale reddish brown clayey gravel with sand

USCS: GC

TECH	JR
DATE	10/4/2004
REVIEW	MB

ASTM D421, D422, D4318


Depth: --



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

Particle Size			Particle Size	
	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
3.0"	75.0	100.0		
2.5"	63.5	100.0	Coarse Gravel	30.96
2.0"	50.0	100.0		
1.5"	37.5	86.6		
1.0"	25.0	76.8		
0.75"	19.0	69.0		
0.375"	9.5	52.9	Fine Gravel	29.30
#4	4.8	39.7		
#10	2.00	35.7		
#20	0.85	30.4	Coarse Sand	4.08
#40	0.43	25.8	Medium Sand	9.81
#60	0.25	22.6		
#100	0.15	19.7	Fine Sand	9.02
#200	0.075	16.8		

Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	16.83
	0.035	14.5		
	0.022	13.2		
	0.013	12.6		
	0.0091	11.3		
	0.0064	10.4		
	0.0032	7.6		
	0.0014	5.2		



M _c	LL	PL	PI	SpG (assumed)
10.5	40	21	19	2.70

USCS:	GC
-------	----

TECH	JR
DATE	10/4/2004
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: GA04-TY-4-GT

Depth: --

TYPE: BULK



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	85.9	Coarse Gravel	53.75
1.0"	25.0	61.7		
0.75"	19.0	46.2		
0.375"	9.5	24.9	Fine Gravel	31.30
#4	4.8	14.9		
#10	2.00	12.8		
#20	0.85	10.7	Coarse Sand	2.13
#40	0.43	9.2	Medium Sand	3.65
#60	0.25	8.2		
#100	0.15	7.3	Fine Sand	3.03
#200	0.075	6.1		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
1.9	50	17	33	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	6.14
0.034	5.3		
0.022	4.8		
0.013	4.5		
0.0090	4.2		
0.0065	3.9		
0.0032	3.2		
0.0014	2.6		

DESCRIPTION: Grayish orange poorly graded gravel with clay and sand

USCS: GP-GC

TECH: JR
DATE: 10/4/2004
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: GA04-TY-5-GT

Depth: --

TYPE: BULK




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	3.05
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	97.0	Coarse Gravel	37.83
1.5"	37.5	78.1		
1.0"	25.0	66.3		
0.75"	19.0	59.1		
0.375"	9.5	44.9	Fine Gravel	26.07
#4	4.8	33.1		
#10	2.0	29.9	Coarse Sand	3.14
#20	0.85	25.0	Medium Sand	8.74
#40	0.43	21.2		
#60	0.25	18.5	Fine Sand	7.29
#100	0.15	16.3		
#200	0.075	13.9		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
5.4	33	19	14	2.70

Hydrometer Analysis

(mm)	% Finer	Classification	Percentage
0.034	12.3	Fines Silt or Clay	13.89
0.022	11.0		
0.013	10.3		
0.0091	9.1		
0.0065	8.2		
0.0032	5.8		
0.0014	4.1		

DESCRIPTION: Light brown clayey gravel with sand

USCS: GC

TECH: JR
DATE: 10/4/2004
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: GA04-TY-6-GT

Depth: --

TYPE: BULK



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	2.40
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	97.6	Coarse Gravel	31.80
1.5"	37.5	83.8		
1.0"	25.0	73.9		
0.75"	19.0	65.8		
0.375"	9.5	50.4	Fine Gravel	23.60
#4	4.8	42.2		
#10	2.0	39.2		
#20	0.85	33.6		
#40	0.43	28.8	Medium Sand	10.36
#60	0.25	25.8		
#100	0.15	22.9		
#200	0.075	19.9		
			Fine Sand	8.91

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
8.4	35	19	16	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	19.94
0.033	17.2		
0.021	16.1		
0.012	14.6		
0.0089	13.1		
0.0064	11.8		
0.0032	9.0		
0.0014	6.6		

DESCRIPTION: Moderate yellowish brown clayey gravel with sand

USCS: GC

TECH	JR
DATE	10/4/2004
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: GA04-TY-7-GT

Depth: --

TYPE: BULK



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	36.16
3.0"	75.0	100.0		
1.5"	37.5	86.2		
1.0"	25.0	73.3		
0.75"	19.0	63.8	Fine Gravel	27.96
0.375"	9.5	45.4		
#4	4.8	35.9		
#10	2.0	30.0	Coarse Sand	5.86
#20	0.85	25.0	Medium Sand	8.73
#40	0.43	21.3		
#60	0.25	18.8	Fine Sand	6.95
#100	0.15	16.7		
#200	0.075	14.3		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
5.9	36	19	17	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	14.33
0.035	12.5		
0.022	11.7		
0.013	10.9		
0.0091	10.4		
0.0065	9.2		
0.0032	7.2		
0.0014	4.5		

DESCRIPTION: Dark yellowish orange clayey gravel with sand

USCS: GC

TECH	JR
DATE	10/4/2004
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: GA04-TY-8-GT

Depth: --

TYPE: BULK




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	31.70
1.5"	37.5	85.5		
1.0"	25.0	75.0		
0.75"	19.0	68.3		
0.375"	9.5	53.7	Fine Gravel	26.15
#4	4.8	42.2		
#10	2.0	37.4	Coarse Sand	4.74
#20	0.85	31.0	Medium Sand	11.22
#40	0.43	26.2		
#60	0.25	22.9	Fine Sand	8.85
#100	0.15	20.2		
#200	0.075	17.3		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
8.0	30	19	11	2.70

Hydrometer Analysis

(mm)	% Finer		
0.035	14.8	Fines Silt or Clay	17.34
0.022	13.4		
0.013	12.7		
0.0093	11.6		
0.0066	10.2		
0.0032	8.4		
0.0014	6.1		

DESCRIPTION: Moderate yellowish brown clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 10/4/2004
REVIEW: MB

APPENDIX C-4

**2004 SONIC DRILLING SOIL SUMMARY
AND GRAIN-SIZE ANALYSIS**

TABLE C-4.1
SUMMARY OF SOIL DATA

Sample Type	Sample Number	Sample Depth (feet)	USCS Soil Classification	Delivered Moisture (%)	Atterberg Limits			Grain-size Distribution			Specific Gravity	Moisture/Density Relationship Standard Proctor	
					LL	PL	PI	% Finer 3/4"	% Finer #4	% Finer #200		PCF (Dry)	Moist (%)
Bulk	GA04-TY-1-GT	--	GC	8.8	34	20	14	70	41	18	--	--	--
Bulk	GA04-TY-2-GT	--	GC	7.6	35	21	14	80	52	22	--	--	--
Bulk	GA04-TY-3-GT	--	GC	10.5	40	21	19	69	40	17	--	--	--
Bulk	GA04-TY-4-GT	--	GP-GC	1.9*	50	17	33	46	15	6	--	--	--
Bulk	GA04-TY-5-GT	--	GC	5.4	33	19	14	59	33	14	--	--	--
Bulk	GA04-TY-6-GT	--	GC	8.4	35	19	16	66	42	20	--	--	--
Bulk	GA04-TY-7-GT	--	GC	5.9	36	19	17	64	36	14	--	--	--
Bulk	GA04-TY-8-GT	--	GC	8.0	30	19	11	68	42	17	--	--	--
Pail	TSGT-1	19-21	SC	--	25	14	11	86	65	23	2.91	--	--
Pail	TSGT-1	47-48.5	GC	--	29	16	13	61	41	15	--	--	--
Pail	TSGT-1	75-77	SC-SM	--	26	19	7	81	60	17	--	--	--
Pail	TSGT-1	88-90	GC	--	28	18	10	84	58	23	--	--	--
Pail	TSGT-1	102-104	GC	--	33	20	13	80	55	21	--	--	--
Pail	TSGT-1	140-142	GC	--	29	18	11	66	46	21	--	--	--
Pail	TSGT-1	158.5-160	GC	--	34	19	15	64	41	18	--	--	--
Pail	TSGT-1	184-186	GC	--	30	20	10	72	50	17	2.75	--	--
Pail	TSGT-1	211-214	SC	--	27	16	11	93	76	32	--	--	--
Pail	TSGT-1	228-230	GC	--	23	15	8	72	52	21	--	--	--
Pail	TSGT-1	250.5-253	SC	--	27	16	11	89	69	30	--	--	--
Pail	TSGT-1	298-300	SC	--	28	14	14	95	82	38	--	--	--
Pail	TSGT-1	310-312	GC	--	29	16	13	78	55	21	--	--	--
Pail	TSGT-1	327-329	SC-SM	--	21	15	6	83	67	24	--	--	--
Pail	TSGT-1	356-358	SC	--	32	16	16	80	65	26	--	--	--
Pail	TSGT-1	388-390	SC	--	26	15	11	93	82	35	2.70	--	--
Pail	TSGT-2	18-20	GC	--	27	16	11	72	47	16	2.89	--	--
Pail	TSGT-2	42-44	GP-GC	--	22	14	8	64	37	12	--	--	--
Pail	TSGT-2	140-142	SC	--	34	20	14	86	63	18	--	--	--
Pail	TSGT-2	267-268.5	GC	--	29	19	10	66	46	12	--	--	--
Pail	TSGT-3	18-20	SC	--	28	17	11	94	66	16	2.69	--	--
Pail	TSGT-3	58-60	GC	--	29	17	12	85	56	15	--	--	--
Pail	TSGT-3	156-158	SC	--	29	15	14	94	75	28	--	--	--
Pail	TSGT-3	248-250	GC	--	28	17	11	74	56	22	2.78	--	--
Pail	TSGT-4	12-14	GC	--	34	18	16	78	55	21	2.83	--	--
Pail	TSGT-4	69-71	GC	--	36	20	16	64	34	12	--	--	--
Pail	TSGT-4	117-119	GC	--	35	20	15	68	38	14	2.73	--	--
Pail	TSGT-4	152-154	GC	--	31	18	13	88	55	18	2.66	--	--
Pail	TSGT-4	183-185	SC	--	31	19	12	94	78	24	2.71	--	--
Pail	TSGT-4	221-223	GC	--	29	17	12	78	47	16	--	--	--
Pail	TSGT-4	265-269	SM	--	NP	NP	NP	97	90	22	--	--	--

Notes:

* Delivered moisture content taken from Bulk sample due to no bag sample present

LL = Liquid Limit

PL = Plastic Limit

PI = Plastic Index

USCS = Unified Soil Classification System

PCF = pounds per cubic foot

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 19-21

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	94.3	Coarse Gravel	13.90
1.0"	25.0	89.1		
0.75"	19.0	86.1		
0.375"	9.5	76.5	Fine Gravel	21.03
#4	4.8	65.1		
#10	2.0	53.6		
#20	0.85	43.0	Coarse Sand	11.49
#40	0.43	35.8		
#60	0.25	31.1	Medium Sand	17.79
#100	0.15	26.9		
#200	0.075	22.6		
			Fine Sand	13.19

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	25	14	11	2.91

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	22.59
0.033	17.2		
0.021	16.0		
0.012	14.4		
0.0087	13.5		
0.0062	11.9		
0.0031	9.4		
0.0013	5.0		

DESCRIPTION: Pale yellow clayey sand with gravel

USCS: SC

 TECH: MKS
 DATE: 6/15/2005
 REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 47-48.5

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	8.09
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	31.23
3.0"	75.0	91.9		
1.5"	37.5	74.9		
1.0"	25.0	65.7		
0.75"	19.0	60.7	Fine Gravel	19.83
0.375"	9.5	50.2		
#4	4.8	40.8		
#10	2.0	33.8	Coarse Sand	7.06
#20	0.85	26.8	Medium Sand	11.40
#40	0.43	22.4		
#60	0.25	19.6	Fine Sand	7.39
#100	0.15	17.4		
#200	0.075	15.0		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	29	16	13	2.70

Hydrometer Analysis

(mm)	% Finer	Classification	Percentage
0.035	12.1	Fines Silt or Clay	14.99
0.022	11.0		
0.013	10.2		
0.0092	9.6		
0.0066	8.8		
0.0033	6.7		
0.0014	4.7		

DESCRIPTION: Reddish yellow clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 6/15/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 75-77

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	18.91
1.5"	37.5	87.6		
1.0"	25.0	83.4		
0.75"	19.0	81.1		
0.375"	9.5	71.5	Fine Gravel	21.57
#4	4.75	59.5		
#10	2.0	50.7		
#20	0.85	38.1		
#40	0.43	29.9	Medium Sand	20.78
#60	0.25	24.8		
#100	0.15	21.0	Fine Sand	12.68
#200	0.075	17.2		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	26	19	7	2.70

Hydrometer Analysis

(mm)	% Finer		
0.035	12.5	Fines Silt or Clay	17.19
0.022	11.0		
0.013	10.7		
0.0092	9.5		
0.0065	9.2		
0.0032	6.5		
0.0014	3.3		

DESCRIPTION: Pale red silty, clayey sand with gravel

USCS: SC-SM

TECH DS
DATE 6/17/2005
REVIEW MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 88-90

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	94.6	Coarse Gravel	15.63
1.0"	25.0	89.4		
0.75"	19.0	84.4		
0.375"	9.5	71.0	Fine Gravel	25.95
#4	4.8	58.4		
#10	2.0	46.9		
#20	0.85	37.7	Coarse Sand	11.49
#40	0.43	32.3		
#60	0.25	28.9	Medium Sand	14.60
#100	0.15	26.0		
#200	0.075	22.7		
			Fine Sand	9.63

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	28	18	10	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	22.70
0.034	18.5		
0.022	17.6		
0.013	15.9		
0.0090	14.7		
0.0063	13.8		
0.0031	10.7		
0.0014	7.2		

DESCRIPTION: Light brown clayey gravel with sand

USCS: GC

TECH DS
DATE 6/15/2005
REVIEW MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 102-104

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification


Percentage

U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	19.55
1.5"	37.5	91.1		
1.0"	25.0	84.3		
0.75"	19.0	80.4		
0.375"	9.5	67.8	Fine Gravel	25.81
#4	4.75	54.6		
#10	2.0	45.8		
#20	0.85	36.8		
#40	0.43	30.9	Medium Sand	14.94
#60	0.25	27.1		
#100	0.15	24.2	Fine Sand	9.90
#200	0.075	21.0		

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	20.95
0.034	16.7		
0.022	15.6		
0.013	13.1		
0.0091	11.7		
0.0064	10.0		
0.0032	6.7		
0.0014	4.4		



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	33	20	13	2.70

DESCRIPTION: Weak red clayey gravel with sand

USCS: GC

TECH: MKS/DS

DATE: 6/17/2005

REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 140-142

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	33.72
1.5"	37.5	82.8		
1.0"	25.0	72.2		
0.75"	19.0	66.3		
0.375"	9.5	54.8	Fine Gravel	20.80
#4	4.8	45.5		
#10	2.0	39.6		
#20	0.85	33.3		
#40	0.43	28.9	Medium Sand	10.67
#60	0.25	25.9		
#100	0.15	23.5		
#200	0.075	20.6		
			Fine Sand	8.24

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	29	18	11	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	20.64
0.033	16.8		
0.021	15.6		
0.012	14.7		
0.0089	13.6		
0.0063	12.4		
0.0031	10.1		
0.0013	4.8		

DESCRIPTION: Pale yellow clayey gravel with sand

USCS: GC

TECH	DS
DATE	6/17/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 158.5-160

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	7.39
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	92.6	Coarse Gravel	28.99
1.5"	37.5	77.7		
1.0"	25.0	70.8		
0.75"	19.0	63.6		
0.375"	9.5	50.3	Fine Gravel	23.01
#4	4.8	40.6		
#10	2.0	35.4		
#20	0.85	29.6		
#40	0.43	25.8	Medium Sand	9.63
#60	0.25	23.0		
#100	0.15	20.7		
#200	0.075	18.1		
			Fine Sand	7.69

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	34	19	15	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	18.10
0.034	13.8		
0.022	12.5		
0.013	11.3		
0.0090	10.9		
0.0063	10.7		
0.0031	7.1		
0.0013	5.9		

DESCRIPTION: Pale olive clayey gravel with sand

USCS: GC

TECH	MKS
DATE	6/17/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 184-186

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	28.18
3.0"	75.0	100.0		
1.5"	37.5	82.4		
1.0"	25.0	74.7		
0.75"	19.0	71.8	Fine Gravel	21.50
0.375"	9.5	62.7		
#4	4.8	50.3		
#10	2.00	39.6	Coarse Sand	10.67
#20	0.85	30.5	Medium Sand	14.39
#40	0.43	25.3		
#60	0.25	21.9	Fine Sand	8.57
#100	0.15	19.5		
#200	0.075	16.7		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	30	20	10	2.75

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	16.68
0.034	12.9		
0.022	11.6		
0.013	10.2		
0.0090	8.9		
0.0064	7.9		
0.0031	5.0		
0.0014	3.0		

DESCRIPTION: Pale red clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 6/17/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 211-214

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	7.12
1.5"	37.5	97.5		
1.0"	25.0	95.1		
0.75"	19.0	92.9		
0.375"	9.5	85.6	Fine Gravel	16.51
#4	4.8	76.4		
#10	2.00	63.7		
#20	0.85	51.6		
#40	0.43	44.3	Medium Sand	19.45
#60	0.25	39.8		
#100	0.15	36.1		
#200	0.075	31.9		
			Fine Sand	12.42

U.S. Standard Sieves Sizes and Numbers



Hydrometer Analysis

(mm)	% Finer		
0.034	25.5	Fines Silt or Clay	31.86
0.022	23.6		
0.013	20.9		
0.0091	18.2		
0.0065	17.5		
0.0032	13.7		
0.0013	9.1		

ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	27	16	11	2.70

DESCRIPTION: Light brown clayey sand with gravel

USCS: SC

TECH DS
DATE 6/20/2005
REVIEW MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 228-230

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	28.41
1.5"	37.5	84.2		
1.0"	25.0	76.9		
0.75"	19.0	71.6		
0.375"	9.5	62.1	Fine Gravel	19.32
#4	4.8	52.3		
#10	2.00	45.5	Coarse Sand	6.78
#20	0.85	37.5	Medium Sand	13.78
#40	0.43	31.7		
#60	0.25	27.7	Fine Sand	11.19
#100	0.15	24.3		
#200	0.075	20.5		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	23	15	8	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	20.52
0.035	16.9		
0.022	15.1		
0.013	13.8		
0.0092	11.9		
0.0066	10.9		
0.0033	7.8		
0.0014	5.7		

DESCRIPTION: Pinkish grey clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 6/15/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 250.5-253

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size


Particle Size

U.S. Standard Sieves Sizes and Numbers

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	10.59
1.5"	37.5	97.3		
1.0"	25.0	91.6		
0.75"	19.0	89.4		
0.375"	9.5	80.7	Fine Gravel	20.02
#4	4.8	69.4		
#10	2.0	61.3	Coarse Sand	8.08
#20	0.85	50.6	Medium Sand	17.75
#40	0.43	43.6		
#60	0.25	38.9	Fine Sand	13.68
#100	0.15	34.7		
#200	0.075	29.9		

Hydrometer Analysis

(mm)	% Finer		
0.034	24.8	Fines Silt or Clay	29.89
0.021	22.3		
0.013	19.2		
0.0090	17.1		
0.0064	15.4		
0.0031	11.2		
0.0014	7.3		



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	27	16	11	2.70

DESCRIPTION: Weak red clayey sand with gravel

USCS: SC

TECH DS
DATE 6/17/2005
REVIEW MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 298-300

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	5.35
1.5"	37.5	100.0		
1.0"	25.0	96.9		
0.75"	19.0	94.6		
0.375"	9.5	89.0	Fine Gravel	12.34
#4	4.8	82.3		
#10	2.0	75.2		
#20	0.85	63.1		
#40	0.43	54.7	Medium Sand	20.50
#60	0.25	48.7		
#100	0.15	43.7		
#200	0.075	38.3		
			Fine Sand	16.35

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	28	14	14	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	38.33
0.033	29.3		
0.021	27.7		
0.012	24.4		
0.0089	22.8		
0.0063	21.6		
0.0031	16.3		
0.0013	11.8		

DESCRIPTION: Light brown clayey sand with gravel

USCS: SC

TECH	DS
DATE	6/17/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 310-312

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	21.96
3.0"	75.0	100.0		
1.5"	37.5	90.1		
1.0"	25.0	82.7		
0.75"	19.0	78.0	Fine Gravel	23.35
0.375"	9.5	65.1		
#4	4.8	54.7		
#10	2.00	46.1	Coarse Sand	8.57
#20	0.85	37.6	Medium Sand	14.30
#40	0.43	31.8		
#60	0.25	28.0	Fine Sand	10.55
#100	0.15	24.9		
#200	0.075	21.3		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	29	16	13	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	21.26
0.034	17.5		
0.022	15.1		
0.013	13.1		
0.0091	12.0		
0.0064	10.7		
0.0032	7.7		
0.0014	5.2		

DESCRIPTION: Pale yellow gravelly clay with sand

USCS: GC

TECH: MKS
DATE: 6/17/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 327-329

TYPE: Pail




COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	91.4	Coarse Gravel	16.97
1.0"	25.0	86.3		
0.75"	19.0	83.0		
0.375"	9.5	75.1	Fine Gravel	15.88
#4	4.8	67.1		
#10	2.00	55.9		
#20	0.85	44.7	Coarse Sand	11.28
#40	0.43	37.4	Medium Sand	18.47
#60	0.25	32.7		
#100	0.15	27.3	Fine Sand	13.57
#200	0.075	23.8		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	21	15	6	2.70

Hydrometer Analysis

(mm)	% Finer		
0.035	19.1	Fines Silt or Clay	23.82
0.022	17.2		
0.013	15.2		
0.0093	13.9		
0.0066	12.2		
0.0033	9.2		
0.0014	6.3		

DESCRIPTION: Light greenish grey silty, clayey sand with gravel

USCS: SC-SM

TECH: MKS
DATE: 6/15/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 356-358

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	19.76
1.5"	37.5	91.9		
1.0"	25.0	87.8		
0.75"	19.0	80.2		
0.375"	9.5	72.3	Fine Gravel	15.50
#4	4.8	64.7		
#10	2.00	57.8	Coarse Sand	6.93
#20	0.85	45.9	Medium Sand	19.48
#40	0.43	38.3		
#60	0.25	33.5	Fine Sand	12.82
#100	0.15	29.7		
#200	0.075	25.5		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	32	16	16	2.70

Hydrometer Analysis

(mm)	% Finer		
0.034	19.2	Fines Silt or Clay	25.51
0.022	17.5		
0.013	14.9		
0.0091	13.3		
0.0064	12.0		
0.0032	8.8		
0.0014	6.5		

DESCRIPTION: Pinkish white clayey sand with gravel

USCS: SC

TECH: MKS
DATE: 6/17/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-01

Depth (ft): 388-390

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	7.16
1.5"	37.5	100.0		
1.0"	25.0	95.9		
0.75"	19.0	92.8		
0.375"	9.5	88.2	Fine Gravel	11.06
#4	4.8	81.8		
#10	2.0	74.2		
#20	0.85	63.3		
#40	0.43	53.9	Medium Sand	20.33
#60	0.25	47.0		
#100	0.15	41.3		
#200	0.075	35.3		
			Fine Sand	18.52

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	26	15	11	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	35.34
0.034	26.7		
0.022	23.4		
0.013	21.0		
0.0090	18.1		
0.0064	15.6		
0.0032	9.9		
0.0014	6.6		

DESCRIPTION: Pale red clayey sand with gravel

USCS: SC

 TECH: MKS
 DATE: 6/15/2005
 REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-02

Depth (ft): 18-20

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	27.70
1.5"	37.5	85.2		
1.0"	25.0	78.7		
0.75"	19.0	72.3		
0.375"	9.5	58.7	Fine Gravel	25.29
#4	4.8	47.0		
#10	2.0	37.4		
#20	0.85	29.8		
#40	0.43	25.0	Medium Sand	12.47
#60	0.25	21.5		
#100	0.15	18.8	Fine Sand	9.27
#200	0.075	15.7		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	27	16	11	2.89

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	15.69
0.033	11.6		
0.021	10.5		
0.012	9.3		
0.0087	8.2		
0.0062	7.0		
0.0030	5.5		
0.0013	3.4		

DESCRIPTION: Pale yellow clayey gravel with sand

USCS: GC

TECH DS
DATE 6/21/2005
REVIEW MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-02

Depth (ft): 40-42

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	11.39
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	88.6	Coarse Gravel	24.55
1.5"	37.5	80.1		
1.0"	25.0	70.9		
0.75"	19.0	64.1		
0.375"	9.5	49.6	Fine Gravel	27.07
#4	4.8	37.0		
#10	2.00	28.9		
#20	0.85	23.1		
#40	0.43	19.1	Medium Sand	9.88
#60	0.25	16.1		
#100	0.15	13.9		
#200	0.075	11.6		
			Fine Sand	7.49

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	22	14	8	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	11.57
0.035	8.7		
0.022	8.4		
0.013	7.3		
0.0091	6.7		
0.0064	6.6		
0.0032	4.7		
0.0014	3.5		

DESCRIPTION: Light gray poorly graded gravel with clay and sand

USCS: GP-GC

TECH	DS
DATE	6/20/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-02

Depth (ft): 140-142

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	14.27
1.5"	37.5	96.2		
1.0"	25.0	90.3		
0.75"	19.0	85.7		
0.375"	9.5	75.5	Fine Gravel	22.34
#4	4.8	63.4		
#10	2.00	56.1		
#20	0.85	46.0		
#40	0.43	37.2	Medium Sand	18.94
#60	0.25	30.0		
#100	0.15	23.8	Fine Sand	19.39
#200	0.075	17.8		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	34	20	14	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	17.77
0.036	14.4		
0.023	13.0		
0.013	11.7		
0.0093	10.7		
0.0066	10.3		
0.0032	9.0		
0.0014	7.7		

DESCRIPTION: Ligth brown clayey sand with gravel

USCS: SC

 TECH DS
 DATE 6/24/2005
 REVIEW MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-02

Depth (ft): 267-268.5

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	7.03
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	93.0	Coarse Gravel	26.84
1.5"	37.5	77.3		
1.0"	25.0	69.5		
0.75"	19.0	66.1		
0.375"	9.5	56.7	Fine Gravel	19.85
#4	4.75	46.3		
#10	2.0	35.8		
#20	0.85	25.7		
#40	0.425	20.1	Medium Sand	15.62
#60	0.25	17.1		
#100	0.15	14.8		
#200	0.075	12.4		
			Fine Sand	7.70

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	29	19	10	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	12.45
0.036	9.9		
0.023	8.8		
0.013	7.4		
0.0093	6.5		
0.0066	6.2		
0.0032	4.2		
0.0014	3.5		

DESCRIPTION: Pink clayey gravel with sand

USCS: GC

TECH DS
DATE 6/20/2005
REVIEW MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-03

Depth (ft): 18-20


TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size (mm)	% Passing	Classification	Particle Size	
			(mm)	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	6.20
1.5"	37.5	100.0		
1.0"	25.0	97.9		
0.75"	19.0	93.8		
0.375"	9.5	80.4	Fine Gravel	27.66
#4	4.8	66.1		
#10	2.00	49.8		
#20	0.85	34.9		
#40	0.43	26.9	Medium Sand	22.81
#60	0.25	22.4		
#100	0.15	19.1		
#200	0.075	15.7		
			Fine Sand	11.30

U.S. Standard Sieves Sizes and Numbers



(mm)	% Finer	Classification	Percentage
0.036	12.7	Fines Silt or Clay	15.65
0.023	11.4		
0.013	10.1		
0.0093	9.5		
0.0066	8.8		
0.0032	6.2		
0.0014	5.9		

Hydrometer Analysis

ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	28	17	11	2.69

DESCRIPTION: Light brown clay sand with gravel

USCS: SC

TECH: MGC
DATE: 6/27/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-03

Depth (ft): 58-60

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	14.55
3.0"	75.0	100.0		
1.5"	37.5	97.0		
1.0"	25.0	90.3		
0.75"	19.0	85.4	Fine Gravel	29.04
0.375"	9.5	72.3		
#4	4.8	56.4		
#10	2.00	45.8	Coarse Sand	10.57
#20	0.85	35.6	Medium Sand	18.01
#40	0.43	27.8		
#60	0.25	22.9	Fine Sand	12.41
#100	0.15	19.2		
#200	0.075	15.4		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	29	17	12	2.70

Hydrometer Analysis

(mm)	% Finer		
0.036	11.5	Fines Silt or Clay	15.41
0.023	10.4		
0.013	10.1		
0.0093	9.3		
0.0066	8.4		
0.0032	6.2		
0.0013	4.8		

DESCRIPTION: Light yellowish brown clayey gravel with sand

USCS: GC

TECH: MGC
DATE: 6/27/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-03

Depth (ft): 156-158

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	6.47
1.5"	37.5	96.6		
1.0"	25.0	95.3		
0.75"	19.0	93.5		
0.375"	9.5	88.1	Fine Gravel	18.18
#4	4.8	75.3		
#10	2.00	65.6	Coarse Sand	9.71
#20	0.85	52.1	Medium Sand	22.18
#40	0.43	43.5		
#60	0.25	37.6	Fine Sand	15.84
#100	0.15	33.1		
#200	0.075	27.6		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	29	15	14	2.70

Hydrometer Analysis

(mm)	% Finer		
0.035	22.3	Fines Silt or Clay	27.62
0.022	20.8		
0.013	17.7		
0.0092	16.2		
0.0065	14.7		
0.0032	11.3		
0.0014	9.1		

DESCRIPTION: Light brown clayey sand with gravel

USCS: SC

TECH: DS
DATE: 6/24/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-03

Depth (ft): 248-250

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	5.58
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	20.50
3.0"	75.0	94.4		
1.5"	37.5	83.3		
1.0"	25.0	78.5		
0.75"	19.0	73.9		
0.375"	9.5	64.9	Fine Gravel	18.28
#4	4.8	55.6		
#10	2.00	48.7	Coarse Sand	6.98
#20	0.85	40.0	Medium Sand	15.51
#40	0.43	33.1		
#60	0.25	28.8	Fine Sand	11.05
#100	0.15	25.5		
#200	0.075	22.1		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	28	17	11	2.78

Hydrometer Analysis

(mm)	% Finer		
0.033	20.1	Fines Silt or Clay	22.10
0.021	17.3		
0.012	15.7		
0.0089	14.6		
0.0063	13.5		
0.0031	10.2		
0.0013	7.4		

DESCRIPTION: Pale pink clayey gravel with sand

USCS: GC

TECH: MGC
DATE: 6/27/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-04

Depth (ft): 12-14

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	91.1	Coarse Gravel	22.39
1.0"	25.0	84.5		
0.75"	19.0	77.6		
0.375"	9.5	64.5	Fine Gravel	23.04
#4	4.8	54.6		
#10	2.0	48.6		
#20	0.85	39.8	Coarse Sand	6.00
#40	0.43	33.0		
#60	0.25	28.1	Medium Sand	15.55
#100	0.15	24.5		
#200	0.075	20.5		
			Fine Sand	12.49

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	34	18	16	2.83

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	20.53
0.033	16.1		
0.021	14.5		
0.012	13.1		
0.0089	12.0		
0.0063	10.4		
0.0031	7.7		
0.0013	5.7		

DESCRIPTION: Pale yellow clayey gravel with sand

USCS: GC

TECH: MGC
DATE: 6/29/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-04

Depth (ft): 69-71

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	36.30
3.0"	75.0	100.0		
1.5"	37.5	84.3		
1.0"	25.0	71.8		
0.75"	19.0	63.7		
0.375"	9.5	47.7	Fine Gravel	29.63
#4	4.8	34.1		
#10	2.00	26.2	Coarse Sand	7.91
#20	0.85	21.0	Medium Sand	8.31
#40	0.43	17.9		
#60	0.25	15.9	Fine Sand	5.56
#100	0.15	14.2		
#200	0.075	12.3		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	36	20	16	2.70

Hydrometer Analysis

(mm)	% Finer		
0.034	10.5	Fines Silt or Clay	12.29
0.022	9.4		
0.013	8.3		
0.0092	7.7		
0.0066	7.0		
0.0032	5.3		
0.0013	4.3		

DESCRIPTION: Pink clayey gravel with sand

USCS: GC

TECH: DS
DATE: 6/28/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-04

Depth (ft): 117-119

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	82.4	Coarse Gravel	32.35
1.0"	25.0	73.8		
0.75"	19.0	67.6		
0.375"	9.5	52.3	Fine Gravel	29.70
#4	4.8	37.9		
#10	2.00	31.2		
#20	0.85	25.3	Coarse Sand	6.72
#40	0.43	21.5	Medium Sand	9.75
#60	0.25	19.0		
#100	0.15	16.9	Fine Sand	7.45
#200	0.075	14.0		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	35	20	15	2.73

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	14.02
0.034	11.6		
0.022	10.2		
0.013	9.2		
0.0091	8.6		
0.0064	7.8		
0.0032	5.4		
0.0014	4.4		

DESCRIPTION: Yellow clayey gravel with sand

USCS: GC

 TECH: MGC
 DATE: 6/27/2005
 REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **G&K/Tyrone Stockpile Geotech/AZ**

SAMPLE ID: TSGT-04

Depth (ft): **152-154**

TYPE: **Pail**




COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves and Numbers

Particle Size			Particle Size	
	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	11.82
3.0"	75.0	100.0		
1.5"	37.5	99.1		
1.0"	25.0	93.4		
0.75"	19.0	88.2		
0.375"	9.5	69.1	Fine Gravel	33.22
#4	4.8	55.0		
#10	2.00	45.6	Coarse Sand	9.33
#20	0.85	35.9	Medium Sand	16.15
#40	0.43	29.5		
#60	0.25	25.1		
#100	0.15	21.9	Fine Sand	11.16
#200	0.075	18.3		

Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	18.32
	0.035	15.3		
	0.022	14.5		
	0.013	12.8		
	0.0094	11.7		
	0.0067	10.6		
	0.0033	7.5		
	0.0014	5.3		



ATTERBERG LIMITS				
M _c	LL	PL	PI	SpG
--	31	18	13	2.66

DESCRIPTION: Pink clayey gravel with sand

USCS:	GC
-------	----

TECH	MGC
DATE	6/27/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-04

Depth (ft): 183-185

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	97.5	Coarse Gravel	5.66
1.0"	25.0	96.1		
0.75"	19.0	94.3		
0.375"	9.5	87.8	Fine Gravel	16.69
#4	4.8	77.7		
#10	2.00	68.2		
#20	0.85	55.5	Coarse Sand	9.42
#40	0.43	46.1	Medium Sand	22.17
#60	0.25	39.5		
#100	0.15	34.2	Fine Sand	17.74
#200	0.075	28.3		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
--	31	19	12	2.71

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	28.32
0.034	23.5		
0.022	21.2		
0.013	18.6		
0.0091	17.8		
0.0065	16.3		
0.0032	12.1		
0.0014	9.8		

DESCRIPTION: Pink clayey sand with gravel

USCS: SC

 TECH: MGC
 DATE: 6/27/2005
 REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-04

Depth (ft): 221-223

TYPE: Pail



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	22.29
1.5"	37.5	94.9		
1.0"	25.0	86.5		
0.75"	19.0	77.7		
0.375"	9.5	60.4	Fine Gravel	31.17
#4	4.8	46.5		
#10	2.00	37.9		
#20	0.85	30.1		
#40	0.43	24.9	Medium Sand	13.03
#60	0.25	21.6		
#100	0.15	18.8	Fine Sand	9.08
#200	0.075	15.8		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	29	17	12	2.70

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	15.83
0.035	12.6		
0.022	11.2		
0.013	10.7		
0.0093	9.6		
0.0066	8.4		
0.0032	6.1		
0.0014	3.7		

DESCRIPTION: Very pale brown clayey gravel with sand

USCS: GC

TECH: MGC
DATE: 6/29/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-04

Depth (ft): 265-269

TYPE: Pail



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	2.97
1.5"	37.5	99.5		
1.0"	25.0	98.2		
0.75"	19.0	97.0		
0.375"	9.5	94.6		
#4	4.8	89.6	Fine Gravel	7.48
#10	2.00	80.6	Coarse Sand	8.97
#20	0.85	61.9	Medium Sand	33.83
#40	0.43	46.8		
#60	0.25	36.8		
#100	0.15	28.9	Fine Sand	25.15
#200	0.075	21.6		

U.S. Standard Sieves Sizes and Numbers



Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	21.60
0.036	15.7		
0.023	13.4		
0.013	11.6		
0.0095	11.2		
0.0068	9.8		
0.0033	6.7		
0.0014	5.8		

ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	NP	NP	NP	2.70

DESCRIPTION: Light brown silty sand

USCS: SM

TECH DS
DATE 6/28/2005
REVIEW MB

APPENDIX C-5

**2005 SOIL SUMMARY AND
GRAIN-SIZE ANALYSIS**

TABLE C-5.1
SUMMARY OF SOIL DATA

Sample Type	Sample Number	Sample Depth (feet)	USCS Soil Classification	Delivered Moisture (%)	Atterberg Limits			Grain-size Distribution			Specific Gravity	Moisture/Density Relationship Standard Proctor		Additional Tests Comments (see Notes)
					LL	PL	PI	% Finer 3/4"	% Finer #4	% Finer #200		PCF (Dry)	Moist (%)	
Bag	T3	11.0-12.5	GC	10.6	32	17	15	71	41	16	2.66	--	--	
Bag	T3	31.0-32.5	GC	22.5	34	18	16	69	56	28	2.76	--	--	
Bag	T3	51.0-52.5	GC	11.8	31	19	12	71	55	21	2.84	--	--	
Bag	T3	71.0-72.5	SC	12.8	33	20	13	91	76	35	2.87	--	--	
Bag	T3	76.5-77.5	SC-SM	4.3	23	16	7	88	67	28	2.85	--	--	Bag labeled T5@76.5-77.5
Bag	T3	91.0-92.5	GC	8.6	31	18	13	79	62	26	2.74	--	--	
Bag	T4	49.0-50.0	GC	6.8	31	17	14	77	55	22	2.80	--	--	
Bag	T4	69.0-70.0	SC	6.9	31	16	15	86	63	25	2.81	--	--	
Bag	T4	89.0-90.0	SC	9.5	36	20	16	86	66	30	2.93	--	--	
Bag	T4	109.0-110.0	GC	12.0	35	20	15	74	55	24	2.79	--	--	
Bag	T4	113.0-114.0	SC	17.7	36	19	17	97	76	33	2.86	--	--	
Bag	T4	129.0-130.0	GC	9.3	34	23	11	72	49	24	2.91	--	--	
Bag	T5	16.5-17.5	GM	5.9	NP	NP	NP	69	49	15	2.78	--	--	
Bag	T5	36.5-37.5	GC	10.2	30	16	14	56	37	13	2.81	--	--	
Bag	T5	56.5-57.5	GC	8.7	34	18	16	58	38	13	2.71	--	--	
Bag	T5	96.5-97.5	GC	12.6	37	21	16	71	55	20	2.75	--	--	
Bag	T5	116.5-117.5	GC	8.2	33	19	14	84	62	27	2.81	--	--	
Bag	T5	136.5-137.5	GC	9.6	33	18	15	67	47	19	2.80	--	--	
Bag	T5	164.0-165.0	GC	14.0	35	17	18	75	53	20	2.85	--	--	

Notes:

LL = Liquid Limit

PL = Plastic Limit

PI = Plastic Index

USCS = Unified Soil Classification System

PCF = pounds per cubic foot

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-3

Depth: 11.0-12.5

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification

Percentage


U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	29.23
3.0"	75.0	100.0		
1.5"	37.5	86.0		
1.0"	25.0	77.0		
0.75"	19.0	70.8		
0.375"	9.5	59.0	Fine Gravel	30.22
#4	4.8	40.5		
#10	2.0	33.1	Coarse Sand	7.44
#20	0.85	27.9	Medium Sand	9.19
#40	0.43	23.9		
#60	0.25	20.9	Fine Sand	8.07
#100	0.15	18.5		
#200	0.075	15.8		

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	15.85
0.034	15.2		
0.022	14.1		
0.013	13.2		
0.0089	12.8		
0.0064	12.4		
0.0031	10.0		
0.0013	6.2		

PLASTICITY CHART



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
10.6	32	17	15	2.66

DESCRIPTION: Weak red clayey gravel with sand

USCS: GC

TECH	SW
DATE	9/29/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-3

Depth: 31.0-32.5

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification


Percentage

U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	31.01
1.5"	37.5	76.8		
1.0"	25.0	71.1		
0.75"	19.0	69.0		
0.375"	9.5	61.5	Fine Gravel	13.04
#4	4.8	55.9		
#10	2.00	51.6	Coarse Sand	4.34
#20	0.85	45.9	Medium Sand	11.57
#40	0.43	40.0		
#60	0.25	35.8	Fine Sand	12.32
#100	0.15	32.0		
#200	0.075	27.7		

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	27.72
0.033	26.3		
0.021	24.6		
0.012	22.8		
0.0086	21.7		
0.0061	21.1		
0.0030	17.1		
0.0013	11.3		



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
22.5	34	18	16	2.76

DESCRIPTION: Weak red clayey gravel with sand

USCS: GC

TECH: MKS

DATE: 10/11/2005

REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-3

Depth: 51.0-52.5

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	28.64
3.0"	75.0	90.2		
1.5"	37.5	75.2		
1.0"	25.0	71.4		
0.75"	19.0	62.6		
0.375"	9.5	54.7	Fine Gravel	16.68
#4	4.8	48.7		
#10	2.0	41.6	Coarse Sand	5.94
#20	0.85	34.9		
#40	0.43	29.9	Medium Sand	13.84
#60	0.25	25.9		
#100	0.15	21.4		
#200	0.075	21.4	Fine Sand	13.45

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
11.8	31	19	12	2.84

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	21.44
0.032	20.2		
0.021	18.8		
0.012	17.4		
0.0086	16.5		
0.0061	16.0		
0.0030	12.3		
0.0013	4.2		

DESCRIPTION: Light reddish brown clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 10/11/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-3

Depth: 71.0-72.5

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification

Percentage


U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	9.09
3.0"	75.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	94.6		
0.75"	19.0	90.9	Fine Gravel	15.16
0.375"	9.5	82.1		
#4	4.8	75.7		
#10	2.00	68.0	Coarse Sand	7.73
#20	0.85	59.0	Medium Sand	17.09
#40	0.43	50.9		
#60	0.25	45.0	Fine Sand	16.40
#100	0.15	40.0		
#200	0.075	34.5		

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	34.52
0.032	31.6		
0.020	29.7		
0.012	27.0		
0.0084	25.4		
0.0059	25.1		
0.0029	20.0		
0.0013	9.6		

PLASTICITY CHART



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
12.8	33	20	13	2.87

DESCRIPTION: Red clayey sand with gravel

USCS: SC

TECH	SW
DATE	9/29/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-3

Depth: 76.5-77.5

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification

Percentage


U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	12.28
1.5"	37.5	96.2		
1.0"	25.0	92.8		
0.75"	19.0	87.7		
0.375"	9.5	77.1	Fine Gravel	20.61
#4	4.8	67.1		
#10	2.00	58.5		
#20	0.85	49.9		
#40	0.43	43.4	Medium Sand	15.05
#60	0.25	38.6		
#100	0.15	33.6		
#200	0.075	27.9		
			Fine Sand	15.52

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	27.92
0.032	24.4		
0.021	21.6		
0.012	20.3		
0.0086	19.6		
0.0053	17.9		
0.0030	13.9		
0.0013	6.4		

PLASTICITY CHART



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
4.3	23	16	7	2.85

DESCRIPTION: Light gray silty, clayey sand with gravel


USCS: SC-SM

TECH	MKS
DATE	10/11/2005
REVIEW	0

ASTM D421, D422, D4318

Depth: **91.0-92.5**


TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

Particle Size			Particle Size	
	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	21.09
3.0"	75.0	100.0		
1.5"	37.5	89.0		
1.0"	25.0	80.7		
0.75"	19.0	78.9		
0.375"	9.5	70.7	Fine Gravel	16.85
#4	4.8	62.1		
#10	2.00	52.7		
#20	0.85	44.7	Coarse Sand	9.40
#40	0.43	38.7	Medium Sand	13.93
#60	0.25	34.2		
#100	0.15	30.2		
#200	0.075	25.7	Fine Sand	13.04

Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	25.69
	0.033	24.7		
	0.021	23.1		
	0.012	21.5		
	0.0087	21.1		
	0.0062	19.8		
	0.0031	15.3		
	0.0013	5.5		



M _c	LL	PL	PI	SpG
8.6	31	18	13	2.74

USCS:	GC
-------	----

TECH	MKS
DATE	10/12/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-4

Depth: 9.0-10.0

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification

Percentage


U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	89.5	Coarse Gravel	41.92
1.0"	25.0	70.6		
0.75"	19.0	58.1		
0.375"	9.5	34.6	Fine Gravel	37.27
#4	4.8	20.8		
#10	2.00	12.6		
#20	0.85	8.9	Coarse Sand	8.23
#40	0.43	7.4	Medium Sand	5.22
#60	0.25	6.4		
#100	0.15	5.6	Fine Sand	2.69
#200	0.075	4.7		

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	4.68
0.034	4.3		
0.022	4.1		
0.012	3.8		
0.0089	3.6		
0.0063	3.2		
0.0031	2.6		
0.0013	2.1		

PLASTICITY CHART



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
4.9	31	17	14	2.83

DESCRIPTION: Pale yellow well-graded gravel with sand

USCS: GW

TECH: MKS
DATE: 10/12/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-4

Depth: 29.0-30.0

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	42.23
3.0"	75.0	100.0		
1.5"	37.5	80.0		
1.5"	37.5	80.0		
1.0"	25.0	63.5	Fine Gravel	20.17
1.0"	25.0	63.5		
0.75"	19.0	57.8		
0.75"	19.0	57.8		
0.375"	9.5	46.6	Coarse Sand	8.78
0.375"	9.5	46.6		
#4	4.8	37.6		
#4	4.8	37.6		
#10	2.00	28.8	Medium Sand	9.52
#10	2.00	28.8		
#20	0.85	22.7		
#20	0.85	22.7		
#40	0.43	19.3	Fine Sand	5.60
#40	0.43	19.3		
#60	0.25	17.3		
#60	0.25	17.3		
#100	0.15	15.6	Fine Sand	5.60
#100	0.15	15.6		
#200	0.075	13.7	Fine Sand	5.60

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
6.9	30	18	12	2.84

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	13.70
0.033	12.1		
0.021	11.1		
0.012	10.2		
0.0087	9.4		
0.0061	9.1		
0.0030	7.2		
0.0013	4.5		

DESCRIPTION: Light gray clayey gravel with sand

USCS: GC

TECH: SW
DATE: 9/29/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-4

Depth: 49.0 - 50.0

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	23.50
1.5"	37.5	90.9		
1.0"	25.0	82.0		
0.75"	19.0	76.5		
0.375"	9.5	65.1	Fine Gravel	21.75
#4	4.8	54.7		
#10	2.0	46.5		
#20	0.85	37.7		
#40	0.43	32.0	Medium Sand	14.49
#60	0.25	28.6		
#100	0.15	25.7		
#200	0.075	22.4		
			Fine Sand	9.65

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
6.8	31	17	14	2.80

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	22.40
0.033	20.4		
0.021	19.3		
0.012	17.4		
0.0087	16.3		
0.0062	15.7		
0.0030	12.4		
0.0013	8.8		

DESCRIPTION: Light gray clayey gravel with sand

USCS: GC

TECH	MKS
DATE	10/12/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-4

Depth: 69.0-70.0

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification


Percentage

U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	91.1	Coarse Gravel	13.55
1.0"	25.0	89.8		
0.75"	19.0	86.4		
0.375"	9.5	76.0	Fine Gravel	23.13
#4	4.8	63.3		
#10	2.00	54.3		
#20	0.85	44.2	Coarse Sand	9.00
#40	0.43	37.5		
#60	0.25	33.3	Medium Sand	16.83
#100	0.15	29.6		
#200	0.075	25.3		
			Fine Sand	12.17

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	25.32
0.033	21.7		
0.021	20.1		
0.012	18.2		
0.0087	17.6		
0.0062	15.7		
0.0030	12.5		
0.0013	8.3		



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
6.9	31	16	15	2.81


DESCRIPTION: Weak red clayey sand with gravel

USCS: SC

TECH	SW
DATE	9/29/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS

ASTM D421, D422, D4318

PROJECT NAME: **G&K/Tyrone Stockpile Geotech/AZ**SAMPLE ID: **T-4**Depth: **89.0-90.0**TYPE: **Bag**

	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	93.2	Coarse Gravel	14.46
1.0"	25.0	88.8		
0.75"	19.0	85.5		
0.375"	9.5	76.7	Fine Gravel	19.13
#4	4.8	66.4		
#10	2.00	58.9		
#20	0.85	52.0	Coarse Sand	7.52
#40	0.43	45.9		
#60	0.25	41.0	Medium Sand	12.97
#100	0.15	36.1		
#200	0.075	30.3		
			Fine Sand	15.66

U.S. Standard Sieves Sizes and Numbers

**ATTERBERG LIMITS**

M _c	LL	PL	PI	SpG
9.5	36	20	16	2.93

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	30.25
0.031	27.2		
0.020	25.2		
0.012	22.9		
0.0083	22.2		
0.0059	21.2		
0.0029	17.8		
0.0013	10.4		

DESCRIPTION: Light gray clayey sand with gravel

USCS: SC

TECH	MKS
DATE	10/11/2005
REVIEW	0

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-4

Depth: 109-110

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	25.72
3.0"	75.0	100.0		
1.5"	37.5	87.7		
1.0"	25.0	81.5		
0.75"	19.0	74.3	Fine Gravel	18.96
0.375"	9.5	63.0		
#4	4.8	55.3		
#10	2.00	47.3	Coarse Sand	8.06
#20	0.85	40.8	Medium Sand	11.55
#40	0.43	35.7		
#60	0.25	31.5	Fine Sand	11.31
#100	0.15	28.0		
#200	0.075	24.4		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
12.0	35	20	15	2.79

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	24.40
0.033	23.1		
0.021	22.0		
0.012	20.0		
0.0086	18.5		
0.0061	17.7		
0.0030	14.0		
0.0013	7.1		

DESCRIPTION: Pale yellow clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 10/12/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-4

Depth: 113-114

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)

% Passing

Classification

Percentage


U.S. Standard Sieves Sizes and Numbers

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	100.0	Coarse Gravel	2.52
1.0"	25.0	98.7		
0.75"	19.0	97.5		
0.375"	9.5	90.3	Fine Gravel	21.04
#4	4.8	76.4		
#10	2.00	63.8		
#20	0.85	53.4	Coarse Sand	12.67
#40	0.43	46.3		
#60	0.25	41.4	Medium Sand	17.48
#100	0.15	37.6		
#200	0.075	33.2		
			Fine Sand	13.11

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	33.18
0.032	31.9		
0.021	29.5		
0.012	26.7		
0.0085	25.2		
0.0060	23.6		
0.0030	19.7		
0.0013	13.8		

PLASTICITY CHART



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
17.7	36	19	17	2.86

DESCRIPTION: Light yellowish brown clayey sand with gravel


USCS: SC

TECH	MKS
DATE	10/14/2005
REVIEW	MB

ASTM D421, D422, D4318

Depth: **129-130**


TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

Particle Size			Particle Size	
	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	27.96
3.0"	75.0	100.0		
1.5"	37.5	97.0		
1.0"	25.0	79.5		
0.75"	19.0	72.0		
0.375"	9.5	58.9		
#4	4.8	49.0	Fine Gravel	23.06
#10	2.00	42.3	Coarse Sand	6.73
#20	0.85	36.7	Medium Sand	9.60
#40	0.43	32.7		
#60	0.25	29.7		
#100	0.15	26.8		
#200	0.075	23.6	Fine Sand	9.09

Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	23.57
	0.031	21.8		
	0.020	20.6		
	0.012	19.2		
	0.0083	18.0		
	0.0059	17.0		
	0.0029	13.4		
	0.0013	7.5		




M _c	LL	PL	PI	SpG
9.3	34	23	11	2.91

USCS:	GC
-------	----

TECH	MKS
DATE	10/14/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS

ASTM D421, D422, D4318

PROJECT NAME: **G&K/Tyrone Stockpile Geotech/AZ**SAMPLE ID: **T-5**Depth: **16.5-17.5**TYPE: **Bag**

	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	30.84
1.5"	37.5	87.5		
1.0"	25.0	75.2		
0.75"	19.0	69.2		
0.375"	9.5	59.6	Fine Gravel	20.49
#4	4.8	48.7		
#10	2.00	41.2		
#20	0.85	31.4		
#40	0.43	24.4	Medium Sand	16.88
#60	0.25	20.2		
#100	0.15	17.3	Fine Sand	9.87
#200	0.075	14.5		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
5.9	NP	NP	NP	2.78

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	14.50
0.034	12.8		
0.021	11.6		
0.012	10.4		
0.0088	9.7		
0.0063	9.4		
0.0031	7.0		
0.0013	3.1		

DESCRIPTION: Red silty gravel with sand

USCS: GM

TECH: SW
DATE: 9/29/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: T-5

Depth: 36.5-37.5

TYPE: Bag



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	43.94
3.0"	75.0	70.9		
1.5"	37.5	61.8		
1.0"	25.0	56.1		
0.75"	19.0	46.0		
#4	4.8	36.7	Fine Gravel	19.40
#10	2.00	31.3	Coarse Sand	5.34
#20	0.85	24.4	Medium Sand	11.36
#40	0.43	20.0		
#60	0.25	17.2	Fine Sand	6.81
#100	0.15	15.1		
#200	0.075	13.1		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
10.2	30	16	14	2.81

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	13.15
0.033	12.9		
0.021	12.4		
0.012	11.3		
0.0087	10.6		
0.0062	9.4		
0.0031	7.2		
0.0013	4.5		


DESCRIPTION: Very pale brown clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 10/14/2005
REVIEW: MB

ASTM D421, D422, D4318Depth: **56.5-57.5**


TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

Particle Size			Particle Size	
	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0	Coarse Gravel	41.87
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	79.1		
1.0"	25.0	65.3		
0.75"	19.0	58.1		
0.375"	9.5	45.7	Fine Gravel	20.62
#4	4.8	37.5		
#10	2.00	30.2	Coarse Sand	7.30
#20	0.85	23.2	Medium Sand	11.15
#40	0.43	19.1		
#60	0.25	16.6	Fine Sand	5.91
#100	0.15	14.9		
#200	0.075	13.2		

Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	13.15
	0.034	13.1		
	0.022	12.3		
	0.013	11.4		
	0.0090	10.8		
	0.0064	9.6		
	0.0032	6.9		
	0.0013	5.1		




M _c	LL	PL	PI	SpG
8.7	34	18	16	2.71

USCS:	GC
-------	----

TECH	MKS
DATE	10/11/2005
REVIEW	MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS

ASTM D421, D422, D4318

PROJECT NAME: **G&K/Tyrone Stockpile Geotech/AZ**SAMPLE ID: **T-5**Depth: **96.5-97.5**TYPE: **Bag**

	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

(mm)


% Passing

Classification

Percentage

12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	81.3	Coarse Gravel	29.33
1.0"	25.0	75.8		
0.75"	19.0	70.7		
0.375"	9.5	62.3	Fine Gravel	16.00
#4	4.8	54.7		
#10	2.00	47.8		
#20	0.85	38.5	Coarse Sand	6.89
#40	0.43	31.3		
#60	0.25	26.8	Medium Sand	16.44
#100	0.15	23.5		
#200	0.075	20.2		
			Fine Sand	11.11

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
12.6	37	21	16	2.75

Hydrometer Analysis

(mm)	% Finer	Fines Silt or Clay	20.23
0.034	18.6		
0.021	17.3		
0.012	15.6		
0.0089	14.6		
0.0063	12.9		
0.0031	10.0		
0.0013	7.3		

DESCRIPTION: Pinkish gray clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 10/5/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **G&K/Tyrone Stockpile Geotech/AZ**

SAMPLE ID: **T-5**

Depth: **116.5-117.5**

TYPE: **Bag**




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0	Coarse Gravel	16.13
3.0"	75.0	100.0		
1.5"	37.5	94.4		
1.0"	25.0	88.4		
0.75"	19.0	83.9		
0.375"	9.5	72.9	Fine Gravel	22.15
#4	4.8	61.7		
#10	2.0	53.2	Coarse Sand	8.54
#20	0.85	44.6	Medium Sand	14.56
#40	0.43	38.6		
#60	0.25	34.6	Fine Sand	11.23
#100	0.15	31.3		
#200	0.075	27.4		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
8.2	33	19	14	2.81

Hydrometer Analysis

(mm)	% Finer		
0.032	24.5	Fines Silt or Clay	27.39
0.021	21.8		
0.012	19.1		
0.0087	17.9		
0.0061	17.3		
0.0030	13.7		
0.0013	9.8		

DESCRIPTION: Light bluish gray clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 10/4/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **G&K/Tyrone Stockpile Geotech/AZ**

SAMPLE ID: **T-5**

Depth: **136.5-137.5**

TYPE: **Bag**




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0	Coarse Gravel	32.77
1.5"	37.5	82.5		
1.0"	25.0	75.7		
0.75"	19.0	67.2		
0.375"	9.5	56.5	Fine Gravel	20.48
#4	4.8	46.8		
#10	2.00	36.2		
#20	0.85	29.4		
#40	0.43	25.8	Medium Sand	10.39
#60	0.25	23.4		
#100	0.15	21.4		
#200	0.075	18.8		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
9.6	33	18	15	2.80

Hydrometer Analysis

(mm)	% Finer		
0.033	17.3	Fines Silt or Clay	18.79
0.021	16.4		
0.012	15.2		
0.0087	14.0		
0.0062	13.5		
0.0030	10.7		
0.0013	5.7		

DESCRIPTION: Very pale brown clayey gravel with sand

USCS: GC

TECH: MKS
DATE: 10/12/2005
REVIEW: MB

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **G&K/Tyrone Stockpile Geotech/AZ**

SAMPLE ID: **T-5**

Depth: **164.0-165.0**

TYPE: **Bag**




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

Particle Size

Particle Size

	(mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	Cobbles	0.00
12.0"	304.8	100.0		
6.0"	154.2	100.0		
6.0"	154.2	100.0		
3.0"	75.0	100.0		
1.5"	37.5	97.2	Coarse Gravel	24.72
1.0"	25.0	80.7		
0.75"	19.0	75.3		
0.375"	9.5	63.4	Fine Gravel	22.53
#4	4.8	52.8		
#10	2.00	43.7		
#20	0.85	33.9	Coarse Sand	9.10
#40	0.43	28.2	Medium Sand	15.46
#60	0.25	24.9		
#100	0.15	22.6	Fine Sand	8.04
#200	0.075	20.2		

U.S. Standard Sieves Sizes and Numbers



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG
14.0	35	17	18	2.85

Hydrometer Analysis

(mm)	% Finer		
0.033	18.0	Fines Silt or Clay	20.15
0.021	16.6		
0.012	16.1		
0.0085	15.5		
0.0061	13.9		
0.0030	11.3		
0.0013	8.3		

DESCRIPTION: Weak red clayey gravel with sand

USCS: GC

TECH: SW
DATE: 9/29/2005
REVIEW: MB

APPENDIX D

LABORATORY SHEAR STRENGTH TESTS



APPENDIX D-1

2000 TRIAXIAL SHEAR TESTS


Sample # =	Bag BD		Sample # =	Bag BD		Sample # =	Bag BD	
Point # =	1		Point # =	2		Point # =	3	
	Initial			Initial			Initial	
Length =	20.35	cm	Length =	20.35	cm	Length =	20.30	cm
Diameter =	10.10	cm	Diameter =	10.10	cm	Diameter =	10.10	cm
Wet Weight =	3407.40	g	Wet Weight =	3407.40	g	Wet Weight =	3402.70	g
Area =	80.1	sq.cm	Area =	80.1	sq.cm	Area =	80.1	sq.cm
Sample Area =	12.42	sq. in.	Sample Area =	12.42	sq. in.	Sample Area =	12.42	sq. in.
Volume =	1630.4	cc	Volume =	1630.4	cc	Volume =	1626.4	cc
Moisture Content =	5.3%		Moisture Content =	5.3%		Moisture Content =	5.2%	
Specific Gravity =	2.7		Specific Gravity =	2.7		Specific Gravity =	2.7	
Dry Weight of Solids =	3235.90	g	Dry Weight of Solids =	3235.90	g	Dry Weight of Solids =	3234.51	g
Wet Density =	2.09	g/cc	Wet Density =	2.09	g/cc	Wet Density =	2.09	g/cc
Dry Density =	1.98	g/cc	Dry Density =	1.98	g/cc	Dry Density =	1.99	g/cc
Wet Density =	130.4	pcf	Wet Density =	130.4	pcf	Wet Density =	130.6	pcf
Dry Density =	123.8	pcf	Dry Density =	123.8	pcf	Dry Density =	124.1	pcf
Cell Pressure =	100	psi	Cell Pressure =	100	psi	Cell Pressure =	110	psi
Back Pressure =	75	psi	Back Pressure =	50	psi	Back Pressure =	10	psi
Confining Pressure =	25	psi	Confining Pressure =	50	psi	Confining Pressure =	100	psi

Notes:

<div>Golder Associates, Inc. Denver, Colorado</div>			<div>Title:</div> <div>TRIAXIAL SHEAR TEST REPORT SAMPLE DATA AND CALCULATIONS</div>				
<div>Job Short Title:</div> <div>PD/TYRONE/NM</div>							
<div>Sample No.</div> <div>GTP3-2</div>	<div>Depth</div> <div>n/a</div>	<div>Reviewed:</div>	<div>Date:</div> <div>Feb., 2000</div>	<div>Job Number:</div> <div>993-2546</div>			<div>Figure:</div> <div>1</div>



Golder Associates, Inc. Denver, Colorado			Title: CU TRIAXIAL SHEAR DATA STRESS AND Δ PORE PRESSURE PLOTS		
Job Short Title: PD/TYRONE/NM					
Sample No. GTP3-2	Depth n/a	Reviewed:	Date: Feb., 2000	Job Number: 993-2546	Figure: 2




Stress Path Parameters

$\psi' = 29.6$ degrees
 $a' = 4.7$ psi

Golder Associates, Inc. Denver, Colorado			Title: CU TRIAXIAL SHEAR DATA STRESS PATH PLOT		
Job Short Title: PD/TYRONE/NM					
Sample No.	Depth	Reviewed:	Date:	Job Number:	Figure:
GTP3-2	n/a		Feb., 2000	993-2546	3

Mohr Circle Diagram Effective Stress Parameters



Mohr-Coulomb Parameters

$\phi' = 34.6$ degrees
 $c' = 5.8$ psi

Golder Associates, Inc. Denver, Colorado			Title: CU TRIAXIAL SHEAR DATA MOHR CIRCLE DIAGRAM		
Job Short Title: PD/TYRONE/NM					
Sample No. GTP3-2	Depth n/a	Reviewed:	Date: Feb., 2000	Job Number: 993-2546	Figure: 4

Sample # = GTP06/03

Point # = 1

Initial

Length = 20.40 cm
Diameter = 10.10 cm
Wet Weight = 3510.40 g
Area = 80.1 sq.cm
Sample Area = 12.42 sq. in.

Volume = 1634.4 cc
Moisture Content = 7.0%
Specific Gravity = 2.65
Dry Weight of Solids = 3281.67 g
Wet Density = 2.15 g/cc
Dry Density = 2.01 g/cc
Wet Density = 134.0 pcf
Dry Density = 125.3 pcf

Cell Pressure = 100 psi
Back Pressure = 75 psi
Confining Pressure = 25 psi

Notes:

Sample # = GTP06/03

Point # = 2

Initial

Length = 20.40 cm
Diameter = 10.10 cm
Wet Weight = 3510.40 g
Area = 80.1 sq.cm
Sample Area = 12.42 sq. in.

Volume = 1634.4 cc
Moisture Content = 7.0%
Specific Gravity = 2.65
Dry Weight of Solids = 3281.67 g
Wet Density = 2.15 g/cc
Dry Density = 2.01 g/cc
Wet Density = 134.0 pcf
Dry Density = 125.3 pcf

Cell Pressure = 100 psi
Back Pressure = 50 psi
Confining Pressure = 50 psi

Sample # = GTP06/03

Point # = 3

Initial

Length = 20.40 cm
Diameter = 10.10 cm
Wet Weight = 3510.00 g
Area = 80.1 sq.cm
Sample Area = 12.42 sq. in.

Volume = 1634.4 cc
Moisture Content = 7.0%
Specific Gravity = 2.65
Dry Weight of Solids = 3281.29 g
Wet Density = 2.15 g/cc
Dry Density = 2.01 g/cc
Wet Density = 134.0 pcf
Dry Density = 125.3 pcf

Cell Pressure = 110 psi
Back Pressure = 10 psi
Confining Pressure = 100 psi

Golder Associates, Inc.
Denver, Colorado

Job Short Title:

Phelps Dodge/Tyrone

Title:

TRIAXIAL SHEAR TEST REPORT
SAMPLE DATA AND CALCULATIONS

Sample No.

GTP06/03

Depth

-

Reviewed:

Date:



Feb. 2000

Job Number:


993-2546

Figure:

1



Golder Associates, Inc. Denver, Colorado			Title: CU TRIAXIAL SHEAR DATA STRESS AND Δ PORE PRESSURE PLOTS		
Job Short Title: Phelps Dodge/Tyrone					
Sample No. GTP06/03	Depth -	Reviewed: 	Date: Feb. 2000	Job Number: 993-2546	Figure: 2




Stress Path Parameters

$\psi' = 28.5$ degrees
 $a' = 7.0$ psi

Golder Associates, Inc. Denver, Colorado			Title: CU TRIAXIAL SHEAR DATA STRESS PATH PLOT		
Job Short Title: Phelps Dodge/Tyrone					
Sample No.	Depth	Reviewed:	Date:	Job Number:	Figure:
GTP06/03	-		Feb. 2000	993-2546	3

Mohr Circle Diagram Effective Stress Parameters



Mohr-Coulomb Parameters

$\phi' = 32.8$ degrees
 $c' = 8.3$ psi

Golder Associates, Inc. Denver, Colorado			Title: CU TRIAXIAL SHEAR DATA MOHR CIRCLE DIAGRAM		
Job Short Title: Phelps Dodge/Tyrone					
Sample No. GTP06/03	Depth -	Reviewed:	Date: Feb. 2000	Job Number: 993-2546	Figure: 4

APPENDIX D-2

2001 TRIAXIAL SHEAR TESTS

Sample # = TYTP 01-2
Point # = 1

Initial
Length = 20.35 cm
Diameter = 10.14 cm
Wet Weight = 3386.30 g
Area = 80.8 sq.cm
Sample Area = 12.52 sq. in.

Volume = 1643.3 cc
Moisture Content = 5.8%
Specific Gravity = NA
Dry Weight of Solids = 3200.66 g
Wet Density = 2.06 g/cc
Dry Density = 1.95 g/cc
Wet Density = 128.6 pcf
Dry Density = 121.5 pcf

Cell Pressure = 100 psi
Back Pressure = 75 psi
Confining Pressure = 25 psi

Sample # = TYTP 01-2
Point # = 2

Initial
Length = 20.35 cm
Diameter = 10.14 cm
Wet Weight = 3386.30 g
Area = 80.8 sq.cm
Sample Area = 12.52 sq. in.

Volume = 1643.3 cc
Moisture Content = 5.8%
Specific Gravity = NA
Dry Weight of Solids = 3200.66 g
Wet Density = 2.06 g/cc
Dry Density = 1.95 g/cc
Wet Density = 128.6 pcf
Dry Density = 121.5 pcf

Cell Pressure = 100 psi
Back Pressure = 50 psi
Confining Pressure = 50 psi

Sample # = TYTP 01-2
Point # = 3

Initial
Length = 20.35 cm
Diameter = 10.14 cm
Wet Weight = 3386.30 g
Area = 80.8 sq.cm
Sample Area = 12.52 sq. in.

Volume = 1643.3 cc
Moisture Content = 5.8%
Specific Gravity = NA
Dry Weight of Solids = 3200.66 g
Wet Density = 2.06 g/cc
Dry Density = 1.95 g/cc
Wet Density = 128.6 pcf
Dry Density = 121.5 pcf

Cell Pressure = 120 psi
Back Pressure = 20 psi
Confining Pressure = 100 psi

- Notes: 1. Staged test at 25, 50 and 100 psi confining pressure
2. Sample remolded to 122.6 lb/ft³ and 6% moisture content

Golder Associates, Inc.
Denver, Colorado

Job Short Title:

G&K/TYRONE CLOSURE HEARING/AZ

Title:

TRIAXIAL SHEAR TEST REPORT
SAMPLE DATA AND CALCULATIONS

Sample No.

TYTP 01-2

Reviewed:

GE

Date:



11/16/2001

Job Number:


013-1595

Figure:

1



Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA STRESS AND Δ PORE PRESSURE PLOTS			
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ					
Sample No. TYTP 01-2	Reviewed: GE	Date: 11/16/01	Job Number: 013-1595	Figure:	2




Stress Path Parameters

$\psi' = 30.5$ degrees
 $a' = 0.5$ psi

Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA STRESS PATH PLOT		
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ				
Sample No. TYTP 01-2	Reviewed: GE	Date: 11/16/01	Job Number: 013-1595	Figure: 3

Mohr Circle Diagram Effective Stress Parameters



Mohr-Coulomb Parameters

$\phi' = 36.2$ degrees
 $c' = 0.6$ psi

Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA MOHR CIRCLE DIAGRAM			
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ					
Sample No. TYTP 01-2		Reviewed: GE	Date: 11/16/01	Job Number: 013-1595	Figure: 4

Sample # = TYTP 01-04
Point # = 1

Initial
Length = 20.55 cm
Diameter = 10.11 cm
Wet Weight = 3362.40 g
Area = 80.3 sq.cm
Sample Area = 12.44 sq. in.

Volume = 1649.6 cc
Moisture Content = 5.8%
Specific Gravity = NA
Dry Weight of Solids = 3178.07 g
Wet Density = 2.04 g/cc
Dry Density = 1.93 g/cc
Wet Density = 127.2 pcf
Dry Density = 120.2 pcf

Cell Pressure = 100 psi
Back Pressure = 75 psi
Confining Pressure = 25 psi

Sample # = TYTP 01-04
Point # = 2

Initial
Length = 20.55 cm
Diameter = 10.11 cm
Wet Weight = 3362.40 g
Area = 80.3 sq.cm
Sample Area = 12.44 sq. in.

Volume = 1649.6 cc
Moisture Content = 5.8%
Specific Gravity = NA
Dry Weight of Solids = 3178.07 g
Wet Density = 2.04 g/cc
Dry Density = 1.93 g/cc
Wet Density = 127.2 pcf
Dry Density = 120.2 pcf

Cell Pressure = 100 psi
Back Pressure = 50 psi
Confining Pressure = 50 psi

Sample # = TYTP 01-04
Point # = 3

Initial
Length = 20.55 cm
Diameter = 10.11 cm
Wet Weight = 3362.40 g
Area = 80.3 sq.cm
Sample Area = 12.44 sq. in.

Volume = 1649.6 cc
Moisture Content = 5.8%
Specific Gravity = NA
Dry Weight of Solids = 3178.07 g
Wet Density = 2.04 g/cc
Dry Density = 1.93 g/cc
Wet Density = 127.2 pcf
Dry Density = 120.2 pcf

Cell Pressure = 120 psi
Back Pressure = 20 psi
Confining Pressure = 100 psi

Notes: 1. Sample remolded to 122 lb/ft³ and 6% mc

Golder Associates, Inc.
Denver, Colorado

Job Short Title:

G&K/TYRONE CLOSURE HEARING/AZ

Title:

TRIAXIAL SHEAR TEST REPORT
SAMPLE DATA AND CALCULATIONS

Sample No.

TYTP 01-04

Reviewed:

GE

Date:



11/30/2001

Job Number:


013-1595

Figure:

1



Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA STRESS AND Δ PORE PRESSURE PLOTS			
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ					
Sample No. TYTP 01-04	Reviewed: GE	Date: 11/30/01	Job Number: 013-1595	Figure:	2




Stress Path Parameters

$\psi' = 30.1$ degrees
 $a' = 0.3$ psi

Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA STRESS PATH PLOT		
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ				
Sample No. TYTP 01-04	Reviewed: GE	Date: 11/30/01	Job Number: 013-1595	Figure: 3

Mohr Circle Diagram Effective Stress Parameters



Mohr-Coulomb Parameters

$\phi' = 35.5$ degrees
 $c' = 0.4$ psi

Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA MOHR CIRCLE DIAGRAM		
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ				
Sample No. TYTP 01-04	Reviewed: GE	Date: 11/30/01	Job Number: 013-1595	Figure: 4

Sample # = TYTP 01-7
Point # = 1

Initial
Length = 20.30 cm
Diameter = 10.13 cm
Wet Weight = 3387.40 g
Area = 80.6 sq.cm
Sample Area = 12.49 sq. in.

Volume = 1636.0 cc
Moisture Content = 6.3%
Specific Gravity = NA
Dry Weight of Solids = 3186.64 g
Wet Density = 2.07 g/cc
Dry Density = 1.95 g/cc
Wet Density = 129.2 pcf
Dry Density = 121.5 pcf

Cell Pressure = 100 psi
Back Pressure = 75 psi
Confining Pressure = 25 psi

Sample # = TYTP 01-7
Point # = 2

Initial
Length = 20.30 cm
Diameter = 10.13 cm
Wet Weight = 3387.40 g
Area = 80.6 sq.cm
Sample Area = 12.49 sq. in.

Volume = 1636.0 cc
Moisture Content = 6.3%
Specific Gravity = NA
Dry Weight of Solids = 3186.64 g
Wet Density = 2.07 g/cc
Dry Density = 1.95 g/cc
Wet Density = 129.2 pcf
Dry Density = 121.5 pcf

Cell Pressure = 100 psi
Back Pressure = 50 psi
Confining Pressure = 50 psi

Sample # = TYTP 01-7
Point # = 3

Initial
Length = 20.30 cm
Diameter = 10.13 cm
Wet Weight = 3387.40 g
Area = 80.6 sq.cm
Sample Area = 12.49 sq. in.

Volume = 1636.0 cc
Moisture Content = 6.3%
Specific Gravity = NA
Dry Weight of Solids = 3186.64 g
Wet Density = 2.07 g/cc
Dry Density = 1.95 g/cc
Wet Density = 129.2 pcf
Dry Density = 121.5 pcf

Cell Pressure = 120 psi
Back Pressure = 20 psi
Confining Pressure = 100 psi

- Notes: 1. Staged test at 25, 50 and 100 psi confining pressure
2. Sample remolded to 122.6 lb/ft³ and 6% moisture content

Golder Associates, Inc.
Denver, Colorado

Job Short Title:

G&K/TYRONE CLOSURE HEARING/AZ

Title:

TRIAXIAL SHEAR TEST REPORT
SAMPLE DATA AND CALCULATIONS

Sample No.

TYTP 01-7

Reviewed:

GE

Date:



11/25/2001

Job Number:

013-1595

Figure:

1



Golder Associates, Inc.
Denver, Colorado

Title:

CU TRIAXIAL SHEAR DATA
STRESS AND Δ PORE PRESSURE PLOTS

Job Short Title:

G&K/TYRONE CLOSURE HEARING/AZ

Sample No.

TYTP 01-7

Reviewed:

GE

Date:


11/25/01

Job Number:

013-1595

Figure:

2




Stress Path Parameters

$\psi' = 31.0$ degrees
 $a' = 0.4$ psi

Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA STRESS PATH PLOT		
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ				
Sample No. TYTP 01-7	Reviewed: GE	Date: 11/25/01	Job Number: 013-1595	Figure: 3

Mohr Circle Diagram Effective Stress Parameters



Mohr-Coulomb Parameters

$\phi' = 36.9$ degrees
 $c' = 0.6$ psi

Golder Associates, Inc.
Denver, Colorado

Job Short Title:
G&K/TYRONE CLOSURE HEARING/AZ

Title:

CU TRIAXIAL SHEAR DATA
MOHR CIRCLE DIAGRAM

Sample No.
TYTP 01-7

Reviewed:
GE

Date:
11/25/01

Job Number:
013-1595

Figure: **4**

Sample # = TYTP 01-9
Point # = 1

Initial
Length = 20.35 cm
Diameter = 10.12 cm
Wet Weight = 3386.20 g
Area = 80.4 sq.cm
Sample Area = 12.47 sq. in.

Volume = 1636.8 cc
Moisture Content = 6.1%
Specific Gravity = NA
Dry Weight of Solids = 3191.52 g
Wet Density = 2.07 g/cc
Dry Density = 1.95 g/cc
Wet Density = 129.1 pcf
Dry Density = 121.7 pcf

Cell Pressure = 100 psi
Back Pressure = 75 psi
Confining Pressure = 25 psi

Sample # = TYTP 01-9
Point # = 2

Initial
Length = 20.35 cm
Diameter = 10.12 cm
Wet Weight = 3386.20 g
Area = 80.4 sq.cm
Sample Area = 12.47 sq. in.

Volume = 1636.8 cc
Moisture Content = 6.1%
Specific Gravity = NA
Dry Weight of Solids = 3191.52 g
Wet Density = 2.07 g/cc
Dry Density = 1.95 g/cc
Wet Density = 129.1 pcf
Dry Density = 121.7 pcf

Cell Pressure = 100 psi
Back Pressure = 50 psi
Confining Pressure = 50 psi

Sample # = TYTP 01-9
Point # = 3

Initial
Length = 20.35 cm
Diameter = 10.12 cm
Wet Weight = 3386.20 g
Area = 80.4 sq.cm
Sample Area = 12.47 sq. in.

Volume = 1636.8 cc
Moisture Content = 6.1%
Specific Gravity = NA
Dry Weight of Solids = 3191.52 g
Wet Density = 2.07 g/cc
Dry Density = 1.95 g/cc
Wet Density = 129.1 pcf
Dry Density = 121.7 pcf

Cell Pressure = 120 psi
Back Pressure = 20 psi
Confining Pressure = 100 psi

- Notes: 1. Sample remolded to 122.6 lb/ft³ and 6% mc
2. Soil is gravelly clay material

Golder Associates, Inc.
Denver, Colorado

Job Short Title:

G&K/TYRONE CLOSURE HEARING/AZ

Title:

TRIAXIAL SHEAR TEST REPORT
SAMPLE DATA AND CALCULATIONS

Sample No.

TYTP 01-9

Reviewed:

GE

Date:



12/5/2001

Job Number:

013-1595

Figure:

1



Golder Associates, Inc.
Denver, Colorado

Title:

CU TRIAXIAL SHEAR DATA
STRESS AND Δ PORE PRESSURE PLOTS

Job Short Title:

G&K/TYRONE CLOSURE HEARING/AZ

Sample No.

TYTP 01-9

Reviewed:

GE

Date:


12/05/01

Job Number:

013-1595

Figure:

2




Stress Path Parameters

$\psi' = 29.3$ degrees
 $a' = 1.8$ psi

Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA STRESS PATH PLOT		
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ				
Sample No. TYTP 01-9	Reviewed: GE	Date: 12/05/01	Job Number: 013-1595	Figure: 3

Mohr Circle Diagram Effective Stress Parameters



Mohr-Coulomb Parameters

$\phi' = 34.1$ degrees
 $c' = 2.2$ psi

Golder Associates, Inc. Denver, Colorado		Title: CU TRIAXIAL SHEAR DATA MOHR CIRCLE DIAGRAM		
Job Short Title: G&K/TYRONE CLOSURE HEARING/AZ				
Sample No. TYTP 01-9	Reviewed: GE	Date: 12/05/01	Job Number: 013-1595	Figure: 4

APPENDIX D-3


1C STOCKPILE DIRECT SHEAR TESTS



SGI TESTING SERVICES, LLC

INTERNAL DIRECT SHEAR TESTING (ASTM D 3080) GOLDER ASSOCIATES, INC. GOLDER PROJECT NO. 053-2503-001

Test Series No. 1:
internal strength of sample GA04-TY-1-GT material under soaked and consolidation conditions



Test Conditions:

Shear Box Size (in x in): 6 x 6

Shear Area (sq. in.): 36

Upper Box: Tamped In-Place
at as-received moisture

Lower Box: Tamped In-place
at as-received moisture

Soaking Stress (psi): N/A

Soaking Time (hour): N/A

Consolidation Stress (psi): 10

Consolidation Time (hour): 1

Shear Rate (in/min): 0.04

Normal Stress (psi)	Peak Load (lb)	Large Displ Load (lb)	Peak Strength (psi)	Large Displ Strength (psi)	Shear Strength Parameters			
					Peak		Large Displacement	
					Friction Angle (degree)	Adhesion (psf)	Friction Angle (degree)	Adhesion (psf)
10	499	385	13.86	10.69	31	1720	31	1495
50	1555	1555	43.19	43.19				
100	2689	2689	74.69	74.69				
300	6764	6764	187.89	187.89				

Note: Shear failure occurred within the soil at the mid-plane of the shear box after each test..

Project No.: SG15021
S5021-1




SGI TESTING SERVICES, LLC

INTERNAL DIRECT SHEAR TESTING (ASTM D 3080) GOLDER ASSOCIATES, INC. GOLDER PROJECT NO. 053-2503-001

Test Series No. 2:

internal strength of sample GA04-TY-5-GT material under soaked and consolidation conditions



Test Conditions:

Shear Box Size (in x in): 6 x 6

Shear Area (sq. in.): 36

Upper Box: Tamped In-Place
at as-received moisture

Lower Box: Tamped In-place
at as-received moisture

Soaking Stress (psi): N/A

Soaking Time (hour): N/A

Consolidation Stress (psi): 10

Consolidation Time (hour): 1

Shear Rate (in/min): 0.04

Normal Stress (psi)	Peak Load (lb)	Large Displ Load (lb)	Peak Strength (psi)	Large Displ Strength (psi)	Shear Strength Parameters			
					Peak		Large Displacement	
					Friction Angle (degree)	Adhesion (psf)	Friction Angle (degree)	Adhesion (psf)
10	381	381	10.58	10.58	32	1630	32	1630
50	1721	1721	47.81	47.81				
100	2839	2839	78.86	78.86				
300	7172	7172	199.22	199.22				

Note: Shear failure occurred within the soil at the mid-plane of the shear box after each test..


Project No.: SG15021
S5021-2



SGI TESTING SERVICES, LLC

INTERNAL DIRECT SHEAR TESTING (ASTM D 3080) GOLDER ASSOCIATES, INC. GOLDER PROJECT NO. 053-2503-001

Test Series No. 3:
internal strength of sample GA04-TY-8-GT material under soaked and consolidation conditions



Test Conditions:

Shear Box Size (in x in): 6 x 6

Shear Area (sq. in.): 36

Upper Box: Tamped In-Place
at as-received moisture

Lower Box: Tamped In-place
at as-received moisture

Soaking Stress (psi): N/A

Soaking Time (hour): N/A

Consolidation Stress (psi): 10

Consolidation Time (hour): 1

Shear Rate (in/min): 0.04

Normal Stress (psi)	Peak Load (lb)	Large Displ Load (lb)	Peak Strength (psi)	Large Displ Strength (psi)	Shear Strength Parameters			
					Peak		Large Displacement	
					Friction Angle (degree)	Adhesion (psf)	Friction Angle (degree)	Adhesion (psf)
10	436	329	12.11	9.14	29	1540	29	1260
50	1443	1399	40.08	38.86				
100	2551	2439	70.86	67.75				
300	6369	6190	176.92	171.94				

Note: Shear failure occurred within the soil at the mid-plane of the shear box after each test..

Project No.: SG15021
S5021-3


APPENDIX II

2005 Compositional Model

COMPOSITIONAL MODELS – No. 1A Ore Stockpile

No. 1A Leach Stockpile

1973




1975

No material
deposited


1976

No material
deposited


1978



Mineral
Assemblage
Code



1982



1986

No material
deposited

1987

No material
deposited

1988

No material
deposited

1989

No material
deposited

1990

No material
deposited

1992

No material
deposited


1995

No material
deposited

1996

No material
deposited

Tyrone Mine - No. 1A Leach Stockpile - Cross Section 5h






5h






No. 1A Leach
Stockpile

Tyrone Mine - No. 1A Leach Stockpile - Cross Section 4v





Tyrone Mine - No. 1A Leach Stockpile - Cross Section 3h



No. 1A Leach
Stockpile


Tyrone Mine - No. 1A Leach Stockpile - Cross Section 4h





No. 1A Leach
Stockpile

COMPOSITIONAL MODELS – No. 1B Ore Stockpile

No. 1B Leach Stockpile




Tyrone Mine - No. 1B Leach Stockpile - Cross Section 4v



No. 1B Leach
Stockpile

COMPOSITIONAL MODELS – No. 1C Waste Rock Stockpile


No. 1C Stockpile



Tyrone Cross Section No1C_16v

North


South



Tyrone Cross Section No1C_17v

North


South



Tyrone Cross Section No1C_1h

West


East



Tyrone Cross Section No1C_18v

North


South



Tyrone Cross Section No1C_4h

West


East



Tyrone Cross Section No1C_18v











North

South





COMPOSITIONAL MODELS – No. 2A and 2B Ore Stockpiles

No. 2A Leach and No. 2B Stockpiles





Tyrone Mine - No. 2A Leach Stockpile - Cross Section 7h




No. 2A Leach
Stockpile

Tyrone Mine - No. 2B Stockpile - Cross Section 4h





No. 2B
Stockpile

Tyrone Mine - No. 2B Stockpile - Cross Section 3v





**No. 2B
Stockpile**

Tyrone Mine - No. 2B Stockpile - Cross Section 4h




No. 2B
Stockpile

Tyrone Mine - No. 2B Stockpile - Cross Section 4h




No. 2B
Stockpile

Tyrone Mine - No. 2B Stockpile - Cross Section 3v



**No. 2B
Stockpile**

Tyrone Mine - No. 2B Stockpile - Cross Section 3v




**No. 2B
Stockpile**

COMPOSITIONAL MODELS – No. 3A Ore Stockpile

Tyrone Cross Section No. 3A Leach

West


East



Tyrone Cross Section No. 3A Leach

North


South




COMPOSITIONAL MODELS – No. 5A(3C) Waste Rock Stockpile

No. 1D (5C/3A) Waste Stockpile

1973



1975




1976

No material deposited


1978

No material deposited


1982




1986




1987



1988




Mineral
Assemblage
Code




1989

No material deposited

1990



1992





1995

No material deposited


1996

No material deposited

Tyrone Mine - No. 1D (5c/3a) Waste Stockpile - Cross Section 8v





Tyrone Mine - No. 1D (5C/3A) Waste Stockpile - Cross Section 7v





No. 1D Waste
Stockpile

Tyrone Mine - No. 1D (5C/3A) Waste Stockpile - Cross Section 4v



No. 1D Waste Stockpile


Tyrone Mine - No. 1D (5C/3A) Waste Stockpile - Cross Section 8v



No. 1D Waste
Stockpile

**COMPOSITIONAL MODELS – No. 7A West
and Far West Waste Rock Stockpiles**


No. 1C (7A West and Far West) Stockpile



Tyrone Cross Section No. 1C (7a West and Far West) _8h

West


East




COMPOSITIONAL MODELS –Pit Ore Stockpiles

No. 2 and Copper Mountain Pit Leach Stockpile


1973




1975




1976




1978




Mineral
Assemblage
Code



1982



1986



1987

No material
deposited

1988

No material
deposited


1989

No material
deposited


1990

No material
deposited


1992




1995




1996




Tyrone Cross Section No2 and Copper Mountain Pit Leach_6v



Tyrone Cross Section No2 and Copper Mountain Pit Leach_4h




Tyrone Cross Section No. 2 and Copper Mountain Pit Leach_6v




Tyrone Cross Section No. 2 and Copper Mountain Pit Leach_7h

West


East




Tyrone Cross Section Gettysburg-In Pit_2h



Tyrone Cross Section Gettysburg-In Pit_1h




Tyrone Cross Section Gettysburg-In Pit_5h



Tyrone Cross Section Savanna In Pit_2h

West

East



APPENDIX III

Previously Unreported Testing

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: G&K/Tyrone Stockpile Geotech/AZ

SAMPLE ID: TSGT-04

Depth (ft): 265-269

TYPE: Pail




	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size (mm)		Particle Size Classification	
	(mm)	% Passing	Classification	Percentage
	12.0"	304.8	100.0	
	6.0"	154.2	100.0	
	6.0"	154.2	100.0	
	6.0"	154.2	100.0	
	3.0"	75.0	100.0	
	1.5"	37.5	99.5	
	1.0"	25.0	98.2	
	0.75"	19.0	97.0	
	0.375"	9.5	94.6	
	#4	4.8	89.6	
	#10	2.00	80.6	
	#20	0.85	61.9	
	#40	0.43	46.8	
	#60	0.25	36.8	
	#100	0.15	28.9	
	#200	0.075	21.6	

Hydrometer Analysis	(mm)	% Finer		
	0.036	15.7		
	0.023	13.4		
	0.013	11.6		
	0.0095	11.2		
	0.0068	9.8		
	0.0033	6.7		
	0.0014	5.8		

DESCRIPTION: Light brown silty sand

USCS: SM



ATTERBERG LIMITS

M _c	LL	PL	PI	SpG (assumed)
--	NP	NP	NP	2.70

TECH: DS

DATE: 6/28/2005

REVIEW: MB

Sample # = TSTG-04
Point # = 1

Initial
Length = 14.67 cm
Diameter = 7.27 cm
Wet Weight = 1235.20 g
Area = 41.5 cm²
Sample Area = 6.43 in²

Volume = 608.9 cm³
Moisture Content = 11.0%
Specific Gravity = -
Dry Weight of Solids = 1112.79 g
Wet Unit Weight = 2.03 g/cm³
Dry Unit Weight = 1.83 g/cm³
Wet Unit Weight = 126.6 pcf
Dry Unit Weight = 114.0 pcf

Cell Pressure = 80 psi
Back Pressure = 50 psi
Confining Pressure = 30 psi

Sample # = TSTG-04
Point # = 2

Initial
Length = 14.67 cm
Diameter = 7.27 cm
Wet Weight = 1235.20 g
Area = 41.5 cm²
Sample Area = 6.43 in²

Volume = 608.9 cm³
Moisture Content = 11.0%
Specific Gravity = -
Dry Weight of Solids = 1112.79 g
Wet Unit Weight = 2.03 g/cm³
Dry Unit Weight = 1.83 g/cm³
Wet Unit Weight = 126.6 pcf
Dry Unit Weight = 114.0 pcf

Cell Pressure = 150 psi
Back Pressure = 50 psi
Confining Pressure = 100 psi

Sample # = TSTG-04
Point # = 3

Initial
Length = 14.67 cm
Diameter = 7.27 cm
Wet Weight = 1235.20 g
Area = 41.5 cm²
Sample Area = 6.43 in²

Volume = 608.9 cm³
Moisture Content = 11.0%
Specific Gravity = -
Dry Weight of Solids = 1112.79 g
Wet Unit Weight = 2.03 g/cm³
Dry Unit Weight = 1.83 g/cm³
Wet Unit Weight = 126.6 pcf
Dry Unit Weight = 114.0 pcf

Cell Pressure = 250 psi
Back Pressure = 50 psi
Confining Pressure = 200 psi

Notes: Material visually described as sand, reddish-brown, with clay and fine gravel.
Specimen remolded with a light to moderate tamp at visually estimated optimum moisture content.
Failure defined as maximum principal stress ratio.
The strain rate was 0.1mm/min, and t₅₀ was 0.1 minutes.
Test was a staged triaxial test.

Golder Associates, Inc.
Denver, Colorado

Title:

TRIAXIAL SHEAR TEST REPORT
SAMPLE DATA AND CALCULATIONS

Job Short Title:

PD Tyrone/Stockpile Geotech

Sample Number:

TSTG-04 @ 265-268

Reviewed:

JEO

Date:



6/7/2006

Job Number:

053-2550


Figure:

1



Golder Associates, Inc. Denver, Colorado		Title: C-U TRIAXIAL SHEAR DATA q AND EXCESS PORE PRESSURE PLOTS			
Job Short Title: PD Tyrone/Stockpile Geotech					
Sample Number: TSTG-04 @ 265-268	Reviewed: JEO	Date: 06/07/06	Job Number: 053-2550	Figure: 2	

Stress Path (p'-q) Plot



Stress Path Parameters

$\psi' = 31.8$ degrees

$a' = 0.0$ psi

Golder Associates, Inc.
Denver, Colorado

Job Short Title:

PD Tyrone/Stockpile Geotech

Title:

C-U TRIAXIAL SHEAR DATA
STRESS PATH PLOT

Sample Number:

TSTG-04 @ 265-268

Reviewed:

JEO

Date:


6/7/2006

Job Number:

053-2550

Figure:

3



Effective Stress Shear Strength Parameters

$\phi' = 38.4$ degrees

$c' = 0.0$ psi

Golder Associates, Inc. Denver, Colorado		Title: C-U TRIAXIAL SHEAR DATA MOHR'S CIRCLE DIAGRAM			
Job Short Title: PD Tyrone/Stockpile Geotech					
Sample Number: TSTG-04 @ 265-268		Reviewed: JEO	Date: 6/7/2006	Job Number: 053-2550	Figure: 4

Consolidated-Undrained Triaxial Lab Data

From: GOLDER ASSOCIATES, INC.

Project: PD Tyrone/Stockpile Geotech

Project Number: 053-2550


Sample Number TSTG-04 @ 265-268

Effective Stress Analysis

Point Number	p' (psi)	q (psi)
1	25.1	14.4
2	95.5	58.5
3	234.4	146.0

$$\tan(\psi') = 0.6212$$
$$a' = 0.0 \text{ psi}$$

$$\phi' = 38.4 \text{ degrees}$$
$$c' = 0.0 \text{ psi}$$



Consolidated-Undrained Triaxial Lab Data

From: GOLDER ASSOCIATES, INC.

Project: PD Tyrone/Stockpile Geotech


Project Number: 053-2550

Sample Number TSTG-04 @ 265-268

Total Stress Analysis

Point Number	p-u ₀ (psi)	q (psi)
1	43.8	14.4
2	157.8	58.5
3	345.5	146.0

$$\begin{aligned}\tan(\psi) &= 0.4126 \\ a &= 0.0 \text{ psi} \\ \phi &= 24.4 \text{ degrees} \\ c &= 0.0 \text{ psi}\end{aligned}$$



Consolidated-Undrained Triaxial Lab Data

From: GOLDER ASSOCIATES, INC.

Project: PD Tyrone/Stockpile Geotech

Project Number: 053-2550

Mohr-Coulomb Failure Criteria:

$$\tau_{ff} = c' + \sigma'_{ff} \tan(\phi')$$

$$\tau_{ff} = c + \sigma_{ff} \tan(\phi)$$

Where:

c' , c = effective and total stress cohesion intercepts

ϕ' , ϕ = effective and total stress friction angles

τ_{ff} = shear strength on the failure surface at failure

σ'_{ff} , σ_{ff} = effective and total normal stresses on the failure surface at failure

Stress Path Space:

$$q = \frac{\sigma_1 - \sigma_3}{2} \quad p' = \frac{\sigma'_1 + \sigma'_3}{2} \quad p = \frac{\sigma_1 + \sigma_3}{2}$$

Where:

q = maximum shear stress

p' , p = mean effective and total stresses

σ'_1 , σ_1 = effective and total axial stresses

σ'_3 , σ_3 = effective and total confining stresses

Stress Path Failure Criteria:

$$q = a' + p' \tan(\psi')$$

$$q = a + (p - u_0) \tan(\psi)$$

Where:

a' , a = intercepts of the q -axis in effective stress and total stress spaces

ψ' , ψ = angles of the failure envelopes in effective stress and total stress spaces

q = maximum shear stress at failure

p' = mean effective stress at failure

$p - u_0$ = mean total stress at failure minus the initial pore pressure

The relationships between ψ and ϕ and a and c are as follows:

$$\tan(\psi) = \sin(\phi)$$

$$a = c \cos(\phi)$$

The relationships between ψ' and ϕ' and a' and c' are as follows:

$$\tan(\psi') = \sin(\phi')$$

$$a' = c' \cos(\phi')$$

PD TYRONE/STOCKPILE GEOTEC
053-2550
TSTG=4 @265-268
STAGED TRIAXIAL SHEAR TEST

Golder Associates, Inc.
Denver, Colorado



January-19

18106417.3B


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS

ASTM D421, D422, D4318

PROJECT NAME: **FMI/TyroneCCP Support 2018-2019**

SAMPLE ID: **TY18-01**


DEPTH (ft): --

TYPE: **Pail**


Sieve Analysis (Initial Separation on No. 4 Sieve)	Sieve	Particle Size (mm)	% Passing	Description	Percentage
	3-inch	75.0	100.0	Coarse Gravel	9.74
	1.5-inch	37.5	98.4		
	1-inch	25.0	94.4		
	3/4-inch	19.0	90.3	Fine Gravel	26.33
	3/8-inch	9.5	78.4		
	#4	4.75	63.9	Coarse Sand	19.84
	#10	2.0	44.1		
	#20	0.850	28.5	Medium Sand	23.33
	#40	0.425	20.8		
	#60	0.250	17.2	Fine Sand	8.40
	#100	0.150	14.8		
	#200	0.075	12.4	Silt or Clay Fines	12.36

USCS Description (ASTM D 2487):

Clayey sand with gravel, reddish brown, moist



As-Received Moisture Content (%)

--

USCS Group Symbol

SC

Notes: 0 g of particles up to 75.0 mm maximum size were removed from particle size analysis sample prior to testing

Particle size analysis sample was not mechanically dispersed; hydrometer test was not performed

Sample prepared for Atterberg Limits testing by the dry method

Material retained on No. 40 sieve removed from Atterberg Limits sample by sieving

Plastic Limit test performed by hand rolling. Method A Liquid Limit test performed using mechanical device

TECH JP

DATE 4-Jan-2019

REVIEW MB

January-19

18106417.3B


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS

ASTM D421, D422, D4318


PROJECT NAME: **FMI/TyroneCCP Support 2018-2019**

SAMPLE ID: **TY18-02**

DEPTH (ft): --

TYPE: **Pail**


Sieve Analysis (Initial Separation on No. 4 Sieve)	Sieve	Particle Size (mm)	% Passing	Description	Percentage
	3-inch	75.0	100.0	Coarse Gravel	21.87
	1.5-inch	37.5	99.3		
	1-inch	25.0	91.1		
	3/4-inch	19.0	78.1	Fine Gravel	67.35
	3/8-inch	9.5	42.1		
	#4	4.75	10.8		
	#10	2.0	7.4	Coarse Sand	3.39
	#20	0.850	5.1	Medium Sand	3.63
	#40	0.425	3.8		
	#60	0.250	3.0		
	#100	0.150	2.5	Fine Sand	1.82
	#200	0.075	1.9		
				Silt or Clay Fines	1.93



USCS Description (ASTM D 2487):

Poorly graded gravel, dark yellowish brown, moist

As-Received Moisture Content (%)

--

USCS Group Symbol

GP

Notes: 0 g of particles up to 75.0 mm maximum size were removed from particle size analysis sample prior to testing

Particle size analysis sample was not mechanically dispersed; hydrometer test was not performed

Sample prepared for Atterberg Limits testing by the dry method

Material retained on No. 40 sieve removed from Atterberg Limits sample by sieving

Plastic Limit test performed by hand rolling. Method A Liquid Limit test performed using mechanical device

TECH **EH**

DATE **7-Jan-2019**

REVIEW **MB**

Boring or Test Pit: Comp
Sample: TY18-01/02
Depth: 0-8 ft
Point No.: 1

Boring or Test Pit: Comp
Sample: TY18-01/02
Depth: 0-8 ft
Point No.: 2

Boring or Test Pit: Comp
Sample: TY18-01/02
Depth: 0-8 ft
Point No.: 3

Initial	Initial	Initial
Bottom Thickness = 3.00 in	Bottom Thickness = 2.00 in	Bottom Thickness = 2.00 in
Top Thickness = 3.00 in	Top Thickness = 3.00 in	Top Thickness = 2.00 in
Bottom Length = 12.00 in	Bottom Length = 9.00 in	Bottom Length = 6.00 in
Top Length = 12.00 in	Top Length = 9.00 in	Top Length = 6.00 in
Width = 12.00 in	Width = 9.00 in	Width = 6.00 in
Wet Mass = 65.21 lb	Wet Mass = 30.72 lb	Wet Mass = 10.89 lb
Volume = 864 in ³	Volume = 405 in ³	Volume = 144 in ³
Specific Gravity = 2.70 (Assumed)	Specific Gravity = 2.70 (Assumed)	Specific Gravity = 2.70 (Assumed)
Dry Mass of Solids = 62.47 lb	Dry Mass of Solids = 29.31 lb	Dry Mass of Solids = 10.40 lb
Moisture Content = 4.4%	Moisture Content = 4.8%	Moisture Content = 4.7%
Wet Unit Weight = 130.4 pcf	Wet Unit Weight = 131.1 pcf	Wet Unit Weight = 130.7 pcf
Dry Unit Weight = 124.9 pcf	Dry Unit Weight = 125.1 pcf	Dry Unit Weight = 124.8 pcf
Void Ratio = 0.35	Void Ratio = 0.35	Void Ratio = 0.35
Percent Saturation = 34%	Percent Saturation = 38%	Percent Saturation = 36%

Pre-Shear	Pre-Shear	Pre-Shear
Top Thickness = 2.96 in	Top Thickness = 2.96 in	Top Thickness = 1.88 in
Volume = 858 in ³	Volume = 402 in ³	Volume = 140 in ³
Moisture Content = 9.3%	Moisture Content = 8.5%	Moisture Content = 7.8%
Wet Unit Weight = 137.5 pcf	Wet Unit Weight = 136.7 pcf	Wet Unit Weight = 138.9 pcf
Dry Unit Weight = 125.8 pcf	Dry Unit Weight = 126.0 pcf	Dry Unit Weight = 128.8 pcf
Void Ratio = 0.34	Void Ratio = 0.34	Void Ratio = 0.31
Percent Saturation = 75%	Percent Saturation = 68%	Percent Saturation = 69%

Shear Rate = 0.0195 in/min
Normal Stress = 5,760 psf

Shear Rate = 0.0192 in/min
Normal Stress = 14,400 psf

Shear Rate = 0.0192 in/min
Normal Stress = 43,200 psf

Notes:

Visual description:

Sandy gravel, brown, moist

Atterberg limits LL = --

PL = --

PI = --

(-- indicates test was not performed)

Percent finer: 3/4 in. = --

No. 4 = --

No. 200 = --

(-- indicates test was not performed)

Specimen type: ☐ Intact ☒ Reconstituted Remold targets: 125.0 pcf (dry) at Delivered moisture

Inundation: Specimens were inundated after normal load was applied

Apparatus: DGSI large scale shear device

In accordance with ASTM D3080, no area correction is made; nominal shear stresses and normal stresses are reported.

Gap between top and bottom shear boxes was approximately 0.25 inches during shear.

Project Name:
FMI/Tyrone CCP Support 2018-2019

Project Number:
18106417.3B

ASTM D3080 - MODIFIED
CONSOLIDATED DRAINED DIRECT SHEAR TEST REPORT
SAMPLE AND TEST DATA

Sample ID:
Composite TY18-01 / TY18-02



Technician:
EH

Checked:
PRH

Reviewed:
MK

Date:
30-Jan-2018

Figure:
1



Project Name: FMI/Tyrone CCP Support 2018-2019		ASTM D3080 - MODIFIED CONSOLIDATED DRAINED DIRECT SHEAR TEST REPORT SHEAR STRESS AND NORMAL DISPLACEMENT PLOTS				
Project Number: 18106417.3B						
Sample ID: Composite TY18-01 / TY18-02		Technician: EH	Checked: PRH	Reviewed: MK	Date: 30-Jan-2018	Figure: 2

Point No.: 1			Point No.: 2			Point No.: 3		
Normal Stress = 5,760 psf			Normal Stress = 14,400 psf			Normal Stress = 43,200 psf		
Shear Rate = 0.0195 in/min			Shear Rate = 0.0192 in/min			Shear Rate = 0.0192 in/min		
Relative			Relative			Relative		
Shear	Lateral	Normal	Shear	Lateral	Normal	Shear	Lateral	Normal
Stress	Displacement	Displacement	Stress	Displacement	Displacement	Stress	Displacement	Displacement
psf	%	in	psf	%	in	psf	%	in
2,155	0.5	-	2,780	0.5	-0.031	3,569	0.5	-0.016
3,293	1.0	-	4,688	1.0	-0.048	6,193	1.0	-0.034
3,946	1.5	-	5,973	1.5	-0.063	8,793	1.5	-0.048
4,411	2.0	-	6,821	2.0	-0.072	10,961	2.0	-0.059
4,793	2.5	-	7,619	2.5	-0.080	12,705	2.5	-0.067
5,134	3.0	-	8,277	3.0	-0.085	14,109	3.0	-0.070
5,447	3.5	-	8,766	3.5	-0.089	15,233	3.5	-0.073
5,705	4.0	-	9,283	4.0	-0.092	16,569	4.0	-0.075
5,945	4.5	-	9,779	4.5	-0.095	17,613	4.5	-0.078
6,146	5.0	-	10,293	5.0	-0.098	18,517	5.0	-0.079
6,323	5.5	-	10,691	5.5	-0.100	19,485	5.5	-0.083
6,510	6.0	-	11,088	6.0	-0.102	20,341	6.0	-0.085
6,632	6.5	-	11,367	6.5	-0.102	21,045	6.5	-0.087
6,764	7.0	-	11,564	7.0	-0.101	21,481	7.0	-0.087
6,881	7.5	-	11,838	7.5	-0.101	22,317	7.5	-0.090
6,983	8.0	-	12,357	8.0	-0.102	22,865	8.0	-0.092
7,091	9.0	-	12,951	9.0	-0.102	23,657	9.0	-0.094
7,142	10.0	-	13,242	10.0	-0.099	24,465	10.0	-0.098
7,175	11.0	-	13,626	11.0	-0.096	24,893	11.0	-0.099
7,134	11.9	-	13,921	12.0	-0.092	25,213	12.0	-0.101
7,099	13.0	-	13,994	13.0	-0.088	25,033	13.0	-0.101
7,052	14.0	-	13,921	14.0	-0.082	24,905	14.0	-0.100
7,070	15.0	-	14,263	14.9	-0.081	24,745	15.0	-0.100
7,043	16.0	-	14,243	16.0	-0.077	24,001	16.0	-0.099
6,863	17.0	-	14,232	16.9	-0.073	23,497	17.0	-0.099
6,729	18.0	-	13,984	18.0	-0.070	22,881	18.0	-0.098
6,587	19.0	-	14,090	19.0	-0.069	22,409	19.0	-0.098
6,458	20.0	-	14,268	20.0	-0.070	21,701	19.9	-0.097

Project Name: FMI/Tyrone CCP Support 2018-2019		ASTM D3080 - MODIFIED CONSOLIDATED DRAINED DIRECT SHEAR TEST REPORT SHEAR DATA				
Project Number: 18106417.3B						
Sample ID: Composite TY18-01 / TY18-02		Technician: EH	Checked: PRH	Reviewed: MK	Date: 30-Jan-2018	Figure: 4



Project Name: FMI/Tyrone CCP Support 2018-2019	ASTM D3080 - MODIFIED CONSOLIDATED DRAINED DIRECT SHEAR TEST REPORT SPECIMEN PHOTOGRAPH - 5,760 psf				
Project Number: 18106417.3B					
Sample ID: Composite TY18-01 / TY18-02	Technician: EH	Checked: PRH	Reviewed: MK	Date: 30-Jan-2018	Figure: 5



Project Name: FMI/Tyrone CCP Support 2018-2019	ASTM D3080 - MODIFIED CONSOLIDATED DRAINED DIRECT SHEAR TEST REPORT SPECIMEN PHOTOGRAPH - 14,400 psf				
Project Number: 18106417.3B					
Sample ID: Composite TY18-01 / TY18-02	Technician: EH	Checked: PRH	Reviewed: MK	Date: 30-Jan-2018	Figure: 6



Project Name: FMI/Tyrone CCP Support 2018-2019	ASTM D3080 - MODIFIED CONSOLIDATED DRAINED DIRECT SHEAR TEST REPORT SPECIMEN PHOTOGRAPH - 43,200 psf				
Project Number: 18106417.3B					
Sample ID: Composite TY18-01 / TY18-02	Technician: EH	Checked: PRH	Reviewed: MK	Date: 30-Jan-2018	Figure: 7

APPENDIX IV


Laboratory Testing Summary

TABLE IV-1
Laboratory Testing Summary

										Coarse Gravel	Coarse Gravel	Fine Gravel		Coarse S	Medium Sand	Fine Sand			Fines																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
--	--	--	--	--	--	--	--	--	--	---------------	---------------	-------------	--	----------	-------------	-----------	--	--	-------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE IV-1
Laboratory Testing Summary

[illegible]



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Grain Size Distribution Leach Material

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:


PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-1



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Grain Size Distribution Waste Material

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

TYRONE STOCKPILE STABILITY 2019 CCP UPDATE

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:


PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE:	04/05/2019
-------	------------

FIGURE- IV-2



GOLDER

9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Percent Fines versus Depth

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:

PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-3



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Percent Sand and Fines versus Depth

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:


PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-4



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Extended Grain Size Distribution Leach Material

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:


PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-5



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Extended Grain Size Distribution Waste Material

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:


PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-6



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Plasticity Index versus Depth

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:


PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-7



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Clay Activity versus Depth

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:


PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-8



GOLDER

9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Laboratory Measured Friction Angle versus Depth

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:

PREPARED BY: TJW


REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-9

Leach Ore Compared to Leps



9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Leached Ore Compared to Leps (1970)

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:

PREPARED BY: TJW


REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-10

Waste Rock Compared to Leps



GOLDER

9 Monroe Parkway Suite 270
Portland, Oregon 97035
Ph: +1 (503) 607 1820

TITLE:

Waste Rock Compared to Leps (1970)

CLIENT AND PROJECT:

**FREEPORT MCMORAN
TYRONE INC.**

**TYRONE STOCKPILE
STABILITY
2019 CCP UPDATE**

ANALYSIS: Stockpile Stability

PROJECT NO.: 18106417

PHASE:

REV:

PREPARED BY: TJW

REVIEWED BY: TJW

APPROVED BY: DAK

DATE: 04/05/2019

FIGURE- IV-11

APPENDIX V

Liquefaction and Foundation Investigation Borehole Logs

APPENDIX V.1

1A-1B Liquefaction Assessment

1A-1B Liquefaction Assessment

Corrected N Value (As per Youd et al, 1996 and 1998 NCEER Workshops)

Qal moist unit weight		120 PCF												
Qal sat unit weight		130 PCF												
Borehole dia correction	1.05 (Cb)	Youd et al												
Rod length corr	0.8 (Cr)	Youd et al												
Energy Ratio	1 (Ce)	Youd et al												
Sampling Method Corr	1 (Cs)	Youd et al												
Correction Product	0.84 (Less Ovb corr, Column J)													
Max surface Accel	0.14 g	USGS Unified Hazard Tool		Site Class (760 m/sec)										
	No. 1A-1B	30% Amplification												
Percent Fines	10 %													
Max Quake Magnitude	6.7	URS Seismicity Study (2017)												
Mag Scale Factor	1.234426	Idriss and Boulanger (2008)												
Regrade Burial Depth	0 Feet													
Surcharge Pressure	0 PSF at surface													
				Cn (ovb)	N1(60)									
				Correction	BPF	rd	CSR	CRR	FS					
				(Youd eqn 9)	(Youd eqn 8)	(Youd eqn 2a)	(Youd eqn 1)	(LIQFAC Lookup)	(Youd eqn 23)					
Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress						
GA-05-01	11	5	Fill	12	0	0	600	600	1.70	17.14	0.99	0.090	0.2975	NL
GA-05-01	11	10	Fill	26	0	0	1200	1200	1.29	28.20	0.98	0.089	2.4689	NL
GA-05-01	11	15	Fill	6	4	249.6	1840	1590.4	1.12	5.65	0.97	0.102	0.1234	1.5
GA-05-01	11	20	Fill	13	9	561.6	2490	1928.4	1.02	11.12	0.95	0.112	0.2061	2.3
GA-05-01	11	25	Qal	29	14	873.6	3140	2266.4	0.94	22.88	0.94	0.119	0.4209	4.4
GA-05-02	7	5	Fill	20	0	0	600	600	1.70	28.56	0.99	0.090	2.4689	NL
GA-05-02	7	10	Fill	2	3	187.2	1230	1042.8	1.38	2.33	0.98	0.105	0.0864	1.0 Void (PLS Line?)
GA-05-03	0	20	Qal	20	20	1248	2600	1352	1.22	20.43	0.95	0.167	0.3605	2.7
GA-05-03	0	25	Qal	23	25	1560	3250	1690	1.09	21.02	0.94	0.165	0.3901	2.9
GA-05-03	0	23	Qal	87	23	1435.2	2990	1554.8	1.13	82.89	0.95	0.166	2.4689	NL
GA-05-04	16	5	Fill	28	0	0	600	600	1.70	39.98	0.99	0.090	2.4689	NL
GA-05-04	16	10	Fill	14	0	0	1200	1200	1.29	15.18	0.98	0.089	0.2679	NL
GA-05-04	16	15	Fill	9	0	0	1800	1800	1.05	7.97	0.97	0.088	0.1506	NL
GA-05-04	16	20	Fill	18	4	249.6	2440	2190.4	0.96	14.45	0.95	0.097	0.2494	3.2
GA-05-04	16	25	Fill	29	9	561.6	3090	2528.4	0.89	21.67	0.94	0.105	0.3901	4.6
GA-05-04	16	30	Qtg	50	14	873.6	3740	2866.4	0.84	35.08	0.93	0.110	2.4689	NL
GA-05-05	14	17.5	Qal	6	3.5	218.4	2135	1916.6	1.02	5.15	0.96	0.097	0.1234	1.6 PLS Pond Sedime
GA-05-05	14	22.5	Qtg	52	8.5	530.4	2785	2254.6	0.94	41.14	0.95	0.107	2.4689	NL
GA-05-06	20	5	Qal	32	0	0	600	600	1.70	45.70	0.99	0.090	2.4689	NL
GA-05-06	20	10	Qal	43	0	0	1200	1200	1.29	46.63	0.98	0.089	2.4689	NL
GA-05-06	20	15	Qtg	50	0	0	1800	1800	1.05	44.27	0.97	0.088	2.4689	NL
GA-05-07	21	5	Fill	31	0	0	600	600	1.70	44.27	0.99	0.090	2.4689	NL
GA-05-07	21	10	Qal	6	0	0	1200	1200	1.29	6.51	0.98	0.089	0.1383	NL
GA-05-07	21	15	Qal	7	0	0	1800	1800	1.05	6.20	0.97	0.088	0.1383	NL
GA-05-07	21	20	Qtg	50	0	0	2400	2400	0.91	38.34	0.95	0.087	2.4689	NL
GA-05-08	29	5	Fill	16	0	0	600	600	1.70	22.85	0.99	0.090	0.4209	NL
GA-05-08	29	10	Fill	12	0	0	1200	1200	1.29	13.01	0.98	0.089	0.2358	NL
GA-05-08	29	15	Fill	18	0	0	1800	1800	1.05	15.94	0.97	0.088	0.2679	NL
GA-05-08	29	20	Fill	28	0	0	2400	2400	0.91	21.47	0.95	0.087	0.3901	NL
GA-05-08	29	25	Fill	25	0	0	3000	3000	0.82	17.15	0.94	0.086	0.2975	NL
GA-05-08	29	30	Fill	46	1	62.4	3610	3547.6	0.75	29.01	0.93	0.086	2.4689	35.4
GA-05-08	29	35	Qtg	50	6	374.4	4260	3885.6	0.72	30.13	0.92	0.092	2.4689	NL
GA-05-09	31	20	Fill	50	0	0	2400	2400	0.91	38.34	0.95	0.087	2.4689	NL
GA-05-09	31	25	Fill	40	0	0	3000	3000	0.82	27.43	0.94	0.086	1.2344	NL
GA-05-09	31	30	Qtg	50	0	0	3600	3600	0.75	31.30	0.93	0.085	2.4689	NL

TABLE V-1
1A-1B Liquefaction Assessment

All Qal SPT Data, Number 1A-1B Stockpile
Corrected N Value (As per Youd et al, 1996 and 1998 NCEER Workshops)

Qal moist unit weight 120 PCF
Qal sat unit weight 130 PCF

Borehole dia correction 1.05 (Cb) Youd et al
Rod length corr 0.8 (Cr) Youd et al
Energy Ratio 1 (Ce) Youd et al
Sampling Method Corr 1 (Cs) Youd et al
Correction Product 0.84 (Less Ovb corr, Column J)
Max surface Accel 0.14 g USGS Unified Hazard Tool
No. 1A-1B
Percent Fines 10 %
Max Quake Magnitude 6.7 URS Seismicity Study (2017)
Mag Scale Factor 1.234426 Idriss and Boulanger (2008)
Regrade Burial Depth 0 Feet
Surcharge Pressure 0 PSF at surface

Site Class (760 m/sec)
30% Amplification

Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress	Cn (ovb) Correction (Youd eqn 9)	N1(60) BPF (Youd eqn 8)	rd (Youd eqn 2a)	CSR (Youd eqn 1)	CRR (LIQFAC Lookup)	FS (Youd eqn 23)
GA-05-10	12	5 Fill		22	0	0	600	600	1.70	31.42	0.99	0.090	2.4689	NL
GA-05-10	12	10 Fill		7	0	0	1200	1200	1.29	7.59	0.98	0.089	0.1506	NL
GA-05-10	12	15 Qal		54	3	187.2	1830	1642.8	1.10	50.05	0.97	0.098	2.4689	NL
GA-05-10	12	20 Qal		61	8	499.2	2480	1980.8	1.00	51.49	0.95	0.109	2.4689	NL
GA-05-10	12	25 Qtg		50	13	811.2	3130	2318.8	0.93	39.01	0.94	0.116	2.4689	NL
GA-05-11	27.5	5 Fill		13	0	0	600	600	1.70	18.56	0.99	0.090	0.3172	NL
GA-05-11	27.5	10 Fill		9	0	0	1200	1200	1.29	9.76	0.98	0.089	0.1790	NL
GA-05-11	27.5	15 Fill		13	0	0	1800	1800	1.05	11.51	0.97	0.088	0.2061	NL
GA-05-11	27.5	20 Fill		17	0	0	2400	2400	0.91	13.04	0.95	0.087	0.2358	NL
GA-05-11	27.5	25 Fill		24	0	0	3000	3000	0.82	16.46	0.94	0.086	0.2777	NL
GA-05-11	27.5	30 Qtg		50	2.5	156	3625	3469	0.76	31.89	0.93	0.088	2.4689	NL
GA-05-11	27.5	35 Qtg		50	7.5	468	4275	3807	0.72	30.44	0.92	0.094	2.4689	NL
GA-05-12	36	5 Fill		13	0	0	600	600	1.70	18.56	0.99	0.090	0.3172	NL
GA-05-12	36	10 Fill		15	0	0	1200	1200	1.29	16.27	0.98	0.089	0.2777	NL
GA-05-12	36	15 Fill		7	0	0	1800	1800	1.05	6.20	0.97	0.088	0.1383	NL
GA-05-12	36	20 Fill		21	0	0	2400	2400	0.91	16.10	0.95	0.087	0.2777	NL
GA-05-12	36	25 Qal		57	0	0	3000	3000	0.82	39.09	0.94	0.086	2.4689	NL
GA-05-12	36	30 Qtg		50	0	0	3600	3600	0.75	31.30	0.93	0.085	2.4689	NL
GA-05-12	36	35 Qtg		50	0	0	4200	4200	0.69	28.98	0.92	0.084	2.4689	NL
1B-1	32.7	24		27	0	0	2880	2880	0.83	18.90	0.94	0.086	0.3172	NL
1B-1	32.7	29		50	0	0	3480	3480	0.76	31.84	0.93	0.085	2.4689	NL
1B-1	32.7	34		50	1.3	81.12	4093	4011.88	0.71	29.65	0.92	0.085	2.4689	35.7
1B-1	32.7	39		50	6.3	393.12	4743	4349.88	0.68	28.48	0.91	0.090	2.4689	33.8
1B-5	24.4	9 Qal		13	0	0	1080	1080	1.36	14.86	0.98	0.089	0.2494	NL
1B-5	24.4	14 Qal		28	0	0	1680	1680	1.09	25.66	0.97	0.088	0.7777	NL
1B-5	24.4	19 Qal		50	0	0	2280	2280	0.94	39.34	0.96	0.087	2.4689	NL
1B-5	24.4	24 Qal		50	0	0	2880	2880	0.83	35.00	0.94	0.086	2.4689	NL
1B-5	24.4	29 Qtg		50	4.6	287.04	3526	3238.96	0.79	33.00	0.93	0.092	2.4689	NL
1B-6	23.5	9		23	0	0	1080	1080	1.36	26.29	0.98	0.089	0.9875	NL
1B-6	23.5	14		22	0	0	1680	1680	1.09	20.16	0.97	0.088	0.3605	NL
1B-6	23.5	19		22	0	0	2280	2280	0.94	17.31	0.96	0.087	0.2975	NL
1B-6	23.5	24		50	0.5	31.2	2885	2853.8	0.84	35.16	0.94	0.087	2.4689	NL
1B-6	23.5	29 Qtg		50	5.5	343.2	3535	3191.8	0.79	33.25	0.93	0.094	2.4689	NL
1B-6	23.5	34 Qtg		50	10.5	655.2	4185	3529.8	0.75	31.61	0.92	0.099	2.4689	NL
1B-7	23.5	19		56	0	0	2280	2280	0.94	44.06	0.96	0.087	2.4689	NL
1B-7	23.5	24		50	0.5	31.2	2885	2853.8	0.84	35.16	0.94	0.087	2.4689	NL

TABLE V-1
1A-1B Liquefaction Assessment

All Qal SPT Data, Number 1A-1B Stockpile
Corrected N Value (As per Youd et al, 1996 and 1998 NCEER Workshops)

Qal moist unit weight		120 PCF															
Qal sat unit weight		130 PCF															
Borehole dia correction		1.05 (Cb)		Youd et al													
Rod length corr		0.8 (Cr)		Youd et al													
Energy Ratio		1 (Ce)		Youd et al													
Sampling Method Corr		1 (Cs)		Youd et al													
Correction Product		0.84 (Less Ovb corr, Column J)															
Max surface Accel		0.14 g		USGS Unified Hazard Tool		Site Class (760 m/sec)											
No. 1A-1B		30% Amplification															
Percent Fines		10 %															
Max Quake Magnitude		6.7		URS Seismicity Study (2017)													
Mag Scale Factor		1.234426		Idriss and Boulanger (2008)													
Regrade Burial Depth		0 Feet															
Surcharge Pressure		0 PSF at surface															
									Cn (ovb)		N1(60)						
									Correction		BPF		rd		CSR		CRR
									(Youd eqn 9)		(Youd eqn 8)		(Youd eqn 2a)		(Youd eqn 1)		(LIQFAC Lookup)
																	(Youd eqn 23)
Hole	Depth to	Sample	Material	Blows/ft	Depth below	u	Total	Effective									
	Water (bgs)	Depth		(uncorr)	gws	(pcf)	Stress	Stress									
1B-7	23.5	29		50	5.5	343.2	3535	3191.8	0.79		33.25	0.93		0.094		2.4689	NA

DRAFT



BOREHOLE LOG GA-05-01

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET 1 of 2

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ⁴ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	0	0			Waste Rock, gravel, sand Cobbles, light reddish brown								
					Sand, silty, fine to med, reddish brown, silty								
10	2	0			Geo fabric quartzite gravel, silty, dark reddish SPSY								
	9	100											
	17	100											
15	3	3			Waste Rock, gravel, sand, silty								
	3	3											
20	2	5											
	5	8											
25					Flowing sand, coarse, sub angular, brown								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

LOGGED BY:

DATE:

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-02

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

1 of 1

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
					Waste Rock, sand, silty, pink					5/8 7/8	firm NP	PH: 6.5	
5	9 11 9	0 0 0			Gravel (Quartzite)								
					Sandy Gravel								
10	5 1 1	0 0 0			Void 11 ft to 12 ft (PLS Line?)								
					Shelby					1.5 4/3	soft M	PH: 4.0	
15	24 50+				Gravel, sandy, silty very pale brown					10/16 7/8	hard NP	PH: 7.0	
20	50+				TD: 20								
25													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Clay Kinne

DATE: 9-22-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-04

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

1 of 2

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE

DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
5	10 19	100 100			Fill Sand, silt, gravelly, sl. moist					5ya 4/6	soft	L	PH 5.5
10	10 10	100 100			Gravel, silt, sand, sl. moist					5ya 4/6	firm	N	PH 5.5
15	7 3 5	100 50 100			Gravel, sandy, silty, clay red, v. moist					2.5 4R 3/6			PH 4.0
20	12 14	100 80			Gravel, sandy, silty dense red, moist					2.5 4R 3/6			PH 4.5
25													

Saturated
→
stringsShelby
tube
16-17

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: C. G. Kilmore

DATE: 9-2-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG *GIA-05-04*

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger						BORING NO.	
		SAMPLING METHOD: SPT, Shelby						SHEET <i>2 of 2</i>	
								DRILLING	
		NORTHING DATUM: amsl						EASTING: ELEVATION:	
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		WATER LEVEL						DATE	
		TIME						DATE	
		DATE						DATE	
		CASING DEPTH						DATE	
DRILL RIG:		SURFACE CONDITIONS:							
ANGLE: 90									
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.									

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
<i>25</i>	<i>12</i>	<i>0</i>			<i>Sand, gravelly, medium,</i>					<i>7.5</i>		<i>pH:</i>	
	<i>18</i>	<i>0</i>			<i>Sl. moist, reddish</i>					<i>4.2</i>		<i>4.0</i>	
	<i>11</i>	<i>100</i>	<i>Fill</i>		<i>yellow</i>					<i>6/6</i>			
			<i>at 9</i>		<i>Drilling much lower</i>								
<i>30</i>	<i>42</i>	<i>0</i>			<i>gravel, sandy, yellow</i>					<i>10.2</i>		<i>pH</i>	
	<i>50</i>	<i>100</i>			<i>Sl. moist</i>					<i>7/6</i>		<i>4.0</i>	
		<i>100</i>											
<i>35</i>					<i>TD: 30 ft</i>								

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.DRILLING CONTRACTOR *GSZ*LOGGED BY: *Clay Kilmer*DATE: *9-21-05*

JOB NO.

FILE NAME:

Golder Associates

*DENNISCA Samp (SR)**PG 870 Scranton PA*
*717-585-2061**Budget 11*



DRAFT

BOREHOLE LOG QA-05-05

SITE NAME AND LOCATION: name and location

DRILLING METHOD: ~~Hollow Stem Auger~~

BORING NO.

Tubek

SHEET 1 of 1

SAMPLING METHOD: SPT, Shelby

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE

DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ CEMENTATION ³	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5					No Sampling, previous observations at Test Pit 8 8-19-05								
10					5-14: Boulders (waste rock)								
15					Sand, silty, plastic								
15					Shelby 15-12 Pink BACWN, saturated					7.5 yr 4/4	soft	h	PH: 4.0
20					Gila								
20					Sand, coarse, gravelly, silty, reddish yellow					7.5 yr 6/6	hard	NP	PH: 4.0
25					TD Drilled - 22								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Clay Kilmer

DATE: 9-22-05

JOB NO.

FILE NAME:

992-3468 - Annalie Hous
538-7181 - Sawaski

DRAFT														
Golder Associates					BOREHOLE LOG GA-05-06									
SITE NAME AND LOCATION: name and location NORTHING: _____ EASTING: _____ DATUM: amsl ELEVATION: _____					DRILLING METHOD: Hollow Stem Auger					BORING NO. _____				
					SAMPLING METHOD: SPT, Shelby					SHEET 1 of 1				
					WATER LEVEL					DRILLING				
					TIME					START FINISH				
DATE					DATE					DATE				
CASING DEPTH					SURFACE CONDITIONS: Rock bed 12 ft									
DRILL RIG:					BEARING: -									
ANGLE: 90														
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.														
DEPTH IN METERS (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ³	COLOR	CONSISTENCY/ ⁴ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵	
5	8 13 19	0 75 100	fill Pal		Fill sand, gravelly silty, reddish brown sl. moist					5/8 5/3 firm	L	PH: 7.0		
10	13 23 70	0 20 100			Sand, silty, gravelly, yellowish red, sl. moist					5/8 5/6 firm	L	PH: 7.0		
15	25 50+	50 100			Sand, gravelly, coarse silty, dark yellowish brown, sl. moist					10/16 4/8 v. hard	L	PH: 7.0		
20					Drilling v. hard					25 4/8 v. hard	L	PH: 7.0		
25					Sand, coarse, gravelly, pale yellow, dry									
					TD: 15 ft									

- Notes:
- ¹ Percent > 3 inch.
 - ² Sum of gravel, sand, and fines = 100%
 - ³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
 - ⁴ For noncohesive soil: weak, moderate, strong.
 - ⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR **GSI**

LOGGED BY: **Clay Kilise**

DATE: **9-26-05**

JOB NO. _____
FILE NAME: _____



DRAFT

BOREHOLE LOG GA-05-07

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

1 of 1

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE

DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ ³ CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
5	15 15 16	0 30 100			Fill, gravel, sandy, silty cultural debris (trash)					tan	NP		
10	3 2 4	0 30 100			Fill sand, gravelly, silty, reddish brown					tan	L		
15	4 4 3	0 20 100			Sand, silty, gravelly dark reddish brown, sl. moist					Spt 4/3	NP	PH: 7.0	
20	17 50 50+	5 80 100			Sand, silty, gravelly reddish brown, sl. moist					Spt 4/4	L	PH: 7.0	
25					Gila, sand, gravelly, pink, hard, dry					7.5 4/2 7/3	v. hard	NP	PH: 7.0
					TD: 20ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

LOGGED BY: Clay Kilmer
DATE: 9-21-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-08

SITE NAME AND LOCATION: name and location	DRILLING METHOD: Hollow Stem Auger	BORING NO.
		SHEET 1 of 2
	SAMPLING METHOD: SPT, Shelby	DRILLING
		START FINISH
NORTHING	EASTING:	
DATUM: amsl	ELEVATION:	
	WATER LEVEL	
	TIME	
	DATE	DATE
	CASING DEPTH	
DRILL RIG:	SURFACE CONDITIONS: Road Bed in natural material	
ANGLE: 90	(waste base fill)	
BEARING: -		
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ³	% FINES ³	COLOR	CONSISTENCY ⁴ / CEMENTATION ⁵	PLASTICITY (mp, l, m, h)	OTHER TESTS
5	10	20			Fill, Sand, silty, gravelly, dark reddish brown sl. moist						5/8 Soft L	pH: 7.0	
10	10	100			Fill, sand, silty, gravelly, dark brown, sl. moist						7.5/8 Soft L	pH: 6.0	
15	10	5			Fill, sand, gravelly, silty, light brown, sl. moist						7.5/8 Firm N	pH: 5.0	
20	10	60			Fill, sand, gravelly, silty, reddish yellow sl. moist						5/8 Hard N	pH: 4.5	
25													

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

LOGGED BY:

DATE:

JOB NO.

FILE NAME:

992-3610

ASSOCIATES

SITE NAME AND LOCATION: name and location

NORTHING
DATUM: amsl

EASTING:
ELEVATION:

DRILLING METHOD: Hollow Stem Auger

SAMPLING METHOD: SPT, Shelby

WATER LEVEL
TIME
DATE

CASING DEPTH

SURFACE CONDITIONS:

DRILL RIG:
ANGLE: 90
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

BEARING: -

BORING NO.

SHEET 2 of 2

DRILLING
START FINISH

DATE 9-20 DATE

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ³	% FINES ³	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (pp, l, m, h)	OTHER TESTS
25	9	0	fill		Gravel, sandy, silty, pink Sl. moist					75 1/2 8/4	Firm	NP	PH: 4.0
29	14	80											
30	11	100	fill		Gravel, sandy, silty, reddish brown, saturated					5/4 5/4	hard	LP	PH: 4.0
	10												
	18												
	28		Ptg										
35	30				Gravel, sandy, silty, moist, reddish yellow					75 1/2 6/6	hard	NP	PH: 4.0
					TD:35								

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Clay Kilmer

DATE: 9-20-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-09

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

1.58x

SHEET

SAMPLING METHOD: SPT, Shelby

1 of 2

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
5					Fill, waste rock, gravel, sand, silt								
10													
15													
20	19	100			gravel, sandy, silty, pale brown, st. moist					1040 83	FRM	L	PH _v 4.0
	21	100											
	50+	100											

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

GSI

DRILLING CONTRACTOR

LOGGED BY: Clay Kimer

DATE: 9-21-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-09

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

162N

SHEET

SAMPLING METHOD: SPT, Shelby

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
25	14 22 18	0 80 100	Gll		Mask Rock Gravel, sandy, silty, reddish brown, st. moist					5% 1/4	hard	N	PH: 9.0
30	20 30 10	0 50 100	Ptg		Gravel, sandy, silty, yellowish brown, st. moist					10% 3/4	hard	N	PH: 9.0
35													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR G ST

LOGGED BY: Clay Simon

DATE: 7-21-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-10

SITE NAME AND LOCATION: name and location GA-05-10		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
		SAMPLING METHOD: SPT, Shelby		SHEET 1 of 2	
NORTHING DATUM: amsl		EASTING: ELEVATION:		DRILLING	
				START	FINISH
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		WATER LEVEL		DATE	DATE
		TIME			
		CASING DEPTH			
		SURFACE CONDITIONS:			

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ³	% FINES ³	COLOR	CONSISTENCY ⁴ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	6 11 11	100% 100% 100%		6.0 6.5 6.5	Fill, silty, clayey sandy loam streambed basin, strong brown, silty Fill sand, silty, med, angular dark brown					10gr 4/6	L	PH 5.5	
10	3 4 3	0 100 100		11.0- 11.5 11.5	Fill, waste rock, sand, gravelly, coarse, Angular PLS saturation -- tools plating out in copper					10gr 7/6	N	PH 4.0	
15	4 12 42	70 100 100		16.0 16.5	Drilling hardware Sand, gravelly, coarse, sub rounded					7.5gr 6/3	N	PH 4.0	
20	16 29 32	5 100 100		26.0 26.5						7.5gr 6/3	N		
25					Gravel, sandy, coarse pink					7.5gr 7/4			

Notes:

- Percent > 3 inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torque, in situ density, etc.

DRILLING CONTRACTOR Golder Associates SW

LOGGED BY: Clay Kilmer

DATE: 8-20-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-11

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.							
		SAMPLING METHOD: SPT, Shelby		SHEET 1 of 2							
				DRILLING							
				START FINISH							
NORTHING		EASTING:		WATER LEVEL		TIME		DATE		DATE	
DATUM: amsl		ELEVATION:									
DRILL RIG:		BEARING: -		SURFACE CONDITIONS: Road Bed							
ANGLE: 90											
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.											

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ³	% FINES ³	COLOR	CONSISTENCY/ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
					Fill, sand, gravelly, sl. moist yellowish red					5/16 soft	L	PH 6.8	
5	10 8 5	20 70 100			Fill, sand, gravelly, silty angular, don't clive brown sl. moist					2.5 y firm 3/3	L	PH 5.5	
10	7 5 4	0 30 100			6.0 6.5 sandy fine (rock) Fill sandy silt, varve- like layers (PLS sand deposit?) sticky - moist granular - dense					10 y soft 3/3	M	PH 4.0	
15	8 5 4	0 0 0			No sample recovery								
20	16 9 8				Waste rock, gravel, sand silt, brown, sl. moist					7.5 y firm 5/3	L		
25													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Clay Turner

DATE: 7-20-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-11

SITE NAME AND LOCATION: name and location	DRILLING METHOD: Hollow Stem Auger	BORING NO.
	SAMPLING METHOD: SPT, Shelby	SHEET 2 of 2
		DRILLING
		START FINISH
NORTHING	EASTING:	
DATUM: amsl	ELEVATION:	
	WATER LEVEL	
	TIME	
	DATE	DATE
	CASING DEPTH	
DRILL RIG:	SURFACE CONDITIONS:	
ANGLE: 90		
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		

DEPTH IN METERS (ELEVATION)	BLOW/6 IN	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ³	% FINES ⁴	COLOR	CONSISTENCY/ CEMENTATION ⁵	PLASTICITY (np, i, m, n)	OTHER TESTS
25	6 10 14	9 50 100			waste rock, gravel, sand, silt, brown, sl. moist					7.5 6/3	firm L	PH 4.5	
27.5													
30	33 50	0 20 100			waste rock, gravel, sand, silt, brown, saturated					7.5 6/3	firm N	PH 4.0	
35	17 24	0 25 100			Sand, silty, brown fine gravel, light grey moist					10 7/2	hard N	PH 4.0	
40					Sand, gravelly, light grey TD: 40					10 7/2	hard N	PH 5.5-6.0	

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY Clay Kilmer

JOB NO.

DATE: 9-20-05

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-12

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET 1062

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

BEARING: -

SURFACE CONDITIONS: Road bed in fill

DEPTH IN METERS (ELEVATION)	BLOW/6 IN	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	10 80 5	0 70 100			Sand, gravelly, silty Reddish brown					5/8 fine	L	PH: 7.0	
10	8 8 7	0 50 100			Sand, gravelly, silty dark reddish brown sl. moist					5/8 fine	N	PH: 6.5	
15	3 2 5	0 0 80			Sand, gravelly, silty reddish brown, sl. moist					7.5 4/8 5/4	hard	N	PH: 5.0
20	11 10 11	0 80 100			Sand, silty, gravelly reddish brown, sl. moist					5/8 soft	1	PH: 4.5	
25					Waste rock, gravel, sandy,					2.5 4/8 5/6	firm	NP	PH: 5.0

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, borevane, in situ density, etc.GSI
DRILLING CONTRACTOR

LOGGED BY: Clay Silver

DATE: 9-23-05

JOB NO.

FILE NAME:



DRAFT

BOREHOLE LOG GA-05-12

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
		SAMPLING METHOD: SPT, Shelby		SHEET 2 of 2	
NORTHING DATUM: amsl		EASTING: ELEVATION:		DRILLING	
				START FINISH	
				DATE DATE	
				DATE DATE	
DRILL RIG ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:			

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, 1. m. h)	OTHER TESTS ⁵
25	22	0	fill		Waste rock gravel,					2.5	hard	NP	PH: 5.0
23	23	40	tpa		sand, silty, red					4/6			
24	34	100			gravel, rounded					5/6			
			ftg		27' out of gravel - drilling much harder								
30	35	0			sandy, gravelly, silty					1/6	hard	NP	PH: 4.0
	34	50			brownish yellow, moist					4/6			
		100											
35	50	0			sand, silty, gravelly,					1/6	hard	NP	PH: 4.0
		100			brownish yellow, moist								
					TD: 35 ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

GSZ


DRILLING CONTRACTOR

LOGGED BY: Clay/Titus


DATE: 9-23-05

JOB NO.

FILE NAME:



Explanation



Geologist: AP
 Driller: Layne Environmental Drilling, Inc.
 Date Completed: 12-8-96
 Well Diameter: 4.0 in.
 Casing Material: SCH 40 PVC
 Drilling Method: Hollow-stem auger


Sampler Type: Split spoon and cuttings
 Bit Diameter: 8.0 in.
 Total Drill Depth: 53.4 ft.
 Screen Interval: 23.8 ft to 33.8 ft
 Screen Type: 0.020 in. Slotted

PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico








No. 1B Stockpile

Transect No. 1

WELL LOG: 1B-1




Explanation

-  Native backfill
-  Bentonite seal
-  Gravel pack
-  Silica sand
-  Slough
-  Screen
-  ca= Approximately

Geologist: AP
Driller: Layne Environmental Drilling, Inc.
Date Completed: 12-8-96
Well Diameter: 4.0 in.
Casing Material: SCH 40 PVC
Drilling Method: Hollow-stem auger

Sampler Type: Split spoon and cuttings
Bit Diameter: 10.5 in.
Total Drill Depth: 38.3 ft.
Screen Interval: 26.0 ft to 36.0 ft
Screen Type: 0.020 in. Slotted




DANIEL B. STEPHENS & ASSOCIATES, INC.
1-3-97 JN 0130

PHELPS DODGE TYRONE, INC.
Tyrone, New Mexico

No. 1B Stockpile

Transect No. 1

WELL LOG: 1B-2




Explanation

	Native Backfill		Slough
	Bentonite Seal		Screen
	Gravel Pack		
	Silica Sand		

Hydrologist: BC
 Driller: Layne Environmental Drilling, Inc.
 Date Completed: 2-22-97
 Well Diameter: 4.0 in.
 Casing Material: SCH 40 PVC
 Drilling Method: Hollow-stem auger

Sampler Type: Split spoon and cuttings
 Bit Diameter: 10.5 in.
 Total Drill Depth: 33.0 ft
 Screened Interval: 23.4 ft - 29.8 ft
 Screen Type: 0.020 in. Slotted




DANIEL B. STEPHENS & ASSOCIATES, INC.
 1-15-97 JN 0130

PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico


No. 1B Stockpile

Transect No. 2

Well Log: 1B-5




Explanation



Hydrologist: BC
 Driller: Layne Environmental Drilling, Inc.
 Date Completed: 2-22-97
 Well Diameter: 4.0 in.
 Casing Material: SCH 40 PVC
 Drilling Method: Hollow-stem auger

Sampler Type: Split spoon and cuttings
 Bit Diameter: 10.5 in. at 0.0 ft - 31.0 ft
 8.5 in. at 31.0 ft - 34.0 ft
 Total Drill Depth: 34.0 ft
 Screened Interval: 20.0 ft - 27.0 ft
 Screen Type: 0.020 in. Slotted




DANIEL B. STEPHENS & ASSOCIATES, INC.
 4-2-97 JN 0130

PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico


No. 1B Stöckpile

Transect No. 2

Well Log: 1B-6



Explanation



Hydrologist: BC
 Driller: Layne Environmental Drilling, Inc.
 Date Completed: 2-24-97
 Well Diameter: 4.0 in.
 Casing Material: SCH 40 PVC
 Drilling Method: Hollow-stem auger


Sampler Type: Split spoon and cuttings
 Bit Diameter: 10.5 in.
 Total Drill Depth: 30.0 ft
 Screened Interval: 22.0 ft - 26.1 ft
 Screen Type: 0.020 in. Slotted

PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico


No. 1B Stockpile

Transect No. 2

Well Log: 1B-7



Explanation



Geologists: M. Koffler
 Driller: Alliance Environmental Inc.
 Date Completed: 12-21-98
 Drilling Method: Hollow-stem auger

Bit Diameter: 11.5 in.
 Total Drill Depth: 36.5 ft




Daniel B. Stephens & Associates, Inc.
 5-24-99 JN 8105

PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico

NO. 1B STOCKPILE

Monitor Well: IB-9




Explanation

	Native Backfill		Slough
	Bentonite Seal		Screen
	Gravel Pack		
	Silica Sand		

Hydrologist: DB
 Driller: Layne Environmental Drilling, Inc.
 Date Completed: 2-10-97
 Well Diameter: 4.0 in.
 Casing Material: SCH 40 PVC
 Drilling Method: Hollow-stem auger

Sampler Type: Split spoon
 Bit Diameter: 10.5 in. at 0.0 ft - 33.0 ft
 8.5 in. at 33.0 ft - 34.0 ft
 Total Drill Depth: 34.0 ft
 Screened Interval: 26.0 ft - 31.0 ft
 Screen Type: 0.020 in. Slotted




DANIEL B. STEPHENS & ASSOCIATES, INC.
 4-16-97 JN 0130


PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico

Brick Kiln Gulch


Transect 1

Well Log: BK-2






Explanation



Hydrologist: BC
 Driller: Layne Environmental Drilling, Inc.
 Date Completed: 2-26-97
 Well Diameter: 4.0 in.
 Casing Material: SCH 40 PVC
 Drilling Method: Hollow-stem auger

Sampler Type: Split spoon and cuttings
 Bit Diameter: 8.5 in.
 Total Drill Depth: 34.0 ft
 Screened Interval: 22.0 ft - 27.0 ft
 Screen Type: 0.020 in. Slotted




DANIEL B. STEPHENS & ASSOCIATES, INC.
 1-21-97 JN 0130


PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico

Brick Kiln Gulch

Transect No. 4

Well Log: BK-7



Sample
Interval/Depth
(feet bgs)

Lithologic Description and Comments

0.0-255 QTg - Gila Conglomerate

255-333 Dark brown; fractured / "weathered" rock

333-382 Light red; "weathered" rock

Note: Lithologic description based on driller's notes.

Explanation

-  Bentonite Seal
  Screen
-  Gravel Pack
  Silica Sand
-  Native Backfill

Hydrologist: Rick Lawrence
 Driller: Aaron Roberts
 Date Completed: 5-18-99
 Drilling Method: Cable Tool

Bit Diameter: 8.0 in. O.D.
 Total Drill Depth: 382.0'
 Sampler Type: Cuttings





Daniel B. Stephens & Associates, Inc.
 11-29-99 JN 9096

PHELPS DODGE TYRONE, INC.
 Tyrone, New Mexico

TYRONE EAST SIDE No. 1 STOCKPILE AREA

Well Schematic: MB-40





APPENDIX V.2

1C Liquefaction Assessment

TABLE V-2
1C Liquefaction Analysis

All Qal SPT Data, Number 1C Transects 1-3
Corrected N Value (As per Youd et al, 1996 and 1998 NCEER Workshops)

Qal moist unit weight	120 PCF
Qal sat unit weight	130 PCF

Borehole dia correction	1.05 (Cb)	Youd et al	
Rod length corr	0.8 (Cr)	Youd et al	
Energy Ratio	1 (Ce)	Youd et al	
Sampling Method Corr	1 (Cs)	Youd et al	
Correction Product	0.84 (Less Ovb corr, Column J)		
Max surface Accel	0.14 g	USGS Unified Hazard Tool	Site Class (760 m/sec)

Percent Fines	10 %	
Max Quake Magnitude	6.7	URS Seismicity Study (2017)
Mag Scale Factor	1.234426	Idriss and Boulanger (2008)
Regrade Burial Depth	0 Feet	
Surcharge Pressure	0 PSF at surface	

Surcharge Pressure		0 PSF at surface							Cn (ovb)		N1(60)						
Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress	Correction (Youd eqn 9)	BPF (Youd eqn 8)	rd (Youd eqn 2a)		CSR (Youd eqn 1)	CRR (LIQFAC Lookup)	FS (Youd eqn 23)		
B1C-1	25	5 Qtg		16	0	0	600	600	1.70	22.85	0.99	2	0.090	0.4209	NL		
B1C-1	25	10 Qtg		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-1	25	15 Qtg		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL		
B1C-1	25	20 Qtg		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL		
B1C-1	25	25 Qtg		50	0	0	3000	3000	0.82	34.29	0.94	2	0.086	2.4689	NL		
B1C-2	20.5	5 Qal		20	0	0	600	600	1.70	28.56	0.99	2	0.090	2.4689	NL		
B1C-2	20.5	10 Qal		2	0	0	1200	1200	1.29	2.17	0.98	2	0.089	0.0864	NL		
B1C-2	20.5	15 Qtg		20	0	0	1800	1800	1.05	17.71	0.97	2	0.088	0.2975	NL		
B1C-2	20.5	20 Qtg		23	0	0	2400	2400	0.91	17.64	0.95	2	0.087	0.2975	NL		
B1C-3	15.5	5 Qal		87	0	0	600	600	1.70	124.24	0.99	2	0.090	2.4689	NL		
B1C-3	15.5	10 Qtg		28	0	0	1200	1200	1.29	30.36	0.98	2	0.089	2.4689	NL		
B1C-3	15.5	15 Qtg		14	0	0	1800	1800	1.05	12.40	0.97	2	0.088	0.2222	NL		
B1C-4	32	5 Qal		16	0	0	600	600	1.70	22.85	0.99	2	0.090	0.4209	NL		
B1C-4	32	10 Qal		38	0	0	1200	1200	1.29	41.21	0.98	2	0.089	2.4689	NL		
B1C-4	32	15 Qal		55	0	0	1800	1800	1.05	48.70	0.97	2	0.088	2.4689	NL		
B1C-4	32	20 Qtg		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL		
B1C-4	32	25 Qtg		53	0	0	3000	3000	0.82	36.35	0.94	2	0.086	2.4689	NL		
B1C-4	32	30 Qtg		50	0	0	3600	3600	0.75	31.30	0.93	2	0.085	2.4689	NL		
B1C-4	32	35 Qtg		50	3	187.2	4230	4042.8	0.70	29.54	0.92	2	0.087	2.4689	34.9		
B1C-5	22.5	5 Qal		75	0	0	600	600	1.70	107.10	0.99	2	0.090	2.4689	NL		
B1C-5	22.5	10 Qal		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-5	22.5	12 Qal		50	0	0	1440	1440	1.18	49.50	0.97	2	0.088	2.4689	NL		
B1C-5	22.5	15 Qal		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL		
B1C-5	22.5	20 Qtg		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL		
B1C-6	35	5 Qal		20	0	0	600	600	1.70	28.56	0.99	2	0.090	2.4689	NL		
B1C-6	35	10 Qal		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-6	35	15 Qal		48	0	0	1800	1800	1.05	42.50	0.97	2	0.088	2.4689	NL		
B1C-6	35	20 Qal		55	0	0	2400	2400	0.91	42.17	0.95	2	0.087	2.4689	NL		
B1C-6	35	26 Qtg		50	0	0	3120	3120	0.80	33.63	0.94	2	0.085	2.4689	NL		
B1C-6	35	30 Qtg		50	0	0	3600	3600	0.75	31.30	0.93	2	0.085	2.4689	NL		
B1C-6	35	35 Qtg		46	0	0	4200	4200	0.69	26.66	0.92	2	0.084	0.9875	14.6		
B1C-7	10.5	5 Qtg		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL		
B1C-7	10.5	10 Qtg		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-8	10	5 Qtg		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL		
B1C-8	10	10 Qtg		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-9	20.5	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL		
B1C-9	20.5	10 Qal		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-9	20.5	15 Qal		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL		
B1C-9	20.5	20 Qtg		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL		
B1C-10	28.5	5 Qal		20	0	0	600	600	1.70	28.56	0.99	2	0.090	2.4689	NL		
B1C-10	28.5	10 Qal		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-10	28.5	15 Qal		33	0	0	1800	1800	1.05	29.22	0.97	2	0.088	2.4689	NL		
B1C-10	28.5	20 Qal		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL		
B1C-10	28.5	25 Qtg		45	0	0	3000	3000	0.82	30.86	0.94	2	0.086	2.4689	NL		
B1C-10	28.5	27 Qtg		50	0	0	3240	3240	0.79	33.00	0.94	2	0.085	2.4689	NL		
B1C-11	15.5	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL		
B1C-11	15.5	10 Qtg		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		
B1C-11	15.5	15 Qtg		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL		
B1C-12	10.3	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL		
B1C-12	10.3	10 Qtg		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL		

TABLE V-2
1C Liquefaction Analysis

All Qal SPT Data, Number 1C Transects 1-3
Corrected N Value (As per Youd et al, 1996 and 1998 NCEER Workshops)

Qal moist unit weight 120 PCF
Qal sat unit weight 130 PCF

Borehole dia correction 1.05 (Cb) Youd et al
Rod length corr 0.8 (Cr) Youd et al
Energy Ratio 1 (Ce) Youd et al
Sampling Method Corr 1 (Cs) Youd et al
Correction Product 0.84 (Less Ovb corr, Column J)
Max surface Accel 0.14 g USGS Unified Hazard Tool
Site Class (760 m/sec)
30% Amplification

Percent Fines 10 %
Max Quake Magnitude 6.7 URS Seismicity Study (2017)
Mag Scale Factor 1.234426 Idriss and Boulanger (2008)
Regrade Burial Depth 0 Feet
Surcharge Pressure 0 PSF at surface

Surcharge Pressure		0 PSF at surface								Cn (ovb)		N1(60)								CSR		CRR		FS	
Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress	Correction (Youd eqn 9)	BPF (Youd eqn 8)	rd (Youd eqn 2a)	(Youd eqn 1)	(LIQFAC Lookup)	(Youd eqn 23)											
B1C-13	30.5	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL										
B1C-13	30.5	10 Qal		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL										
B1C-13	30.5	15 Qal		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL										
B1C-13	30.5	20 Qal		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL										
B1C-13	30.5	25 Qtg		50	0	0	3000	3000	0.82	34.29	0.94	2	0.086	2.4689	NL										
B1C-13	30.5	30 Qtg		50	0	0	3600	3600	0.75	31.30	0.93	2	0.085	2.4689	NL										
B1C-14	25.2	5 Qal		41	0	0	600	600	1.70	58.55	0.99	2	0.090	2.4689	NL										
B1C-14	25.2	10 Qal		40	0	0	1200	1200	1.29	43.38	0.98	2	0.089	2.4689	NL										
B1C-14	25.2	15 Qal		40	0	0	1800	1800	1.05	35.42	0.97	2	0.088	2.4689	NL										
B1C-14	25.2	20 Qal		40	0	0	2400	2400	0.91	30.67	0.95	2	0.087	2.4689	NL										
B1C-14	25.2	25 Qal		50	0	0	3000	3000	0.82	34.29	0.94	2	0.086	2.4689	NL										
B1C-15	5.5	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL										
B1C-15	5.5	10 W. BR		50	4.5	280.8	1245	964.2	1.44	60.49	0.98	2	0.115	2.4689	NL										
B1C-15	5.5	15 W. BR		50	9.5	592.8	1895	1302.2	1.24	52.05	0.97	2	0.128	2.4689	NL										
B1C-16	12	5 Qal		28	0	0	600	600	1.70	39.98	0.99	2	0.090	2.4689	NL										
B1C-16	12	10 W. BR		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL										
B1C-17	35	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL										
B1C-17	35	10 Qal		46	0	0	1200	1200	1.29	49.88	0.98	2	0.089	2.4689	NL										
B1C-17	35	15 Qal		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL										
B1C-17	35	20 W. BR		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL										
B1C-17	35	25 W. BR		50	0	0	3000	3000	0.82	34.29	0.94	2	0.086	2.4689	NL										
B1C-17	35	30 W. BR		50	0	0	3600	3600	0.75	31.30	0.93	2	0.085	2.4689	NL										
B1C-17	35	35 W. BR		50	0	0	4200	4200	0.69	28.98	0.92	2	0.084	2.4689	36.5										
B1C-18	37.5	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL										
B1C-18	37.5	10 Qal		33	0	0	1200	1200	1.29	35.79	0.98	2	0.089	2.4689	NL										
B1C-18	37.5	15 Qal		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL										
B1C-18	37.5	20 Qtg		46	0	0	2400	2400	0.91	35.27	0.95	2	0.087	2.4689	NL										
B1C-18	37.5	25 Qtg		50	0	0	3000	3000	0.82	34.29	0.94	2	0.086	2.4689	NL										
B1C-18	37.5	30 Qtg		50	0	0	3600	3600	0.75	31.30	0.93	2	0.085	2.4689	NL										
B1C-18	37.5	35 W. BR		50	0	0	4200	4200	0.69	28.98	0.92	2	0.084	2.4689	NL										
B1C-18	37.5	37 W. BR		50	0	0	4440	4440	0.67	28.19	0.91	2	0.083	2.4689	NL										
B1C-19	27.3	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL										
B1C-19	27.3	10 Qal		33	0	0	1200	1200	1.29	35.79	0.98	2	0.089	2.4689	NL										
B1C-19	27.3	15 W. BR		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL										
B1C-19	27.3	20 W. BR		46	0	0	2400	2400	0.91	35.27	0.95	2	0.087	2.4689	NL										
B1C-19	27.3	25 W. BR		50	0	0	3000	3000	0.82	34.29	0.94	2	0.086	2.4689	NL										
B1C-19	27.3	27 W. BR		50	0	0	3240	3240	0.79	33.00	0.94	2	0.085	2.4689	NL										
B1C-24	20	5 Qal		34	0	0	600	600	1.70	48.55	0.99	2	0.090	2.4689	NL										
B1C-24	20	10 W. BR		35	0	0	1200	1200	1.29	37.96	0.98	2	0.089	2.4689	NL										
B1C-24	20	15 W. BR		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL										
B1C-24	20	20 W. BR		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL										
B1C-25	10	5 W. BR		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL										
B1C-25	10	10 W. BR		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL										
B1C-26	5	5 Qal		30	0	0	600	600	1.70	42.84	0.99	2	0.090	2.4689	NL										
B1C-26	5	10 Qal		50	5	312	1250	938	1.46	61.33	0.98	2	0.118	2.4689	NL										
B1C-26	5	15 Qal		50	10	624	1900	1276	1.25	52.58	0.97	2	0.131	2.4689	NL										
B1C-26	5	20 W. BR		30	15	936	2550	1614	1.11	28.05	0.95	2	0.137	2.4689	22.2										
B1C-26	5	25 W. BR		30	20	1248	3200	1952	1.01	25.51	0.94	2	0.140	0.7777	6.8										
B1C-26	5	30 W. BR		50	25	1560	3850	2290	0.93	39.25	0.93	2	0.142	2.4689	NL										
B1C-26	5	35 W. BR		50	30	1872	4500	2628	0.87	36.64	0.92	2	0.143	2.4689	NL										

TABLE V-2
1C Liquefaction Analysis

All Qal SPT Data, Number 1C Transects 1-3
Corrected N Value (As per Youd et al, 1996 and 1998 NCEER Workshops)

Qal moist unit weight		120 PCF																	
Qal sat unit weight		130 PCF																	
Borehole dia correction		1.05 (Cb)		Youd et al															
Rod length corr		0.8 (Cr)		Youd et al															
Energy Ratio		1 (Ce)		Youd et al															
Sampling Method Corr		1 (Cs)		Youd et al															
Correction Product		0.84 (Less Ovb corr, Column J)																	
Max surface Accel		0.14 g		USGS Unified Hazard Tool		Site Class (760 m/sec)													
		No. 1C						30% Amplificator											
Percent Fines		10 %																	
Max Quake Magnitude		6.7		URS Seismicity Study (2017)															
Mag Scale Factor		1.234426		Idriss and Boulanger (2008)															
Regrade Burial Depth		0 Feet																	
Surcharge Pressure		0 PSF at surface																	
										Cn (ovb)		N1(60)		rd		CSR		CRR	
										Correction		BPF						FS	
										(Youd eqn 9)		(Youd eqn 8)		(Youd eqn 2a)		(Youd eqn 1)		(LIQFAC Lookup)	
																		(Youd eqn 23)	
Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress											
B1C-27	15	5 Qal		30	0	0	600	600	1.70	42.84	0.99	2	0.090	2.4689	NL				
B1C-27	15	10 Qal		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL				
B1C-27	15	15 Qal		43	0	0	1800	1800	1.05	38.07	0.97	2	0.088	2.4689	NL				
B1C-27	15	20 Qal		40	5	312	2450	2138	0.97	32.50	0.95	2	0.099	2.4689	NL				
B1C-27	15	25 Qal		30	10	624	3100	2476	0.90	22.65	0.94	2	0.107	0.4209	4.8				
B1C-27	15	30 W. BR		50	15	936	3750	2814	0.84	35.41	0.93	2	0.113	2.4689	NL				
B1C-28	5	10 Qal		49	5	312	1250	938	1.46	60.10	0.98	2	0.118	2.4689	NL				
B1C-28	5	15 Qal		28	10	624	1900	1276	1.25	29.45	0.97	2	0.131	2.4689	23.3				
B1C-28	5	20 Qal		50	15	936	2550	1614	1.11	46.75	0.95	2	0.137	2.4689	NL				
B1C-28	5	25 Qal		43	20	1248	3200	1952	1.01	36.56	0.94	2	0.140	2.4689	NL				
B1C-28	5	30 W. BR		50	25	1560	3850	2290	0.93	39.25	0.93	2	0.142	2.4689	NL				
B1C-28	5	35 W. BR		50	30	1872	4500	2628	0.87	36.64	0.92	2	0.143	2.4689	NL				
B1C-29	12	15 Qal		50	3	187.2	1830	1642.8	1.10	46.34	0.97	2	0.098	2.4689	NL				
B1C-29	12	20 Qal		35	8	499.2	2480	1980.8	1.00	29.54	0.95	2	0.109	2.4689	28.1				
B1C-29	12	25 Qal		50	13	811.2	3130	2318.8	0.93	39.01	0.94	2	0.116	2.4689	NL				
B1C-29	12	30 W. BR		50	18	1123.2	3780	2656.8	0.87	36.44	0.93	2	0.120	2.4689	NL				
B1C-30	25	5 Qal		45	0	0	600	600	1.70	64.26	0.99	2	0.090	2.4689	NL				
B1C-30	25	10 Qal		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL				
B1C-30	25	15 W. BR		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL				
B1C-30	25	20 W.BR		50	0	0	2400	2400	0.91	38.34	0.95	2	0.087	2.4689	NL				
B1C-30	25	25 W. BR		50	0	0	3000	3000	0.82	34.29	0.94	2	0.086	2.4689	NL				
B1C-31	15	5 Qal		50	0	0	600	600	1.70	71.40	0.99	2	0.090	2.4689	NL				
B1C-31	15	10 W. BR		50	0	0	1200	1200	1.29	54.22	0.98	2	0.089	2.4689	NL				
B1C-31	15	15 W. BR		50	0	0	1800	1800	1.05	44.27	0.97	2	0.088	2.4689	NL				

BOREHOLE LOG *BIC-1*

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO. *BIC-1**Transect 1*

SAMPLING METHOD: Split Spoon

SHEET

PAGE 1 OF 1

DRILLING

START FINISH

NORTHING

3613191

EASTING:

*0749026*WATER LEVEL *25'*

TIME

DATE

CASING DEPTH

*2:00**3:30*

DATE

1/25/05

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR (Munsell)	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, Lm, h)	OTHER TESTS ⁵
0					SL (18%) 2.54 5/3, NE 40% grt, subrounded, (50% of grt is fine), dry		40	35	25	2.54 5/3	soft	SS, SP	
5	16	100	(5-5.5)		SL (18%), NE, dry, grt are subrounded.	0	40	35	25	2.54 5/3	FR	SS, SP	
10	50	100	(10-10.5)		One 1" grt of granite. upper 3" SL (15% clay) 10YR 5/4, dry, grt subrounded	0	40	35	25	10YR 5/4	FR	SS, SP	
15					lower 3" CoLS (5% clay) 10YR 4/4 (m), dry, NE grt subrounded	0	40	50	10	10YR 4/4	H	SO, PO	
20	15'	50	0	15'	on rock.								
25	20'	50	100	QTz	most blocks Hit rock on top. SL (15%) 10YR 5/4 (m) dry, NE grt are subrounded, 1" broken rock of Qtz-diorite	?	45	33	22	10YR 5/4	FR	SS, SP	
30	25'	50	100	QTz	SL (18% clay), NE grt subrounded, dry	0	45	33	22	10YR 5/3	FR	SS, SP	
35					* Photo of Alluvial Gila contact in split Spoon. largest grt in Spoon. 1/2"								
40					- driller said harder drilling at 13'								
					photo 38 of sample 10-10.5'								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

- drill pad cut into original surface about 1'

+ is constructed of Gila.

no samples

start drilling 2:15

photo 39 ? of sample

TD 25.5'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher


JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

DATE: 1/25/05

*Summary over**Harder drilling at 13'*
but hard at 10'
All Gila, upper 13' softer

BCI-1



0 - 10' relatively
soft Gila

10' - 25' hard
Gila



BOREHOLE LOG

BIC 2

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO. BIC-2

Transect 1

SAMPLING METHOD: Split Spoon

SHEET

PAGE 1 OF 1

DRILLING

START FINISH

4:00 6:00

DATE DATE

NORTHING

3613183

EASTING:

0749020

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
5'	18	100	Qal		(5-6.5') Cals (5% clay), 50% grl. subrounded, 1/2" largest gravel, moist	0	50	40	10	10YR 4/3	FR	SP	
10'	14		Qal		10-11' 10YR 3/4 CL (25% clay) 5% subrounded - subangular fine + med gravel, moist	0	5	30	65		FR	SP	
15'					11-11.5' 10YR 4/3 Cals (7% clay) 50% grl. subangular, angular, 3/4" largest grl, moist	0	50	40	10		FR	SP	
20'	50	100			15' - Gila								
25'					15-15.5' 10YR 3/4 SCL (28% clay) NE (one 2" grl)	20	40	40			VH	SP	
30'					15.5-15.7 10YR Cals, NE (7% clay), grl subangular, angular, 1/2" largest grl	50	40	10			FR	SP	
35'					17' Gila Hard								
40'	50	100			20-20.5' 10YR 3/4 SCL (25% clay), 20% fine + med. grl - subrounded, Dry, NE	0	20	50	30		VH	SP	

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.Completed drilling 5:45
Completed tripping 6:00

Sample: BIC-2 20-20.5'

pad is ~ 2' above original
ground level

TD 20.5'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

JOB NO 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

DATE: 1/25/05


Summary over

28

later, probably all hard
pounding on spoon breaks up
cementation

Gila
15-17
Stratified
w/ very
hard +
Firm
layers.
17'
all
v. hard.

BC1-2



later:
probably all hard,
cement breaks down
during pounding on
spoon



drill pad $\approx 1'$ below original ground surface +
constructed of Gila material

0
Qa1
5-

10- QTg Gila 7-15'

15 L



BOREHOLE LOG

BIC-4

raining

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

Transect 1
center of drainage

DRILLING METHOD: Hollow Stem Auger

BORING NO.

BIC-4

SAMPLING METHOD: Split Spoon

SHEET

PAGE 1 OF 2

DRILLING

START FINISH

9:00 12:00

DATE DATE

NORTHING

EASTING:

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	5	80	Qal		10-12 2/2 CoSL (13% clay), moist, original surface, grl are subrounded to angular, NE 5-6.5'	0	40	40	20	10% 2/2	FR	SS SP	
10	20 20 18	80	Qal		10-11.5 10YR 5/4 CoLS, (5% clay), moist, grl are subrounded to angular, some granodiorite 2.5", some red altered grl. NE	5	50	35	10		FR	SO PO	
15	20 30 25	100	Qal		15-16.5 10YR 3/4 CoLS, (6% clay), NE, moist, grl is subrounded to angular, some diorite + altered grl.	0	50	40	10		FR	SO PO	
20	50	0	rock		20' on cobble								
25	40 50	10	rock		21' piece of diorite								
30	24 28 25	100			25-26.5 10YR 4/4 CoLS, grl subrounded to subangular; NE, moist, 3/4" (largest grl).	0	60	35	5		FR	SO PO	
35	50	100	QTY	?	30-30.5 10YR 5/4 SL, 14% clay, moist	0	50	30	20		FR	SS SP	
40					Water at 32'								
45	50	0			35' - rock								

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.drill pad is about 4' above
original ground surface.Samples: BIC-4 5-6.5'
10-11.5'
15-16.5'
25-26.5'
30-30.5'
40-40.4'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 11/24/05

JOB NO 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



BOREHOLE LOG

BIC-5

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine <i>Transect 1</i>	DRILLING METHOD:	Hollow Stem Auger	BORING NO.	BIC-5
	SAMPLING METHOD:	Split Spoon	SHEET	
			PAGE OF	
			DRILLING	
			START	FINISH
NORTHING	EASTING:	WATER LEVEL	TIME	DATE
		DATE	DATE	DATE
		CASING DEPTH		
DRILL RIG:	ANGLE: 90	BEARING: -	SURFACE CONDITIONS:	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.				

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
45	20	Qal			5-6' hit rock CoLS								
30			Qal		Gila material but still in road base.								
6-9'					10YR 2/2 SCL (original surface between 6-9')						FR	SP	
10	50	0	rock		10'								
12'					15-15.3' 10YR 6/2 SCL, 22% clay, moist.	10	15	40	35		FR	SP	
15	50	0	rock		grl are subrounded to subangular + fine to medium. NE. Much of the blows due to rock.								
17	50	80	rock		17- Gila								
20					20-20.5 rock: granodiorite + small amt. of 10YR 9/3 (12%), moist	0	30	40	30		?	SS SP	
22					22-22.5' 10YR 5/3 CoLS, grl are subrounded to subangular. Some 1" granodiorite. NE slightly moist	0	50	40	10		10	so po	
25	50	100	GTg								↑	pulverized	

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.Samples: BIC-5 15-15.3'
22-22.5'

drill pad is elevated ~ 5'
above original surface - pad constructed
of Gila material

TD = 22'
raining

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/26/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



**Golder
Associates**

BOREHOLE LOG

BIC 4
Cont.

raining

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger	BORING NO. BIC-4
Transect 1 center of drainage		SAMPLING METHOD: Split Spoon	SHEET PAGE 2 OF 2
		DRILLING	
NORTHING	EASTING:	WATER LEVEL	START FINISH
		TIME	DATE DATE
		DATE	
		CASING DEPTH	
DRILL RIG:		SURFACE CONDITIONS:	
ANGLE: 90			
BEARING: -			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
32'					mud, 10YR 5/2 CoSL, 30% grt. NE pH of mud = 4.5 pH of water = 4.0								
					according to driller peached water ends at about 38' ± a couple feet								
35'	50	0			rock								
37'	50	0			rock								
40-40.4'	50	100	OTg		10YR 5/4 CoSL (14% clay) NE, moist, grt subrounded	0	60	25	15		FR	SS SP	

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

TD = 40'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/26/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



BOREHOLE LOG BIC-6

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Transect 1

SAMPLING METHOD: Split Spoon

SHEET

PAGE OF

DRILLING

NORTHING

EASTING:

WATER LEVEL
TIME
DATE
CASING DEPTHSTART
FINISH
DATE
DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	100	70	Qal		Hit original surface c 4' 5-6.5' 10YR 2/2 SLL (15% clay), moist, NE, grt subrounded rock	0	40	55			FR	SS sp	
10	50	0											
15	24	100	Qal		15-16 10YR 4/2 SL, NE, grt subrounded to subangular.	5	35	55			FD	SS sp	
20	25	80	Qal		20-21' 10YR 5/4 CoLS (7% clay) NE, moist. grt generally subrounded min and of var red stained grt		60	80			FR	SS sp	
25	0		rock		25'- rock								
30	50	90	QTz		26-26.5 10YR 5/3 CoSL 13% clay, grt subrounded to angular, moist	0	60	60			FR	SS sp	
35	50		QTz		26.5-27 10YR 5/3 SCL 22% clay, grt subrounded to subangular, moist	0	40	40			MH	SP	
40	50	80	QTz		30-30.5 10YR 5/4 CoSL dry, NE, grt are subrounded	0	50	60			10	SS sp	
	50	100	QTz		35-26.5 10YR 5/3 SCL, slightly (22% clay), NE	0	70	60			H	SP	

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

Drillers on
site at 9:10
due to rain
Drilling at
9:30

DRILLING CONTRACTOR: Layne-Weatern (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/27/05



JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

drilled an additional 5' to check for water

Drill pad is elevated about 4'
above original surface.

→ E



Transect 1

BOREHOLE LOG **BIC-7**

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine <i>Transect</i>		DRILLING METHOD: Hollow Stem Auger	BORING NO. BIC-7
		SAMPLING METHOD: Split Spoon	SHEET 1
			PAGE OF 1
			DRILLING
		START	FINISH
NORTHING		WATER LEVEL	12.00
EASTING:		TIME	12:30
		DATE	DATE
		CASING DEPTH	DATE
DRILL RIG:		SURFACE CONDITIONS:	
ANGLE: 90			
BEARING: -			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	50	100	RTg		5-5.4" 10YR 5/4 CoLS grl + subrounded to subangular, NE, one broken 2" rock in spoon.	5	45	40	10				
10	50	100	RTg		10-10.5 10YR 5/4 CoLS grl, subrounded to subangular, NE	0	45	40	10				
15													
20													
25													
30					TD 10.5								
35													
40													

Notes:

- ¹ Percent > 3in.
- ² Sum of gravel, sand, and fines = 100%
- ³ For cohesive soil: soft, firm, hard, v. hard.
- ⁴ For noncohesive soil: weak, moderate, strong.
- ⁵ Pocket penetrometer, torevane, in situ density, etc.

pad is about 2' below
original surface.

samples: BIC-7 5-5.4'
10-10.5'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher / Mike Gabor

DATE: 01/27/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

all matter is H^2 + sl mixed



BOREHOLE LOG

BIC-8

(stake marked #4, westernmost)
BH on transect #2 - 100 yds to location)

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Mine

Transect 2

SAMPLING METHOD: Split Spoon

SHEET

PAGE 1 OF 1

NORTHING

EASTING:

WATER LEVEL

TIME

DATE

CASING DEPTH

SURFACE CONDITIONS:

START

FINISH

DATE

DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	50/4"	QTY	①	5-5.5'	104R 5/6 LS, gr is subangular; fine to medium, dry	30	60	10			soft PHL values	SO DO PHL values	NE
10	50/3"	STY	②	10-10.5	104R 5/4, COLS 10% clay gr is subrounded to subangular, fine to med. dry	45	40	15			PR- HARD	SOPHANE	NE
15													
20													
25													
30													
35													
40													
45													
50													
55													
60													
65													
70													
75													
80													
85													
90													
95													
100													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, forevane, in situ density, etc.Drill pad is ~~between~~ 2-3'
below original gradeSamples: BCI-8 5-5.4'
10-10.8'drill rig
stuck at
1:00
Unstuck at
2:45pm
(still waiting on
equip. truck road
being fixed)
3:05 - fully
operational

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher / M. Barbara

DATE: 01/27/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



**Golder
Associates**

BOREHOLE LOG

(2nd from W. end of transect) **BIC-9**

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

Transect 2

DRILLING METHOD: Hollow Stem Auger

BORING NO. **BIC-9**

SAMPLING METHOD: Split Spoon

SHEET **1** OF **1**

NORTHING

EASTING:

WATER LEVEL	TIME	DATE	CASING DEPTH

START	FINISH
1/27/05	1/27

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	10				0-1 10YR 2/2 SCL								
10	49				① 5-6.5 9" recovery 3" SCL 10YR 3/2, sl. moist gravelly	30	40	30			soft sp	NE	
15	25				6" CoSL 10YR 4/4 grl is subangular to subrounded, fine to medium dry	50	30	20			soft sp, po	NE	
20	25				② 10-11.5 14" rec, 9" 7.5YR 5/4 dry, grl subang to sub rounded	35	55	10			soft-firm sp, po	NE	
25	25				3" SCL 10YR 3/2, grl. fine to med, sand to s. round.	25	45	30			firm sp, po to pl	NE	
30	10				③ 15-16.5 10" recovery <u>Gila 16'</u> 6" 10YR 5/3 SCL dry	25	45	30			hard ss, sp.		
35	45/4"				* likely contact at 15.5' to 16' 4" CoSL, grl are subrounded, fine to med, 10YR 5/4, dry, sl. moist	55	35	10			pl. (s+st) sp, po	NE	
40	59/6"				④ 20-20.5 10YR 6/4 6" recovery, CoSL grl is fine, subrounded, sl. moist	45	45	10			fine hard sp, po	NE	
					TD 20.5'								

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

Borehole surface at original grade.

sp = slightly plastic

Samples:

5-6.5'
10-11.5'
15-16.5'
20-20.5'

LOGGED BY: Dave Buscher / Mike Gaborek DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

DATE: 1/27/05

JOB NO 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



BOREHOLE LOG

BIC-10

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger		BORING NO. BIC-10	
Transect 2		SAMPLING METHOD: Split Spoon		SHEET PAGE OF DRILLING	
NORTHING		EASTING:		START FINISH	
		WATER LEVEL		7:50 9:15	
		TIME		DATE DATE	
		DATE			
		CASING DEPTH			
DRILL RIG:		SURFACE CONDITIONS:			
ANGLE: 90					
BEARING: -					
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.					

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ /CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	30	100	Qal		5-6.5' 10YR 4/4 CoSL, NE moist, grl are fine & subangular dry.	65	20	5			EP	SP	
10	12				hit original surface 10YR 2/2 SCL at about 2'								
15	8	60	Qal		10-11' hit rock at 10.5' 7.5YR 4/4 CoSL 5% clay, moist, grl are subangular to subangular. NE	5	60	20	15		EP	SP	
20	50												
25	17	100	Qal		15-16.5' SCL (35% clay) 7.5YR 4/3, NE, grl are fine, moist	0	15	50	35		HA	SP	
30	16												
35	50	100			20-20.5 one broken rock in sample (may caused true 50 blow counts) 7.5YR 4/4 SCL, 25% clay, NE moist	5	10	45	40		HA	SP	
40	45	100	OTg		25-25.5 5YR 4/4 CoSL 13% clay, NE, moist most grl are fine	0	60	25	15		MH		
45	50	100	OTg		27-28.5 27-28 5YR 4/4 SCL 28% clay, NE, grl 10%	0	10	—	—		FR-MH	SP	

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

28-28.5 5YR 4/4 CoSL
20% subangular grl,
slightly moist. NE
FR, SP, PO

Water running across the drill pad
coming from bottom of stockpile, pH = 3
boring hole 1' above original surface
boring is across from stake 15

drillers on site at 7:30

Completed

9:25

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/28/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



Transsect 2

[illegible]

--	--

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

FILE NAME: 043-2319-0002-BH Logs

Ende September



BOREHOLE LOG

BIC-12

* did not
drill next
to state 16,
one to the
North

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine <i>Transect 2</i>		DRILLING METHOD: Hollow Stem Auger	BORING NO.
NORTHING: EASTING:		SAMPLING METHOD: Split Spoon	SHEET PAGE OF
			DRILLING
		START	FINISH
		DATE	DATE
DRILL RIG: ANGLE: 90 BEARING: - SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:	

11:30
ready to
move on
standby
dozer fixing
road.

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	25	100	Qal		5-6.5 7.5YR 4/4 CoLS 3% clay, 30% grl most is fine subrounded to subangular, NE. bottom 1" may be Gila	0	30	65	5		FR	50 PD	
10	25												
15	50	100	QTg		10-10.3 (50 blows 4") 7.5YR 4/4 CoSL 10% clay, NE	0	50	35	15		HA VH	50 PD	
20													
25													
30													
35													
40													
45													
50													
55													
60													
65													
70													
75													
80													
85													
90													
95													
100													

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/28/03

JOB NO. 043-2319-0002


FILE NAME: 043-2319-0002-BH Logs

Notes:

- ¹ Percent > 3inch.
- ² Sum of gravel, sand, and fines = 100%
- ³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- ⁴ For noncohesive soil: weak, moderate, strong.
- ⁵ Pocket penetrometer, torevane, in situ density, etc.

boring is in between
BIC-8 + 9.

boring hole is about 1'
below original surface



stake B1C-11 fell down
in water. Surveyor had
27' from 10 but should
be 24'



BOREHOLE LOG BCI-8

(stake marked #14 was removed
BH on transect #2 - rig pulled to location)

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO. BCI-8

Transsect 2

SAMPLING METHOD: Split Spoon

SHEET PAGE 1 OF 1

NORTHING

EASTING:

DRILLING

START FINISH

1500 1530

DATE 1/27/05 DATE 1/27/05

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
5	50/4"	QTY	①	5-5.5'	104R 5/6 LS, gr is subangular, fine to medium, dry	30	60	10			Soft- PHL valued	SO DO NE	
10	50/3"	QTY	②	10-10.5'	104R 5/4, CoLS 10% clay gr is subrounded to subangular, fine to med. dry	45	40	15			PR- HARD	SO DO NE	
15													
20													
25													
30													
35													
40													
45													
50													
55													
60													
65													
70													
75													
80													
85													
90													
95													
100													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.Drill pad is ~~down~~ 2-3'
below original gradeSamples: BCI-8 5-5.4'
10-10.3'drill rig
stuck at
1:00
Unstuck at
2:45pm
(still waiting on
equip. truck road
being fixed)
3:05 - fully
operational

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher / M. Gabor

DATE: 01/27/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



BOREHOLE LOG

(2nd from W. end of transect) BCI - 9

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger	BORING NO. BCI-9
Transect 2		SAMPLING METHOD: Split Spoon	SHEET PAGE 1 OF 1
NORTHING		DRILLING START FINISH	
EASTING:		DATE 1/27/05	
DRILL RIG: ANGLE: 90 BEARING: -		DATE 1/27/05	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		DATE 1/27/05	
		SURFACE CONDITIONS:	

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ /CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	10				0-1 10YR 2/2 SCL								
10	49				① 5-6.5 9" recovery 3" SCL 10YR 3/2, sl. moist gravel/cobble dry	30	40	30		soft	sp	NE	
15	85				6" Co SL 10YR 4/4 grl is subangular to subrounded, fine to medium dry	50	30	20		soft	sp, po	NE	
20	25				② 10-11.5 14" rec, 9" 7.5YR 5/4 Co SL, grl. subang to sub rounded, dry	35	55	10		soft-firm	so, sp to pt.	NE	
25	25				3" SCL 10YR 3/2, grl. fine to med, s. angl to s. round.	25	45	30		firm	so, sp to pl	NE	
30	10				③ 15-16.5 10" recovery <u>Gila 16'</u> 6" 10YR 5/3 SCL dry	25	45	30		hard	ss, sp.		
35	45/4"				* likely contact at 15.5' to 16' 4" Co SL, grl are subrounded, fine to med, 10YR 5/4, dry	55	35	10		pu. (soft)	sp, po	NE	
40	54/6"				④ 20-20.5 10YR 6/4 6" recovery, Co SL grl is fine, subrounded, sl. moist	45	45	10		firm-medium	so, po	NE	
					TD 20.5'								

Notes:

- Percent > 3inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torevane, in situ density, etc.

Samples:

5-6.5'
10-11.5'
15-16.5'
20-20.5'

Borehole surface at original grade.

sp = slightly plastic

LOGGED BY: Dave Buscher / Mike Gabor DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

FILE NAME: 043-2319-0002-BH Logs

JOB NO. 043-2319-0002

DATE: 1/27/05



BOREHOLE LOG

BCI-10

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone

Mine

Transect 2

DRILLING METHOD: Hollow Stem Auger

BORING NO.

BCI-10

SAMPLING METHOD: Split Spoon

SHEET

PAGE OF

DRILLING

START FINISH

NORTHING

EASTING:

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	8	100	Qal		5-6.5' 10YR 4/4 CoSL, NE most grl are fine & subrounded, dry. hit original surface 10YR 2/2 SCL at about 2'		65				FR	SO	
10	8	60	Qal		10-11' hit rock at 10.5' 7.5YR 4/4 CoSL 15% clay, moist, grl are subround to subangular, NE	5	60	20	15		FR	SP	
15	17	100	Qal		15-16.5' SCL (35% clay) 7.5YR 4/3, NE, grl are fine, moist	0	15				HA	SP	
20	50	100			20-20.5 one broken rock in sample; may cause the 50 blow counts. 7.5YR 4/4 SCL, 25% clay, NE, moist	0	10				HA	SP	
25	45	100	QTz		25-25.5 5YR 4/4 CoSL 13% clay, NE, moist most grl are fine	0	60				MH		
30	40	100	QTz		27-28.5 27-28- 5YR 4/4 SCL 28% clay, NE, grl 10'	0	10				FR- MH	SP	

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torenvane, in situ density, etc.

28-28.5 5YR 4/4 CoLS
20% subrounded grl,
slightly moist. NE
FR, SO, PO

water running across the drill pad
coming from bottom of stockpile, pH = 3

boring hole 1-2' above original surface.
boring is across from stake 15

drillers on site
at 7:20

Completed
at
9:25

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/28/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

23' - drill indicated hard drilling at 23'



BOREHOLE LOG

BIC-11

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger	BORING NO. BIC-11
Transsect 2		SAMPLING METHOD: Split Spoon	SHEET PAGE OF DRILLING
NORTHING	EASTING:	WATER LEVEL	START FINISH
		TIME	9:30 10:30
		DATE	DATE DATE
DRILL RIG: ANGLE: 90 BEARING: -		SURFACE CONDITIONS:	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ ³ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
10	46	100	Qal		5-5.5 10YR 4/4 GsL	40					FR	SS SP	
50			QTg		15% clay, wet, grl are subrounded to subangular								
10					5.5-6.5 7.5YR 4/4 SCL	15					HR-VH	SP	
					34% clay, dry NE								
15	50	100			10-10.5 7.5YR 3/3 SCL	15							
					34% clay, dry, NE								
					grl is fine								
20	50	100			15-15.6 (7"-50 blows)	15					HR-MD	SP	
					7.5YR 3/3 SCL (30% clay)								
					NE, dry, 15% fine grl								
					subround to subangular								
35					Gila at 5.5'								

Notes:

- Percent > 3inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torevane, in situ density, etc.

- boring hole about 1' above original surface.

- across from stake 20.

Samples: BIC-11 5-5.5'
10-10.5'
15-15.6'

- photo of Qal/QTg contact
note wet 5-5.5' + dry 5.5-6.5'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/28/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

relatively easy drilling to 10'
high blow count possibly from
tight clay, going 5' more.

drilling a bit
harder below 10'



BOREHOLE LOG

BIC-12

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Transect 2

SAMPLING METHOD: Split Spoon

SHEET
PAGE OF
DRILLING

NORTHING

EASTING:

START FINISH

WATER LEVEL

TIME

DATE

CASING DEPTH

11:00 11:30

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	25	100	Qal		5-6.5 7.5YR 4/4 CoLS 3% clay, 30% grl most is fine subrounded to subangular, NE. bottom 1" may be Gila	0	30	65	5		FR	So Po	
10	25												
15	50												
20	50	100	QTz		10-10.3 (50 blows 4") 7.5YR 4/4 CoSL 10% clay, NE	0	50				HA VH	So Po	
25													
30													
35													
40													

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.boring is in between
BIC-8 + 9.boring hole is about 1'
below original surface* did not
drill next
to site 16,
one to the
North11:30
ready to
move on
standby
dozer fixing
road.

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 11/28/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



**Golder
Associates**

BOREHOLE LOG

BIC-13

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Transect 3
at NE end.

SAMPLING METHOD: Split Spoon

SHEET

PAGE OF

DRILLING

START FINISH

NORTHING

EASTING:

WATER LEVEL

TIME

DATE

CASING DEPTH

SURFACE CONDITIONS:

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, lamination)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	50	100			Upper 2' road fill - but close to original surface level 2-5' 10YR 4/4 SCL, NE 24% clay, 30% subrounded grl						H	SS SP	
10	50	100			5-5.4 10YR 5/3 CoSL (16% clay), 50% grl that breaks apart - highly weathered. Either a weathered diorite or close to bedrock - No	50	30	20					
15	20	100			10-11' 10-10.5' 7.5YR 5/6 SCL (27% clay), NE 10.5-11' pulverized granodiorite. dry	5	15	50	30		FR	SP	
20	40	100			15-16' 10R 4/6 SCL, 28% clay, grl are red + angular. NE, dry	60	25	15			MH	SP	
25	20	70			20-21' 10R 4/6 SCL, 32% clay, NE, dry grl are red. subrounded to subangular, most are fine. Rock at 20.7-21'	5	35	40	20		MH	SP	
30	50	100			25-25.5 10R 4/6 SCL 28% clay, grl are red subangula to subround, hit several larger rocks. dry	10	40	30	20		H	SP	
35	50	100			30-30.5 - hard weathered diorite. 7.5YR 6/2 rock						VH		

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

TD 30"

Samples BK-13

10-10.5'
15-16'
20-21'
25-25.5'
30-30.5'

- close to original ground level, but not absolutely sure.

photo 43 of 10-11' Spoon sample

photo 42 - drilling

Weathered diorite bedrock is 33' to the NE along drill pad.

at stake 9

Stakey over at 12:15

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buschter

DATE: 1/28/05

JOB NO 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

5' - 25' soft weathered bedrock
25' - 30' banded bedrock
easy drilling
harder drilling



BOREHOLE LOG

BIC-14

at stake 8

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger	BORING NO.
Transsect 3		SAMPLING METHOD: Split Spoon	SHEET PAGE OF DRILLING
NORTHING	EASTING:	WATER LEVEL TIME	START FINISH
		DATE	DATE
DRILL RIG: ANGLE: 90 BEARING: -		SURFACE CONDITIONS:	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	14	40			5-6.5' 7.5YR 4/3 SCL 28% clay, grl are angular-subangular disint. moist	5	30	35	25		FR	SP	
10	30	40			10-11.5 5YR 4/4 SCL 32% clay, grl are red & subrounded to angular moist	5	40	33	22		H		
15	20	100			15-16.5 5YR 4/4 SC 38% clay moist grl are fine, NE	0	5	50	45		H-VH	SP	
20	20	100			20-21.5 5YR 4/4 SC 50% clay, slightly moist, gravels are fine NE	0	5	45	50		H-VH	VSVP	
25	20				25' 5YR 4/6 SCL 34% clay, saturated (only got 2", either on large rock or hard bed rock)	0	5	50	45		—	SP	
30	50	80			refusal at 25'2", thin layer of water on top. → pH of mud = 6.5								

Notes:

- Percent > 3 inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torevane, in situ density, etc.

Samples: BIC-14

5-6.5'
10-11.5
15-16.5
20-21.5
25'

- bore hole at about original surface level.
- photo 44 15-16.5' sample

- Spoon had about 0.5" mud on the outside

- saturated zone 0.5-1' thick.
- close to original ground level

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/28/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

0-25' red clay-rich soil
25' refusal - disint.



BOREHOLE LOG BIC-15

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Transect 3

SAMPLING METHOD: Split Spoon

SHEET
PAGE OF
DRILLING

NORTHING

EASTING:

WATER LEVEL

TIME

DATE

CASING DEPTH

SURFACE CONDITIONS:

START FINISH

8:00 10:00

DATE DATE

2/20 10:30

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ³	% FINES ²	COLOR	CONSISTENCY ⁴ CEMENTATION ⁴	PLASTICITY (cp, l, m, h)	OTHER TESTS ⁵
5	30 30	100			5-6' 10YR5/4 CoSL, 15% clay, grl are fine NE 5-5.5' moist 4.5-6' saturated. pH of mud 4.5		30	40	30		Fr	SS	
10	25 35 50	100			10-11.6' 10YR4/4 SCL 28% clay, NE, grl are fine, 10-11' saturated pH of water = 4.0, moist 11-11.6' weathered diorite		15	50	25		HR	CP	
15					15 - no sample, problems with water in the hole								
20					20' unable to sample mud in hole								
25	7				15' tried collecting sample twice, last one 60 blows 4" of sample spoon was bouncing, but mud sucked into spoon. Sample consisted of mud + diorite chips								
30					20-21' 7.5YR5/4 SCL, moist NE, with broken diorite fragments.		5	30	0				
35													
40													
45													
50	50	100			25-25.3 hand diorite dry, deep red								

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

Samples: BIC-15 5-6'

TD = 25'

10-11.6'

20-21'

25-25.3

photo 45 of 5-6'

photo 46 showing diorite/alluvium contact
arrows from BIC-15- boring hole
4-5' below original surfaceon site 7:00,
required to start
work on site
drilling 2:0010:00 discontinued
hole, unable to
sample due to
mud in hole,1/29/05
2/2/052/2/05
8:00 filled
water tank
8:30 drilling

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

FILE NAME: 043-2319-0002-BH Logs

JOB NO 043-2319-0002

DATE: 1/29/05 - 2/2/05



BOREHOLE LOG BIC-16

at Stake 1

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger	BORING NO. BIC-16
Transect 3 SW end		SAMPLING METHOD: Split Spoon	SHEET PAGE OF DRILLING
NORTHING	EASTING:	WATER LEVEL	START FINISH
		TIME	11:00 12:00
		DATE	DATE DATE
DRILL RIG: ANGLE: 90 BEARING: -		SURFACE CONDITIONS:	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	10				upper foot 7.5YR 2.5/2								
12	100		soil		SC (38% clay) - probably on original surface								
16					5-6.5 5YR 4/3 SC	0	10	45	45		H	SP	
					(36% clay), ES, 15% fine gravel, moist								
30	100		soil		10-11': 10-10.5' 5YR 3/2	0	10	50	40		H	SP	
50			bedrock		SC (34% clay), ES, moist. 10% fine gravel								
					10.5-11' 7.5YR 4/3								
					CoLS (3% clay); NE								
					weathered qtz. diorite (or qtz. monzonite), dry								
					photo 47 of 10-11'								
					refusal at 12'								

Notes:

- Percent > 3inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torevane, in situ density, etc.

Samples: BIC-16 5-6.5'
10-10.5'
10.5-11'
- close to original ground level

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/29/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs



BOREHOLE LOG BIC-17

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine Transect 3 2nd from SW end		DRILLING METHOD: Hollow Stem Auger	BORING NO.
NORTHING		EASTING:	
DRILL RIG:		SHEET PAGE 1 OF 1	
ANGLE: 90		DRILLING	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		START FINISH	
		12:30 2:30	
		DATE DATE	
BEARING: -		SURFACE CONDITIONS:	

DEPTH IN METERS (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
5	20	100			about 1', 10YR 2/1. SCL, maybe original surface.								
10	20	100			5-6.5' 10YR 3/3 SC 37% clay, NE, moist	10	75	45			H	SP	
15	20	100	Qal	?	10-11.5' 10YR 7.5YR 3/3 SC, NE, slightly moist. (37% clay) grt are fine	15	45	40			H	SP	
20	22	100			11-11.5' 10YR 4/4 COLS, dry, most grt are fine subangular	35	60	5			FR	SO PO	
25	10	100	Qal	?	15-16.5' stratified 10YR 4/4 SCL (34% clay) 1" 10YR 4/4 COLS and at bottom 5YR 4/4 SC 38% clay, all NE slightly moist	10	45	45			MH FR	SP SO PO	
30	30	100	Soil		20-21.5' 5YR 4/6 SCL 32% clay, NE, dry, grt are subangular	20	75	5			H		
35	20	100	Soil		25-26.5' 5YR 4/6 SCL 34% clay, NE, dry	10	60	30			H	SP	
40	25	100	Soil		30-31' weathered diorite	10	55	35			H		
45	30	100	R										

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

drilled additional 5' to make sure 30' wasn't just a rock

50 blows 4" 35-35.4' - hard diorite (VH)

- close to original ground level

- photo 4B of 10-11.5' sample

Samples: BIC-17 5-6.5' BIC-17 30-31'
10-11' 35-35.4'
11-11.5'
15-16.5'
20-21.5'
25-26.5'

TD = 35'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/29/05

JOB NO 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

Soil derived from diorite

30' weathered diorite

Qal

16'

BCI-13 741 →
BCI-14

BCI-17
851 → BCI-16



BOREHOLE LOG

BIC-18

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Mine

Transect 3

SAMPLING METHOD: Split Spoon

SHEET
PAGE OF
DRILLING

NORTHING

EASTING:

WATER LEVEL
TIME
DATE
CASING DEPTH
SURFACE CONDITIONS:

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 In. OD Split Spoon, 140 lb hammer.

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
12 15 15	100				5-6.5' 10YR 3/3 SCL (26% clay), moist, NE grl are subangular, contains some mica.	0	30	40	30	MH	S P		
20 36 50	100		Qal		10-11.5' 10YR 4/4 CoSL 12% clay, moist, NE grl are subangular + most are fine. Rock at bottom.	0	35	40	25	FR	SS SP		
20 30 28	80		Qal		15-16.5' 10YR 4/4 CoSL 10% clay, NE, grl are subangular-subangular, 1" layer of SCL	0	35	40	25	FR	SS SP		
20 30 50	100				20-21.5' 7.5YR 4/3, SC 45% clay, NE, moist	0	20	40	40	HA	SSP		
20 35 40	100				25-26.5' 7.5YR 4/4 SCL, 27% clay, NE moist grl are fine	0	10	55	35	MH	S P		
20 30 50	100				30-31.5' 5YR 4/4 SCL 35% clay, NE, moist, grl are fine (weathered from diorite).	0	5	60	35	MH	S P		
60 100					35-36.5' weathered diorite, with 2" of mud on top, 5YR 4/4 SCL					H	-		
70 100					37-37.5' - 7" red v. hard weathered diorite					VH	-		

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

Weathered diorite is dry Samples: BIC-18

- about 3' below original ground level

mud in spoon from hydraulic head.

PH of mud = 5.0, water-filled
the hole, etc.

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 1/29/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

5:30-

trip 6:00

decon. 6:05-

Left site 6:15

Next to
Strike 35-6.5'
10-11.5'
15-16.5'
20-21.5'
25-26.5'
30-31.5'
35-36.5'
37-37.5'

see back



BOREHOLE LOG BIC-19

cold ground is frozen

7:50 moved rig to site

10:30 moving to transect 4.

10:00-10:30 tripping & clean some augers

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine <i>Transect 3</i>		DRILLING METHOD: Hollow Stem Auger	BORING NO.
NORTHING		SAMPLING METHOD: Split Spoon	SHEET PAGE OF DRILLING
EASTING:		WATER LEVEL	START FINISH
		TIME	8:00 10:00
		DATE	DATE DATE
DRILL RIG: ANGLE: 90 BEARING: - SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:	

weathered diorite drills fairly easy

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, I, m, h)	OTHER TESTS ⁵
5	27	80			about 2' 10YR 2/1 SCL								
10	27				Saturated soil ~ 3' ← from recent rains PH of mud = 6.0								
15	14	100			5-6.5' 7.5YR 3/3 SCL	0	5	55	40		MH	S P	
20	14				22% clay, mica flakes, sl moist, NE, S. fine grl								
25	14	100			10-11.5' 7.5YR 3/3 SC	0	5	50	45		MH	vs up	
30	14				45% clay, moist, NE								
35	14				5% fine grl								
40	25	60			15-16.5 5YR 4/4 SCL	5	5	55	40		MH	S P	
45	25				32% clay, NE, moist								
50	25				5% fine grl								
55	16	100			20-21.5 5YR 4/6 SCL	0	5	55	40		MH	S P	
60	23				34% clay, NE,								
65	23				sl moist, S grl								
70					25-25.3 red weathered diorite (fines are 2.5R 4/4 SCL 22% clay) dry						VH	S P	
75					27-27.3 - red weathered diorite, dry NE						VH		
80					TD 27'								

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

JOB NO 043-2319-0002

DATE: 1/30/05

FILE NAME: 043-2319-0002.BH Logs


- Notes:
- Percent > 3inch.
 - Sum of gravel, sand, and fines = 100%
 - For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
 - For noncohesive soil: weak, moderate, strong.
 - Pocket penetrometer, torevane, in situ density, etc.

Samples: BIC-19 5-6.5'
10-11.5'
15-16.5'
20-21.5'
25-25.3'
27-27.3'

- close to original ground level

* large sed pond wall, ~ 20' to west, has alluvium about 20' S of BIC-19. Thought was this boring would be in alluvium.

(1) → SW
 (2) → NE
 BC-18 ← 44' → BC-17
 BC-19 ← 35 1/2' → BC-16



at stake 5



Golder Associates

BOREHOLE LOG BIC-24

8:00 filed
water tank,
moved rig.

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger	BORING NO. BIC-24
Transsect 3		SAMPLING METHOD: Split Spoon	SHEET PAGE OF DRILLING
NORTHING	EASTING:	WATER LEVEL TIME DATE	START FINISH DATE DATE
DRILL RIG: ANGLE: 90 BEARING: - SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:	

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	10	60	Qal		S-6.5 10YR 4/4 CLS, 5% clay, NE, SL moist, grl au subround/subangular	0	25	70	5		Soft	SP	
10	15	80	from diorite		10-11' 5YR 4/4 SCL, NE moist (34% clay) contains much qtz. + mica.	0	5	60	35		MH	SP	
15	50	100	15		15-15.4' 5YR 4/4 CGL, NE dry, 14% clay, - either rock or weathered diorite.						H	SP	
20	20	50	100		20-26.4' same as 15-15.4' - weathered diorite, dry						H		
25					about 6" of skf of 7.5YR 4/4 CL, MH moist, 35% clay, 40% sand, NE - probably somewhere between 16-20'								
30													
35													
40													

Notes:

- Percent > 3inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torevane, in situ density, etc.

- about 3' below original surface
photo 52 water seeping at bottom of waste pile.
photo 53 small diorite outcrop across from BIC-24
Samples: BIC-24 5-6.5'
10-11'
15-15.4'
20-20.4'

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 2/1/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

driller indicated upper 6" skf

BOREHOLE LOG *BIC-25*

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine	DRILLING METHOD:	Hollow Stem Auger	BORING NO.
	SAMPLING METHOD:	Split Spoon	SHEET PAGE OF
			DRILLING
			START FINISH
			DATE DATE
NORTHING	EASTING:		
DRILL RIG:	BEARING: -		
ANGLE: 90			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			
SURFACE CONDITIONS:			

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (pp. 1, m. ft)	OTHER TESTS ⁵
5	50	100			5-5.5' 5YR 4/4 COSL 10% clay, dry, broken granodiorite, NE						H	50 PO	
10					above 5' 10YR 3/3 SCL (34% clay)								
15	50	100			upper moist, MH, S.P., NE								
20					10-10.3'								
25					same as 5-5.5'								
30					weathered, dry								
35					granodiorite								
40					much K-sprng								
					which gives the								
					5YR color.								

Notes:

- Percent > 3 inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torvane, in situ density, etc.

*bore hole about 3-4' below original ground level**TD 10'*

DRILLING CONTRACTOR: Layne-Weddem (Chandler, AZ)


LOGGED BY: Dave Butcher

DATE: *2/1/05*

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

(state 5)



at stake 6



BOREHOLE LOG BIC-26

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger	BORING NO.
Transsect 3		SAMPLING METHOD: Split Spoon	SHEET PAGE OF DRILLING
NORTHING	EASTING:	WATER LEVEL	START FINISH
		TIME	10:30 1:00
		DATE	DATE
DRILL RIG: ANGLE: 90 BEARING: -		CASING DEPTH	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:	

completed clearing augers 1:20

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, prevalent cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (app. L, m, h)	OTHER TESTS ⁵
0					on top of drill pad cut - alluvium - 10YR 4/3 CoSL (15% clay) 1" thick over a few feet of 10YR 2/2 SCL (22% clay) 5-6.5' 10YR 4/4 CoLS/sand						FR	SO	
10	10	100	Qal		Wet, NE, grl subrounded to subangular, some red grl (saturated)							SO	
15	25	100	Qal		10-11' 10YR 4/4 CoLS Wet, NE (saturated)							SO	
20	30	100	Qal		15-16' 10YR 4/4 CoSL (13% clay) Wet, NE, 1/2" largest gal, grl subrounded / subangular.							SS	
25	30	100	Qal		pH of water = 4.0								
30	30	100	Qal		20-20.5 (upper 1/2 all sluf). 5YR 4/3 SC, (clay?). NE, sli moist						VH	SP	
35	30	100	Qal		25-25.5' 2.5YR 4/6 SCL (34% clay), NE slightly moist.						H	SP	
40	50	100	Qal		30-30.4' 7.5YR 5/4 CoSL, weathered diorite, dry mainly broken rock						VH	SS	
45	50	100	Qal		35-35.4' weathered diorite - like 30-30.4'						VH	SS	

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 2/1/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

Notes:

- Percent > 3 inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torvane, in situ density, etc.

boring hole about 5' below original ground level
pH of mud between 5-10' = 4 or less,
(scale only goes to 4)

Samples: BIC-26 5-6.5'
10-11'
15-16'
20-20.5'
25-25.4'
30-30.4'
35-35.4'

TD 35'

water 5-20'

- Sample spoon is plating copper

about 1" of sluf
side of mud
sample is
inside moist
sluf
from auger
slightly



BOREHOLE LOG B16-27

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine <i>Transect 3</i>		DRILLING METHOD: Hollow Stem Auger	BORING NO.
NORTHING		SAMPLING METHOD: Split Spoon	SHEET PAGE OF DRILLING
EASTING:		WATER LEVEL	START FINISH
		TIME	1:30 4:00
		DATE	DATE DATE
DRILL RIG: ANGLE: 90 BEARING: -		CASING DEPTH	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:	

DEPTH IN METERS (ELEVATION)	BLOW 5 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, MCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, L, m, h)	OTHER TESTS ⁵
10	100				5-6.5 10YR 3/4 CL (35% clay) moist, NE	0	5				FR	S	
10	100				bottom 2" 7.5YR 4/3	0	10						
20	100				SL (18% clay) moist								
10	100				10-11.5' 10YR 4/4 SCL	0	10	60			FR	S	
20	100				30% clay, moist, NE								
30	100				bottom 1" 7.5YR 5/4								
15	100				CoSL 12% clay.								
21	100				15-16.5' 10YR 5/4 CoSand	0	40				soft	SO	
23	100				Wet, NE, grl are							PO	
20	100				subrounded/subangular								
25	100				pH of mud = 4.5								
40	100				pH of water = 4.0								
25	100				20-20.5' (upper 1" slab)	5	30				MH	SO	
30	100				7.5YR 4/4 CoSL &		5				MH	S	
35	100				7.5YR 4/4 SCL (30% clay)							P	
30	100				moist, NE								
35	100				7.5YR 5/4 CoSL (15% clay)	0	10				MH	SS	
40	100				moist, NE							SP	
45	100				25-25.5'								
30	100				30-31 2.5YR 4/6 CL	0	5				MH	S	
40	100				(35% clay) SL moist, NE						H		
45	100				over weathered diorite								
45	100				at 30.5'								
45	100				36-35.5 2.5YR						VH		
45	100				weathered diorite								
45	100				dry								

Notes:

- Percent > 3 inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torvane, in situ density, etc.

water 15-20'

in drill
pad cutbore hole about 5' below original
ground level

0-1.5' 10YR 4/3 CoSL (12% clay) 30% grl
1.5-2.5' 10YR 2/1 SCL (28% clay) 5% grl
2.5-5' 10YR 2/2 CL (35% clay) 10% grl

4:00-5:00
tripped,
washed augers,
moved rig to
next site.

DRILLING CONTRACTOR: Layne-Wedman (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 2/1/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-8H Logs



BOREHOLE LOG BIC-28

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Mine

Transect 3

SAMPLING METHOD: Split Spoon

SHEET

PAGE OF

DRILLING

START FINISH

NORTHING

EASTING:

WATER LEVEL

TIME

DATE

CASING DEPTH

11/00 1:00

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5					0-6.5' no sample Qal. water @ 5'								
10	10 15 34	100			10-11.5 10-11 7.5YR 4/4 CoSL, 13% clay, wet NE: 11-11.5' 10.5YR 4/4 SCL, 25% clay, NE moist, water pH = 4	0	15				FR	SS PO	
15	13 13 15	100			15-16.5' lenses of 10.5YR 4/4 CoSL, wet NE + 7.5YR 4/4 clay (40% clay) NE slightly moist	0	3				FR	S P	
20					20-21' 7.5YR 4/6 SCL, 25% clay, NE moist.	0	20				soft	SO PO	
25	35 35	100			25-26.5' 7.5YR 5/4 CoSL, wet with layers of 7.5YR 3/3 SCL, 32% clay, NE moist	0	0				H	VS VP	
30	21 20 23				30-30.4' rock at bottom (diorite) + some 7.5YR 4/4 SCL 35% clay, moist	0	5				MH	S P	
35					35-35.4' deep red weathered diorite, dry-very hard	50	5				MH	S P	
40	50 80												
45	60 100												

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE: 2/2/05

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

- Boring is about 5' below original surface

Samples BIC-28

10-11.5'

15-16.5'

20-21'

25-26.5'

30-30.4', 35-35.4'

TD = 35'



BOREHOLE LOG BIC-29 ≈ 10' N of BIC-18

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine
Transsect 3

DRILLING METHOD: Hollow Stem Auger

BORING NO. BIC-29

SAMPLING METHOD: Split Spoon

SHEET 1 OF 1

DRILLING

START FINISH

1:30 3:30

DATE DATE

NORTHING

EASTING:

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (pp. 1, m, h)	OTHER TESTS ⁵
0					at 10' pulled augers up + was slightly moist at bottom of auger - Qal								
13	45	60	Qal		15-16.5 upper 6"	0	5					S	
15	45				7.5YR 5/4 SCL Saturated							P	
15					25% clay in bottom	0	0				H	VS	
15	10				6" 10YR 2/3 Clay,							VP	
15	15	100			45% clay, sl. moist						MH	S	
20	20				20-21.5 7.5YR 4/4 +	0	5					P	
20					5YR 4/4 SCL, 40% clay, moist								
25	10				25-26.5 5YR 4/4	0	10				MH	S	
25	20	100			SCL 38% clay, moist, bottom 2" pulverized diorite							P	
30	25				30-31.5 2.5YR 4/6	0	15				FR	S	
30	25	100			SCL 28% clay, moist, with diorite fragments within the soil.							P	
35	30				35-36 2.5YR 4/6						H	VS	
35					Clay (40% clay), moist	0	5					VP	
35	50				35.6-36' hard, weathered diorite, dry						VH	-	
35	50	5"											

Notes:

¹ Percent > 3 inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torsion, in situ density, etc.

boring hole is ≈ 2' below original surface

Samples: BIC-29 15-16.5'

20-21.5'

25-26.5'

30-31.5'

35-36'

- tripping out of hole, last auger wet + caked in red mud.

- pH of red mud = 6.0

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

FILE NAME: 043-2319-0002-BH Log5

JOB NO 043-2319-0002

DATE: 2/2/05

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine		DRILLING METHOD: Hollow Stem Auger							BORING NO.	
Transect 3 ~35' N of BIC-15 NORTHING EASTING:									SHEET	
		SAMPLING METHOD: Split Spoon							PAGE OF	
									DRILLING	
		WATER LEVEL							START	FINISH
		TIME							4:00	5:30
		DATE							DATE	DATE
		CASING DEPTH								
DRILL RIG:		SURFACE CONDITIONS:								
ANGLE: 90										
BEARING: -										
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.										

DEPTH IN METERS (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	10 15 30	100			5-6.5' 10YR 3/3 SCL 35% clay, NE moist grl subrounded/subangular	0	10				FR	SP	
10	10 30 40	100			10-11.5' 10YR 4/4 CoSL, moist, NE, grl are subrounded.	0	50				FR	SP	
15	10 27 36	60			15-16.5' 2.5YR 4/6 SC (38% clay) moist, NE, few diorite frags.	0	5						
20	15 45 50	100			20-21' deep red weathered diorite 2.5YR 4/8 SCL, 22% clay, sl. moist/dry						VH		
25					25-25.5' grayish- white weathered diorite, dry						VH		
30	60				TD 25'								

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

FILE NAME: 043-2319-0002-BH Logs

DATE:

JOB NO.043-2319-0002

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

top of boring $\approx 1\frac{1}{2}'$ below original surface

total 120' for day



BOREHOLE LOG

BIC-31

SITE NAME AND LOCATION: 1C Stockpile Reclaim Area, Tyrone Mine

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Transect

SAMPLING METHOD: Split Spoon

SHEET

PAGE OF

DRILLING

START FINISH

NORTHING

EASTING:

WATER LEVEL

TIME

DATE

CASING DEPTH

SURFACE CONDITIONS:

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
5	15				5-6.5' 10YR 4/3 CoSL, NE, slightly moist. gr/one subrounded/ subangular	0	40				H	so po	
10	25				10-10.4' 10YR 4/4 CoLS—						VH	so po	
15	30	50	100		weathered diorite. mainly broken rock. dry, NE								
20					15-15.5' broken diorite (like 10-10.4'), dry						1/2H	so po	
25	50	100											
30					TD 15'								
35													
40													

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

boring close to original surface level

photo 54 samples: BIC-31 5-6.5'

photo 55 of cut showing 10-10.4'

possible North drainage. 15-15.5'

7:30 drillers
move rig
& filled
water
tank

10: drillers
reasoning
truck, auger
I left at
10:07

DRILLING CONTRACTOR: Layne-Western (Chandler, AZ)

LOGGED BY: Dave Buscher

DATE:

JOB NO. 043-2319-0002

FILE NAME: 043-2319-0002-BH Logs

APPENDIX V.3

3A Liquefaction Assessment

3A Stockpile Liquefaction Evaluation**Qal SPT Data, All Sampled Intervals****Corrected N Value (As per Youd et al., 1996 and 1998 NCEER Workshops)****Saturation Assumed below 20 ft**

Qal moist unit weight 120 PCF

Qal sat unit weight 133 PCF

Borehole dia correction 1.05 (Cb) Youd et al

Rod length corr 0.8 (Cr) Youd et al

Energy Ratio 1 (Ce) Youd et al

Sampling Method Corr 1 (Cs) Youd et al

Correction Product 0.84 (Less Ovb corr, Column J)

Max surface Accel 0.14 g USGS Unified Hazard Tool Site Class (760 m/sec)

No.3A 30% Amplification

Percent Fines 10 %

Max Quake Magnitude 6.7 URS Seismicity Study

Mag Scale Factor 1.31 Table 3, Idriss, Column 3 (after Youd and Noble 1997)

Regrade Burial Depth 0 Feet

Surcharge Pressure 0 PSF at surface

Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress	CSR (Youd eqn 1)	CRR (LIQFAC Lookup)	FS (Youd eqn 23)
7-2	20	5	Qal	17	0	0	600	600	0.090	0.5699	NL
7-2	20	10	Qal	9	0	0	1200	1200	0.089	0.1900	NL
7-3	20	5	Qal	18	0	0	600	600	0.090	0.8253	NL
7-3	20	10	Qal	13	0	0	1200	1200	0.089	0.2646	NL
7-3	20	15	Qal	11	0	0	1800	1800	0.088	0.1900	NL
7-3	20	20	Qal	5	0	0	2400	2400	0.087	0.1048	1.6
7-3	20	25	Qal	18	5	312	3065	2753	0.095	0.2358	3.2
7-3	20	30	Qal	25	10	624	3730	3106	0.102	0.2948	3.8
7-4	20	5	Qal	17	0	0	600	600	0.090	0.5699	NL
7-4	20	10	Qal	28	0	0	1200	1200	0.089	2.6200	NL
7-4	20	15	Qal	13	0	0	1800	1800	0.088	0.2188	NL
7-4	20	20	Qal	14	0	0	2400	2400	0.087	0.2031	3.1
7-4	20	25	Qal	18	5	312	3065	2753	0.095	0.2358	3.2
7-5	20	5	Qal	25	0	0	600	600	0.090	2.6200	NL
7-5	20	10	Qal	26	0	0	1200	1200	0.089	2.6200	NL
7-5	20	15	Qal	14	0	0	1800	1800	0.088	0.2358	NL
7-5	20	20	Qal	18	0	0	2400	2400	0.087	0.2502	3.8
7-5	20	25	Qal	32	5	312	3065	2753	0.095	0.4467	6.1
7-6	20	5	Qal	20	0	0	600	600	0.090	2.6200	NL
7-6	20	10	Qal	57	0	0	1200	1200	0.089	2.6200	NL
7-8	20	5	Qal	29	0	0	600	600	0.090	2.6200	NL
7-8	20	10	Qal	38	0	0	1200	1200	0.089	2.6200	NL
7-8	20	15	Qal	63	0	0	1800	1800	0.088	2.6200	NL
7-8	20	20	Qal	14	0	0	2400	2400	0.087	0.2031	3.1
7-8	20	25	Qal	25	5	312	3065	2753	0.095	0.3157	4.3
8-2	20	5	Qal	10	0	0	600	600	0.090	0.2646	NL
8-2	20	10	Qal	46	0	0	1200	1200	0.089	2.6200	NL
8-3	20	10	Qal	7	0	0	1200	1200	0.089	0.1598	NL
8-3	20	15	Qal	13	0	0	1800	1800	0.088	0.2188	NL

Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress	CSR (Youd eqn 1)	CRR (LIQFAC Lookup)	FS (Youd eqn 23)
8-3	20	20	Qal	16	0	0	2400	2400	0.087	0.2358	3.6
8-4	20	5	Qal	8	0	0	600	600	0.090	0.2188	NL
8-4	20	10	Qal	9	0	0	1200	1200	0.089	0.1900	NL
8-4	20	15	Qal	27	0	0	1800	1800	0.088	0.4913	NL
8-4	20	20	Qal	40	0	0	2400	2400	0.087	2.6200	NL
8-5	20	5	Qal	11	0	0	600	600	0.090	0.2843	NL
8-5	20	10	Qal	33	0	0	1200	1200	0.089	2.6200	NL
8-8	20	5	Qal	4	0	0	600	600	0.090	0.1310	NL
8-8	20	10	Qal	50	0	0	1200	1200	0.089	2.6200	NL
8-8	20	15	Qal	26	0	0	1800	1800	0.088	0.4913	NL
8-8	20	20	Qal	47	0	0	2400	2400	0.087	2.6200	NL
8-9	20	5	Qal	28	0	0	600	600	0.090	2.6200	NL
8-9	20	10	Qal	38	0	0	1200	1200	0.089	2.6200	NL
8-9	20	15	Qal	31	0	0	1800	1800	0.088	1.3100	NL
8-9	20	20	Qal	37	0	0	2400	2400	0.087	2.6200	39.6
8-10	20	5	Qal	23	0	0	600	600	0.090	2.6200	NL
8-10	20	10	Qal	70	0	0	1200	1200	0.089	2.6200	NL
8-10	20	15	Qal	21	0	0	1800	1800	0.088	0.3367	NL
8-10	20	20	Qal	50	0	0	2400	2400	0.087	2.6200	NL
9-1	20	5	Qal	21	0	0	600	600	0.090	2.6200	NL
9-1	20	10	Qal	27	0	0	1200	1200	0.089	2.6200	NL
9-1	20	15	Qal	49	0	0	1800	1800	0.088	2.6200	NL
9-1	20	20	Qal	15	0	0	2400	2400	0.087	0.2188	3.3
9-1	20	25	Qal	69	5	312	3065	2753	0.095	2.6200	NL
10-2	20	5	Qal	32	0	0	600	600	0.090	2.6200	NL
10-3	20	5	Qal	29	0	0	600	600	0.090	2.6200	NL
10-3	20	10	Qal	23	0	0	1200	1200	0.089	0.5699	NL
10-4	20	5	Qal	17	0	0	600	600	0.090	0.5699	NL
10-4	20	10	Qal	21	0	0	1200	1200	0.089	0.4467	NL
10-4	20	15	Qal	22	0	0	1800	1800	0.088	0.3563	NL
10-4	20	20	Qal	24	0	0	2400	2400	0.087	0.3367	5.1
10-4	20	25	Qal	37	5	312	3065	2753	0.095	1.0480	14.4
10-4	20	30	Qal	41	10	624	3730	3106	0.102	1.3100	16.9
10-5	20	5	Qal	20	0	0	600	600	0.090	2.6200	NL
10-5	20	10	Qal	28	0	0	1200	1200	0.089	2.6200	NL
10-5	20	15	Qal	14	0	0	1800	1800	0.088	0.2358	NL
10-5	20	20	Qal	26	0	0	2400	2400	0.087	0.3563	5.4
10-5	20	25	Qal	46	5	312	3065	2753	0.095	2.6200	NL
10-5	20	30	Qal	75	10	624	3730	3106	0.102	2.6200	NL
10-6	20	5	Qal	19	0	0	600	600	0.090	1.3100	NL
10-6	20	10	Qal	17	0	0	1200	1200	0.089	0.3367	NL
10-6	20	15	Qal	23	0	0	1800	1800	0.088	0.3825	NL
10-6	20	20	Qal	25	0	0	2400	2400	0.087	0.3563	5.4
10-6	20	25	Qal	55	5	312	3065	2753	0.095	2.6200	NL
10-6	20	30	Qal	51	10	624	3730	3106	0.102	2.6200	NL
10-7	20	5	Qal	55	0	0	600	600	0.090	2.6200	NL
10-8	20	5	Qal	19	0	0	600	600	0.090	1.3100	NL
10-11	20	5	Qal	25	0	0	600	600	0.090	2.6200	NL
10-11	20	10	Qal	18	0	0	1200	1200	0.089	0.3563	NL

Hole	Depth to Water (bgs)	Sample Depth	Material	Blows/ft (uncorr)	Depth below gws	u (pcf)	Total Stress	Effective Stress	CSR (Youd eqn 1)	CRR (LIQFAC Lookup)	FS (Youd eqn 23)
10-11	20	15	Qal	20	0	0	1800	1800	0.088	0.3157	NL
11-14	20	5	Qal	14	0	0	600	600	0.090	0.3563	NL
11-14	20	10	Qal	46	0	0	1200	1200	0.089	2.6200	NL
11-14	20	15	Qal	11	0	0	1800	1800	0.088	0.1900	NL



DRAFT

BOREHOLE LOG

7-1

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET			
		SAMPLING METHOD: SPT, Shelby					
				DRILLING			
NORTHING DATUM: amsl		EASTING: ELEVATION:		START		FINISH	
				DATE		DATE	
				DATE		DATE	
				DATE		DATE	
DRILL RIG: ANGLE: 90		BEARING: -		SURFACE CONDITIONS:			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.							

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
24 37 50	100				Fill in 7 Canyon Renowned Gila/Qual								
28 38 47	100		Qlg		Sand, silty, gravelly reddish yellow, dry	15	60	25	7.5 1/2 1/6	hard	NP	PH: 8.0	
10 22 19 37			SP		Sand, gravelly, cobbly, silty, reddish yellow, dry	25	60	15	7.5 1/2 1/6	hard	NP	PH: 8.0 PH: 7.0	
30 35 39													
20 21 44 48			SP		Sand, silty, gravelly, pink, dry	15	55	30	7.5 1/2 1/3	hard	NP	PH: 7.0	
50+					Sand AS ABOVE								
30 40 41 36			SP		Sand, gravelly, silty strong brown, moist	40	40	20	7.5 1/2 5/6	hard	1	PH: 7.0	
36 43 50+			SP		Sand, gravelly, silty strong brown, moist TD: 35 ft	25	60	15	7.5 1/2 5/6	hard	NP	PH: 7.0	
40													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR: GSI

LOGGED BY: 15/11/06

DATE: 7-11-06

JOB NO.

FILE NAME: Tyreke 34



DRAFT

BOREHOLE LOG 7-2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING
START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	5 5 12	100	SP		Sand, gravelly, silty, brown, sl moist	15	60	25	7.5 yr 4/4	Soft	1	PH: 8.0	
10	3 4 5		SP		Sand, silty, gravelly brown, sl. moist	5	60	25	7.5 yr 4/4	Soft	1	PH: 7.0	
15	14 21 13		Gal Plg		Sand, silty, gravelly Reddish yellow, sl. moist	15	60	25	7.5 yr 4/6	firm	NP	PH: 7.5	
20	20 32 39		SP		Sand, gravelly, reddish yellow, sl moist TD: 20 ft	25	70	5	7.5 yr 6/6	hard	NP	PH: 7.0	
25													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR G5J

LOGGED BY: Kilmee

DATE: 7-12-06

JOB NO.

FILE NAME: Tyron 3A



DRAFT

BOREHOLE LOG 7-3 Sheet 1

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO.
hole spudded @ surveyed L.S. -0.5 ft		SAMPLING METHOD: SPT, Shelby	SHEET 1 of 2
		DRILLING	
		START	FINISH
		DATE	
NORTHING	EASTING:	WATER LEVEL	
DATUM: amsl	ELEVATION:	TIME	
		DATE	
		CASING DEPTH	
DRILL RIG:		SURFACE CONDITIONS:	
ANGLE: 90			
BEARING: -			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	11 9	60%	SP		Fill, reworked gal, fly Sand, gravelly, silty reddish yellow, clay	35	50	15	75 1R 7/8	firm	NP	PH: 7.0	
10	6 5 7	70%	SP		Sand, silty, gravelly, strong brown, silty moist	10	65	25	75 4R 5/6	firm	1	PH: 7.0	
15	4 5 6	50%	SP		Sand, as above	10	65	25	75 4R 5/6	firm	1	PH: 7.0	
20	3 2 3	90%	SP		Sand, silty, gravelly dark brown	10	60	30	75 4R 3/2	firm	NP	PH: 7.0	
25													

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Kilman

DATE: 7-12-06

JOB NO.
FILE NAME: Tyrone 3A



DRAFT

BOREHOLE LOG

7-3 Sheet
2

SITE NAME AND LOCATION: name and location	DRILLING METHOD:	Hollow Stem Auger	BORING NO.	
	SAMPLING METHOD:	SPT, Shelby	SHEET 2 of 2	
	WATER LEVEL		DRILLING	
	TIME		START	FINISH
	DATE		DATE	DATE
CASING DEPTH				
NORTHING	EASTING:			
DATUM: amsl	ELEVATION:			
DRILL RIG:		SURFACE CONDITIONS:		
ANGLE: 90				
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.				
BEARING: -				

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
25	5	80%	SP		Sand, AS Above								
27	11		SP		Sand, gravelly, silty, reddish yellow, v. moist	20	65	15	7.5 72 7/6	firm	np	PH: 7.0	
30	17	90%	Qap		Sand, gravelly, silty, reddish yellow, moist drilling hard	25	65	10	7.5 72 7/6	hard	1	PH: 4.0	
35	24	70	SP		Sand, gravelly, silty, reddish yellow, moist v. hard drilling	25	65	10	7.5 72 6/6	hard	1	PH: 5.0	
40					TD: 35 ft hole moist @ bottom - 36.5 ft								

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.DRILLING CONTRACTOR
GST

LOGGED BY: K. Jensen

DATE: 7-12-06

JOB NO.

FILE NAME: Tyrene 3A



DRAFT

BOREHOLE LOG 7-4 Sheet 1

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
		SAMPLING METHOD: SPT, Shelby		SHEET 1 of 2	
NORTHING DATUM: amsl		EASTING: ELEVATION:		DRILLING	
				START	FINISH
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		BEARING: -		DATE	
				DATE	DATE
SURFACE CONDITIONS:					

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	7 7 15	100%	SP		fill, resurfaced gravel ply								
10	20 19 9	0	GP		sand, silty, gravelly, brown dry waste rock large rock 7ft-refusal/ skidded rig 3' west waste rock fragments in cuttings	20	60	20	7.5 7.5 3/2	Soft	np	ptt: 7.5	
15	8 7 6	30	SP		sand, gravelly, silty brown, dry (waste rock fragments)	35	60	15	7.5 7.5 5/4	firm	np	ptt: 7.0	
20	13 12 12	20	GP		sand, gravelly, cobbly, silty, sl. moist (waste rock fragments)	30	50	20	7.5 7.5 5/4	firm	1	ptt: 7.0	
25													

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

LOGGED BY:

DATE:

JOB NO.

FILE NAME:



**Golder
Associates**

DRAFT

BOREHOLE LOG

7-4 Sheet 2

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
				SHEET	
		SAMPLING METHOD: SPT, Shelby		DRILLING	
				START FINISH	
NORTHING		EASTING:		WATER LEVEL	
DATUM: amsl		ELEVATION:		TIME	
				DATE	
				DATE DATE	
DRILL RIG:		SURFACE CONDITIONS:			
ANGLE: 90		BEARING: -			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.					

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
25	4 6 8	40%	SP		Sand, As Above Sand, silty, gravelly dark brown, sl. moist	25	55	20	75 42 4 1/4	firm	np	PH: 6.5	
30	5 7 11	70%	SP Pal Ftg		Sand, gravelly, silty, light yellowish brown, moist, Drilling hard	25	65	10	10 72 6 1/4	firm	1	PH: 6.5	
35	19 54	90%										PH: 6.0	
40	37 50	45%	SP		Gravelly sand/silt light yellow brownish light moist	40	50	10	100 5 1/6	Firm	NP	PH: 4.0	

Notes:

¹ Percent > 3in.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSA

LOGGED BY: KIMMEL

DATE: 7-12-06

JOB NO.

FILE NAME: Tyrene 3A



DRAFT

BOREHOLE LOG

7-5 Sheet 1

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

Spudded @ -0.75
below SURVEYED
POINT

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING
START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	7 11 14	0	SP		fill, mixed Gal, Ptg waste rock								
10	14 12 14	60%	SP		fill, mixed Gal, Ptg waste rock, waste								PH: 5.0
15	8 7 7	50%	SP		fill, mixed Gal, Ptg waste rock								PH: 7.0
20	10 8 8	30% (rock)	GP		cobbly, gravelly								PH: 8.0
25	16 16		Gal										

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

GSI

LOGGED BY:

Kilmer/Schindler

DATE:

7-12-06

JOB NO.

FILE NAME:

Tyrene 3A



DRAFT

BOREHOLE LOG

7-5 Sheet
2

SITE NAME AND LOCATION: name and location	DRILLING METHOD: Hollow Stem Auger	BORING NO.
		SHEET
	SAMPLING METHOD: SPT, Shelby	DRILLING
		START FINISH
NORTHING DATUM: amsl	EASTING: ELEVATION:	
	WATER LEVEL	
	TIME	
	DATE	
	CASING DEPTH	DATE DATE
DRILL RIG: ANGLE: 90	BEARING: -	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		
SURFACE CONDITIONS:		

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
25	16 16 16	90%	SP Qc Qtg		Sand, gravelly, silty pink, dry -Drilling hand-	30	50	20	75 42 74	hard	NP	PH: 7.5	
30	16 23 50+		SP		Sand, gravelly, silty brown, very sl. moist TD: 30 ft	30	60	10	75 38 74	hard	NP	PH: 6.5	

Notes:

¹ Percent > 3inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

JOB NO.

FILE NAME: Tyrene 312

LOGGED BY: Kilwa/Schindler

DATE:

7-12-06

DRILLING CONTRACTOR GSI



DRAFT

BOREHOLE LOG

7-6

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET			
		SAMPLING METHOD: SPT, Shelby					
				DRILLING			
NORTHING DATUM: amsl		EASTING: ELEVATION:		START		FINISH	
				WATER LEVEL			
				TIME			
				DATE			
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:		DATE		DATE	

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
					fill mixed Gal, Qtz, wash rock								
5	8 9 11	100%	SP		Sand, gravelly, silty pink, dry	25	65	10	75	ya 1/3	NP	PH: 8.0	
					fill								
10	14 28 29	80%	SP		Sand, gravelly, silty pinkish grey, v. sl. moist (wash rock fragments)	25	65	10	75	ya 1/2	NP	PH: 8.0	
					Drilling hard								
15	34 504	50%	SP		Sand, gravelly, silty reddish yellow. sl. moist	25	60	15	75	ya 1/6	NP	PH: 7.0	
20	33 54		SP		Sand, AS ABOVE	25	60	15	75	ya 1/6	NP	PH: 7.0	
25					TD: 20 ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.GSI
DRILLING CONTRACTOR

LOGGED BY: KIMMEL

DATE: 7-12-06

JOB NO.

FILE NAME: TYRONE 3A



Golder Associates



**Golder
Associates**

DRAFT

BOREHOLE LOG 8-1

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
				SHEET 1 of 1	
		SAMPLING METHOD: SPT, Shelby		DRILLING	
				START FINISH	
NORTHING DATUM: amsl		EASTING: ELEVATION:		WATER LEVEL	
				TIME	
				DATE	
				DATE DATE	
DRILL RIG: ANGLE: 90		BEARING: -		CASING DEPTH	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.				SURFACE CONDITIONS:	

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	13 32 39		SP		Weathered Qtz @ Surface, sandy silty loam, Sand, gravelly, silty, reddish yellow, dry	25	60	15	7.5 4 %	hard	np	PH: 6.5	
10	27 34 37		SP		Sand, gravelly TD = 10 ft							PH: 8.0	
15													

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: K. Silver

DATE: 7-13-06

JOB NO.

FILE NAME: TYPANK 3A



DRAFT

BOREHOLE LOG 8-2

SITE NAME AND LOCATION: name and location	DRILLING METHOD:	Hollow Stem Auger	BORING NO.
			SHEET
	SAMPLING METHOD:	SPT, Shelby	DRILLING
			START FINISH
			DATE DATE
NORTHING DATUM: amsl	EASTING: ELEVATION:	WATER LEVEL	TIME
		DATE	DATE
DRILL RIG: ANGLE: 90	BEARING: -	CASING DEPTH	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:	

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
					Soil, sandy silty loam								PH: 7.0
5	21 25 21		SP		Sand, silty, gravelly, brown, dry (organic)	15	60	25	7.5 42 5/2	firm	NP		PH: 8.0
10	4 5 5		SP Gal		Sand, gravelly, silty Strong brown, sl. Moist	20	60	20	7.5 42 5/6	soft	NP		PH: 5.0
15	37 50+		SP		Sand, gravelly, silty, brown, v. sl. moist TD: 15 ft	30	60	10	7.5 42 5/4	hard	NP		PH: 7.0

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: KIMEN

DATE: 7-13-06

JOB NO.

FILE NAME: Tyrene 3A



DRAFT

BOREHOLE LOG

8-3 Sheet
1 of 2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET 1 of 2

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING
START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, lamination)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
1			ML		Tailing, sand, white saturated		100	0	10 4/2 8 1/2	weak	M		5.0
5	0	20% split spoon sank with weight of hammer			Tailing Qal								PH: 4.0
10	3	60% SP			silty sand gravelly, light brown, silty moist	25	60	15	75 4/2 4/3	firm	NP		PH 5.0
15	8	30% SP			sand, silty, gravelly light brown, silty moist	20	60	20	75 4/2 4/3	hard	NP		PH 4.5
20	5	60% SP			sand, silty, gravelly brown, silty moist	15	65	20	75 4/2 5/4	hard	I		PH: 5.5
25	2	80% SP			Drilling hard								PH: 4.0

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Kilmer

DATE: 7-13-06

JOB NO.

FILE NAME: Tyee 3A



DRAFT

BOREHOLE LOG 8-3

Sheet
2 of 2

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO.	
		SHEET 2 of 2		
NORTHING DATUM: amsl		SAMPLING METHOD: SPT, Shelby	DRILLING	
		START FINISH		
EASTING: ELEVATION:		WATER LEVEL		
		TIME		
DRILL RIG: ANGLE: 90 BEARING: - SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		DATE		
		CASING DEPTH		
		SURFACE CONDITIONS:		

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
25	23 38 50%	30%	Qal SP	25-5-26.5	Drilling Hand Sand, gravelly, silty strong brown, sl. moist	20	55	15	7.5 42 5/8	hand	np	PH: 4.0	
30	25 25 46	100%	SP	30-5-31.5	TD: Sand, gravelly, silty strong brown, sl. moist TD: 30 ft	25	60	15	7.5 42 5/8	hand	1	PH 7.0	

DRILLING CONTRACTOR

LOGGED BY:

DATE:

JOB NO.

FILE NAME:

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.



DRAFT

BOREHOLE LOG

8-4 Sheet
1 of 2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING
START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
			ML		Tailing, sand, silty, saturated		0	80	20	7.5 4/2 8/6	soft	h	PH: 4.0
			fill tailings										
5	5 4 4	100%	Qal SW		Soil, sandy, gravelly loam, dark brown, sl. moist, friable		25	65	10	7.5 4/2 4/3	soft	NP	PH: 8.0
10	3 4 5	100%	SP		Sand, silty, gravelly dark brown, sl. moist		15	60	25	7.5 4/2 4/3	firm	1	PH: 8.0
15	9 13 14	100%	SW		Sand, coarse, gravelly, silty, brown, friable, moist		15	70	15	7.5 4/2 5/4	firm	NP	PH: 7.0
20	16 19 21		GP Qal Qty		Gravel, sandy, silty, strong brown, moist Drilling using hand		50	30	20	7.5 4/2 4/6	hard	NP	PH: 4.0
25													

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

LOGGED BY:

JOB NO.

7-13-06

DATE:

FILE NAME: Tyrene 3A



DRAFT

BOREHOLE LOG 8-4 *Sheet 2 of 2*

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SHEET

SAMPLING METHOD: SPT, Shelby

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ³	% FINES ³	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
25	9 17 25		SP		Sand, gravelly, silty strong brown, sl. moist TD: 25 ft		20	65	15	7.5 4% 2/16	v. hard	np	PH: 4.0

DRILLING CONTRACTOR *GST*LOGGED BY: *Kilmer*DATE: *7-13-06*

JOB NO.

FILE NAME: *Tyng 3A*

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.



DRAFT

BOREHOLE LOG 8-5

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SHEET

SAMPLING METHOD: SPT, Shelby

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE

DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
			ML		Tailing, sand, moist, pink		80	20	7.5 4/2 3/4	soft	M	PH: 4.0	
5	4 4 7		Gal SP		Soil on fly, gravelly sandy loam, dark brown, dry		35	40	25	7.5 4/2 1/3	soft	PH: 4.0 PH: 8.0	
10	22 18 25		GP Gal Fly		gravel, sandy, silty reddish yellow, dry		45	35	20	7.5 4/2 1/8	hard	NP	PH: 7.0
15	30 50		GP		GRAVEL, AS ABOVE, dry TD: 15 ft		45	35	20	7.5 4/2 1/8	hard	NP	PH: 7.0

DRILLING CONTRACTOR GSI

LOGGED BY: K. M. K.

DATE: 7-14-06

JOB NO.

FILE NAME: Tyrone 3A

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.



DRAFT

BOREHOLE LOG 8-6

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
		SAMPLING METHOD: SPT, Shelby		SHEET	
		WATER LEVEL		DRILLING	
		TIME		START FINISH	
NORTHING		EASTING:		DATE	
DATUM: amsl		ELEVATION:		DATE	
DRILL RIG:		SURFACE CONDITIONS:			
ANGLE: 90					
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.					

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/1} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
			GP		Soil, sandy, gravelly loam, dark brown (Soil developed on gty)					7.5 1/4			PH: 7.0
5	12 17 9	100%	GP		gravel, sandy, silty brown, organic, dry	40	40	20	7.5 42 5/3	fine	np		PH: 7.0
10	38 50+		GP		gravel, sandy, silty, reddish yellow, sl. moist	40	35	25	7.5 41 8/6	hard	np		
					TD: 10 ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, v. soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

GSI

DRILLING CONTRACTOR

LOGGED BY:

DATE:

15/1/02

7-14-06

JOB NO.

FILE NAME:

Tyrene 3A



DRAFT

BOREHOLE LOG 8-7

SITE NAME AND LOCATION: name and location

Spurlock 12' east of station location
(Surveyed Elev. - 4.5 ft)

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SHEET

SAMPLING METHOD: SPT, Shelby

DRILLING

START FINISH

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (pp. l, m, h)	OTHER TESTS ⁴
5	22 50+	40%	GP		Soil, sandy gravelly loam, dark brown (Soil developed on Qtz)					7.5 4/4			PH: 8.0
10					Gravel, sandy, silty, pink, dry	40	35	25	7.5 4/3	hard	np		PH: 8.0
15					TD: 5 ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Kilmer

DATE: 7-16-06

JOB NO.

FILE NAME: T9805 34



**Golder
Associates**

DRAFT

BOREHOLE LOG 8-8

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO.	
NORTHING DATUM: amsl		SAMPLING METHOD: SPT, Shelby		SHEET 1 of 1
		DRILLING		
		START	FINISH	
		DATE	DATE	
EASTING: ELEVATION:		WATER LEVEL		
		TIME		
		DATE		
		CASING DEPTH		
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:		

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
0	0	100%	SP		fill, cultural debris compact							PH: 8.0	
5	4 2	60%	SP		Sand, coarse, silty, gravelly, strong brown sl moist	20	60	20	7.5 7.5 7.5	firm L		PH: 8.0	
10	4 5	65%	SP		Sand, silty, gravelly, dark grey, vsl. moist	15	65	20	7.5 4.2 4.1	hard NP		PH: 8.0	
15	9 13 13	100%	SP		Sand, gravelly, silty, strong brown, sl. moist	15	60	25	7.5 4.2 5.6	firm NP		PH: 8.0	
20	16 22 25		SP		Sand, gravelly, silty sl. moist dark brown TD: 20 ft				7.5 4.2 3.2			PH: 7.0	

Notes:

¹ Percent > 3in.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR: GSI

LOGGED BY: Kimer

DATE: 7-11-06

JOB NO.

FILE NAME: Tyrene 3A



DRAFT

BOREHOLE LOG 8-9

SITE NAME AND LOCATION: name and location	DRILLING METHOD: Hollow Stem Auger	BORING NO.
		SHEET
	SAMPLING METHOD: SPT, Shelby	
		DRILLING
		START FINISH
NORTHING	EASTING:	
DATUM: amsl	ELEVATION:	
	WATER LEVEL	
	TIME	
	DATE	
	CASING DEPTH	DATE DATE
DRILL RIG:	SURFACE CONDITIONS:	
ANGLE: 90	BEARING: -	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	25 15 13	10 (Rock)	SP	55-56	Real Gravel Sand, gravelly, silty brown, sl. moist	30	50	20	75 10 5/4	hard	1	PH: 8.0	
10	28 25 25	100	SP	55-57	Sand, AA, 1-inch layer of darker organic	30	50	20	75 10 5/4	firm	1	PH: 7.0	
15	11 17 14		SP		Sand, silty, minor gravel strong brown, sl. moist	10	70	30	75 10 5/6	firm	1	PH: 7.0	
					Sand, gravelly, silty friable brown, sl. moist	20	65	15	75 40 5/4	firm	NP	PH: 7.0	
20	7 20 17		SP		Sand, silty, gravelly dark brown, moist Buried soil, roots TD: 20 ft	15	60	25	75 40 3/2	firm	1	PH: 7.0	

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Kimsa

DATE: 7-1-06

JOB NO.

FILE NAME: Tyane 3A



**Golder
Associates**

DRAFT

BOREHOLE LOG 8-10

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET			
		SAMPLING METHOD: SPT, Shelby					
				DRILLING			
NORTHING DATUM: amsl		EASTING: ELEVATION:		START		FINISH	
				WATER LEVEL			
				TIME			
				DATE			
				CASING DEPTH			
DRILL RIG:		SURFACE CONDITIONS:					
ANGLE: 90		BEARING: -					
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.							

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	26 10 10 13	100	SP	5-gallon grab sample	Road way fill Sand, gravelly, silty, reddish grey (low), sl. moist	20	50	30	75 42 5/6	firm	1	PH: 8.0	
10	17 39 31	100	SP	5-gallon grab sample	Sand, gravelly, silty very dark grey, sl. moist	20	60	20	75 42 13/1	firm	1	PH: 7.0	
15	5 70 11		SP		Sand, gravelly, silty, light brown, friable sl. moist	25	65	10	75 42 5/4	firm	np	PH: 8.0	
20	30 50		SP		Sand, gravelly, silty very dark grey, sl. moist	25	65	10	75 42 13/1	firm	np	PH: 7.0	
					Sand, gravelly, silty, strong brown	20	60	20	75 42 5/6	firm	1	PH: 7.0	
					TD: 20 ft								

Notes:

¹ Percent > 3 inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

GSI

DRILLING CONTRACTOR

LOGGED BY: K. H. H. H.

DATE: 7-11-06

JOB NO.

FILE NAME: Tynore 30A



DRAFT

BOREHOLE LOG 9-1

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET 1 of 1			
		SAMPLING METHOD: SPT, Shelby		DRILLING			
				START FINISH			
NORTHING DATUM: amsl		EASTING: ELEVATION:		WATER LEVEL			
				TIME			
				DATE			
				CASING DEPTH			
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		BEARING: -		SURFACE CONDITIONS:			

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	20 12 9	100	SP	56.5 Brass Tube 0-5 Split grab sample	Sil., gravelly loam, silty sandy, pink sand, silty, gravelly sl. moist yellowish red	80	20	20	7.5 4.2 8 1/4	firm	NP	pH: 7.0	
	12 13 7	100	SP	5-10 Split grab sample	sand, gravelly, silty, light brown, sl. moist	15	50	35	7.5 1.6 6 3/8	firm	1	pH: 7.0	
						25	50	25	7.5 4.2 6 1/4	firm	1	pH: 7.0	
10	9 33 26	100	SP	10-11.5 Brass tube 5-10 Split grab sample	sand, gravelly, sandy, very dark grayish brown, v. moist (scic)	15	65	20	10 4.2 7 1/2	firm hard	M	pH: 4.0	
15	9 28 8	80	SP		sand, gravelly, as above, significant wood - tree roots saturated in lower portion	15	65	20	10 4.2 7 1/2	hard	M	pH: 4.0	
20	17 25 44		SP		sand, gravelly, silty, pink, sl moist TD: 20-ft	15	70	15	5.4 7 1/3	hard	NP	pH: 7.0	

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.GSI
DRILLING CONTRACTOR

LOGGED BY: K. H. M. R.

DATE: 7-10-06

JOB NO.

FILE NAME: Tyrore 3A



DRAFT

BOREHOLE LOG 10-2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START FINISH

DATE

DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
					Soil, sandy silty loam, dark brown	5	70	25	75 42 5/4	Soft	1		
5	12 15 17		SP		Sand, silty, gravelly brown	10	65	25	75 42 5/4	Firm	np	PH: 7.0	
				900 67g	Drilling hard								
10	24 37 39		SP		Sand, gravelly, silty, reddish yellow, 5% moist	20	70	10	75 42 6/6	v. hard	np	PH: 7.0	
15													
20					TD: 10 ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.DRILLING CONTRACTOR
GSI

LOGGED BY: Kimson

DATE: 7-17-06

JOB NO.

FILE NAME: Tyron 3A



DRAFT

BOREHOLE LOG 10-3

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START

FINISH

DATE

DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	13 16 17	50%	SP		Soil, sandy gravelly silty, tan, dk brown organic Sand, silty gravelly, dk brown, dry	15	60	25	7.5 7.2 7.4 7.4	7.5 7.2 7.4 7.4	Firm	np	PH: 6.5
10	11 12	60%	SP		Sand, gravelly, silty Strong brown, dry	25	60	15	7.5 7.2 5/6	7.5 7.2 5/6	Hard	np	PH: 7.0
15	17 23 28	85%	GP		gravelly, cobbly, sand, pink, v. sil. moist Drilling hard	10	60	20	10	7.5 7.2 7/4	Hard	np	PH: 7.0
20	38 54		SP		sand, silty, strong brown, sil. moist TD: 20 ft	5	75	20	2.5 7.2 5/6	7.5 7.2 5/6	Hard	np	PH: 7.0
25													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: H. H. H.

DATE: 7-17-06

JOB NO.

FILE NAME: TYRONE 3A



DRAFT

BOREHOLE LOG

10-4 sheet
1 of 2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING
START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	80%	30%	GP		Soil sandy, gravelly, brown		50	30	20	7.5 fine 5/4	firm	NP	pH: 7.0
10	99 12	60%	SP		Sand, silty, gravelly light brown, dry		15	55	20	7.5 fine 6/4	firm	NP	pH: 7.0
15	71 4	30%	SP		Sand, silty, gravelly, light brown, dry		15	65	20	7.5 fine 6/3	firm	NP	pH: 7.0
20	131 13	60%	SP		Sand, gravelly, silty, pink, dry		20	70	10	7.5 fine 7/3	firm	NP	pH: 7.5

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torvane, in situ density, etc.GSI
DRILLING CONTRACTOR

LOGGED BY: E. Jensen

DATE: 7-17-06

JOB NO.

FILE NAME: Tyron 3A



**Golder
Associates**

DRAFT

BOREHOLE LOG 10-4 *Sheet 2 of 2*

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
				SHEET	
		SAMPLING METHOD: SPT, Shelby			
				DRILLING	
NORTHING		EASTING:		START	
DATUM: amsl		ELEVATION:		FINISH	
		WATER LEVEL		DATE	
		TIME		DATE	
		DATE		DATE	
		CASING DEPTH		DATE	
DRILL RIG:		SURFACE CONDITIONS:			
ANGLE: 90					
BEARING: -					
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.					

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
25	17	30	SP		Sand, silty, gravelly, yellowish red, dry	20	60	20	5/6	hard	NP	PH: 7.0	
30	12	60%	GP		Gravel, sandy, silty, yellowish red, sl. moist	65	25	10	5/6	hard	NP	PH: 5.0	
35	50		GP		Gravel, as above	65	25	10	5/6	hard	NP	5.5	
40					TD: 35 ft								

Notes:

- Percent > 3inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR *GSC*

LOGGED BY: *KLW*

DATE:

Tyburns 36

JOB NO.

FILE NAME:

7-17-06



DRAFT

BOREHOLE LOG 10-5 *Sheet 1 of 2*

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING
START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/1} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	7 11 9	70%	SP	Qal	Silt, sandy gravelly loam, sand, gravelly, silty brown, dry	25	60	15	75 4 5/4	7.5 9/4	soft	np	6.5 PH:
10	13 14 16	30%	SP		Sandy gravelly, silty light brown, dry	20	65	15	75 4 6/4	7.5 4	firm	np	PH: 6.5
15	8 2 8	75%	SP		Sand, silty, gravelly brown, friable, sl. mudst	15	65	25	75 4 3/4	7.5 4	firm	np	8.0
20	11 11 5	0%			rock in sampler end								
25													

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

LOGGED BY:

DATE:

JOB NO.

FILE NAME:



**Golder
Associates**

DRAFT

BOREHOLE LOG 10-5

Sheet
2 of 2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amsl

EASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
25	11 19 27	75%	SP		Sand, gravelly, reddish yellow, dry	30	55	15	7.5 4 5/8	firm	NP	PH: 7.0	
30	37 43 32	40%	SP		Sand, silty, gravelly, strong brown, sl. moist	15	60	25	7.5 4 5/8	hard	NP	PH: 4.5	
35	23 38 40	100%	SP		Sand, silty, gravelly, strong brown, moist -Drilling hard-	15	55	30	7.5 4 5/8	firm	I	PH: 4.0	
40	15 46 304		SP		Sand, gravelly, silty, yellowish red, sl. moist TD: 40 ft	25	50	25	5 4 5/8	hard	NP	PH: 6.0	

DRILLING CONTRACTOR
GSI

LOGGED BY: Kilmor

DATE: 7-14-06

JOB NO.

FILE NAME: Tyrene 3A

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.



DRAFT

BOREHOLE LOG

10-6 Sheet 1 of 2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING
START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	8 11	30%	SP		Soil, gravelly sandy loam Sand, gravelly silty reddish yellow, dry	5	60	15	75	Yc 5/6	SOFT	NP	pH: 7.0
10	8 13 14	30%	SP		Sand, gravelly, silty reddish yellow, dry	25	60	15	75	Yc 5/6	FIRM	NP	pH: 7.0
15	9 9 14	60%	SP		Sand, silty, gravelly reddish yellow, dry	15	65	20	75	Yc 5/8	FIRM	NP	pH: 7.0
20	8 11 14	60%	SP		Sand, silty, gravelly reddish yellow, dry	15	65	20	75	Yc 5/8	FIRM	NP	pH: 7.0
25	18 28 27												

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.DRILLING CONTRACTOR
GST

LOGGED BY: K/ma

DATE: 7-14-06

JOB NO.

FILE NAME: Tykone 34



DRAFT

BOREHOLE LOG

106 Sheet
2 of 2

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET			
		SAMPLING METHOD: SPT, Shelby					
				DRILLING			
NORTHING DATUM: amsl		EASTING: ELEVATION:		START		FINISH	
				WATER LEVEL			
				TIME			
				DATE			
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		BEARING: -		CASING DEPTH			
				SURFACE CONDITIONS:			
				DATE		DATE	

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
25	18 28 27	60	SP		Sand, gravelly, silty, reddish yellow, dry	25	55	20	75 4R 5/8	hard	NP	7.0	
30	22 25 21	60%	SP Qal Qtr		Sand, gravelly, silty, strong brown, silty moist Drilling hard -	30	50	20	75 4R 5/8	hard	NP	PH: 4.0	
35	54	30%	GP		Gravel, sandy, strong brown TD: 35 ft	50	30	20	75 4R 5/6	v. hard	NP	PH: 4.0	

DRILLING CONTRACTOR

LOGGED BY:

DATE:

JOB NO.

FILE NAME:

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, corevane, in situ density, etc.



DRAFT

BOREHOLE LOG

10-7

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO.
		SHEET	
NORTHING DATUM: amsl		SAMPLING METHOD: SPT, Shelby	DRILLING START FINISH
		DATE DATE	
EASTING: ELEVATION:		WATER LEVEL	
		TIME	
DRILL RIG: ANGLE: 90 BEARING: - SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		DATE	
		CASING DEPTH	
		SURFACE CONDITIONS:	

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	15 30 25	100%	Qar SP		Soil, sandy, gravelly loam Sand, gravelly, silty, organic, dark brown, clay		30	50	20	7.5 TR 1/3	v. hard	np	6.5
10	39 50+		SP		sand, gravelly, reddish yellow, sl. moist, friable					7.5 TR 1/3	v. hard	np	7.5
15					TD: 10 ft								
20													
25													

Notes:

- 1 Percent > 3inch.
- 2 Sum of gravel, sand, and fines = 100%
- 3 For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- 4 For noncohesive soil: weak, moderate, strong.
- 5 Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR
GSI

LOGGED BY: KIMBLE

DATE: 7-14-06

JOB NO.

FILE NAME: Tyone BA



DRAFT

BOREHOLE LOG 10-8

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO.
		SHEET	
NORTHING DATUM: amsl		SAMPLING METHOD: SPT, Shelby	DRILLING START FINISH
		DATE DATE	
EASTING: ELEVATION:		WATER LEVEL	DATE
DRILL RIG: ANGLE: 90		TIME	DATE
BEARING: -		DATE	DATE
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		CASING DEPTH	DATE
		SURFACE CONDITIONS:	

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY/ CEMENTATION ³	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	8 8 11	50%	SP		Soil, sandy gravelly loam								
10	19 23 54	70%	GP Qal Ptg		Sand, silty, gravelly brown, dry, friable,	15	65	20	75 40 5/2	soft	np	pH: 7.5	
15	54 24	20%	SP		Gravel, sandy, silty, Strong brown, dry	45	30	25	75 40 5/8	hard	np	pH: 8.0	
20					Sand, gravelly, silty reddish yellow, sl. moist, friable	25	45	30	75 40 6/8	hard	np	pH: 7.0	
					TD: 15 ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

GSI

DRILLING CONTRACTOR

LOGGED BY: KIMMER

DATE: 7-11-00

JOB NO.

FILE NAME: Tycon 3A



BOREHOLE LOG 10-11

SITE NAME AND LOCATION: name and location	DRILLING METHOD: Hollow Stem Auger							BORING NO.	
								SHEET 1 of 1	
	SAMPLING METHOD: SPT, Shelby							DRILLING	
								START	FINISH
NORTHING	EASTING:		WATER LEVEL						
DATUM: amsl	ELEVATION:		TIME						
			DATE						
			CASING DEPTH						
DRILL RIG:			SURFACE CONDITIONS:						
ANGLE: 90									
SAMPLER: 2.0 In. OD Split Spoon, 140 lb hammer.									

DEPTH IN METERS (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁴
5	10 7 1/2	100	SP	5-10-61	Road grade, sandy gravel, silty, reddish yellow	40	35	25	5 1/2 7/8	Soft	NP	PH 7.0	
5	10 7 1/2	50% Rock	SP	5-10-61	Sand, gravelly, silty reddish yellow	20	50	30	5 1/2 6/8	Soft	1	PH 7.0	
10	7 9 1/2	100	SP	5-10-61	Sand, gravelly, silty st moist, dark brown	15	50	35	7.5 42 3 1/2	firm	M	PH 7.0	
15	18 22 50 1/4	100	SP	5-10-61	Drilling hard - Gila P'd Sand, as above	15	55	30	7.5 42 3 1/2	hard	L	PH 7.0	
20	9 16 17	29% Rock	GP	5-10-61	Gravel, sandy reddish yellow clay TD: 20-ft	40	35	25	7.5 42 3 1/2	firm	NP	PH 7.0	

- ¹ Percent > 3inch.
- ² Sum of gravel, sand, and fines = 100%
- ³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- ⁴ For noncohesive soil: weak, moderate, strong.
- ⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR

LOGGED BY: KJL/MSK
DATE: 7-10-08

JOB NO. _____

FILE NAME: Tyene 3A



**Golder
Associates**

DRAFT

BOREHOLE LOG 11-1

3A Soil boring

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO. 11-1
		SAMPLING METHOD: SPT, Shelby	SHEET
NORTHING DATUM: amsl	EASTING: ELEVATION:	WATER LEVEL	DRILLING
		TIME	START FINISH
		DATE	DATE
		CASING DEPTH	7/18 7/18
DRILL RIG:		SURFACE CONDITIONS:	
ANGLE: 90			
BEARING: -			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	35	50%	SP/gm		silty sandy gravel dry (7.5 PR 7/6) soft, reddish brn, pH=7.5	15	50	35	7.5 4/2 7/6	NC	NP	pt=7.5	
6.5	48				Drilled 6.5' into Gila, From Gila								
					Gila from surface								

Notes:

¹ Percent > 3/16 in.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR Geomechanics Southwest Inc.

LOGGED BY: Steven Schindler

DATE: 7/18/2006

JOB NO. 013-1595-002

FILE NAME:



DRAFT

BOREHOLE LOG 11-2

3A Boring

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
				SHEET	
		SAMPLING METHOD: SPT, Shelby			
				DRILLING	
NORTHING		EASTING:		START	
DATUM: amsl		ELEVATION:		FINISH	
		WATER LEVEL		7/12	
		TIME		7/12	
		DATE		DATE	
		CASING DEPTH		7/12	
DRILL RIG:		SURFACE CONDITIONS:		DATE	
ANGLE: 90				7/10	
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.					

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	50	30%	SP		Sandy silty gravel, slightly moist, (P/S 4/1R 5/16) PH=7.5-8.0 slightly Firm, slightly cemented	15	50	35	7.5	NP			
6.5													
10					Drilled 5' into Gila from surface								
15													

DRILLING CONTRACTOR GST

LOGGED BY: Steven Schindler

DATE: 7/18/2000

JOB NO. 013-1595-002

FILE NAME:

Notes:

- Percent > 3inch.
- Sum of gravel, sand, and fines = 100%
- For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.
- For noncohesive soil: weak, moderate, strong.
- Pocket penetrometer, torevane, in situ density, etc.



DRAFT

BOREHOLE LOG 11-3

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.							
		SAMPLING METHOD: SPT, Shelby		SHEET							
				DRILLING							
				START FINISH							
NORTHING DATUM: amsl		EASTING: ELEVATION:		WATER LEVEL		TIME		DATE		DATE	
DRILL RIG: ANGLE: 90		BEARING: -		CASING DEPTH		DATE 7/12		DATE			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:									

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: Steven Schindler

DATE: 7/18/2006

JOB NO. 013-1595-000

FILE NAME:



DRAFT

BOREHOLE LOG 11-4

3A soil borings

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO.
			SHEET
SAMPLING METHOD: SPT, Shelby		DRILLING	
		START	FINISH
NORTHING	EASTING:	WATER LEVEL	
DATUM: amsl	ELEVATION:	TIME	
		DATE	
		CASING DEPTH	DATE 7/18
DRILL RIG:		SURFACE CONDITIONS:	
ANGLE: 90			
BEARING: -			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, I, m, h)	OTHER TESTS ⁴
5	25	70%	SP		6' to 6'								
6	40				sandy silty gravel, soft	10	45	45				pH 5.5	
7	50				poorly cemented, sandy to sub					(7.5 4/16)	poor	np	
8					rd gravel, dry, 7.5 4/16 6/16								
9					pH 5.5								
10	34	80%	SP		sandy silty gravel,	10	45	45	7.5 4/16	6/16	slight L	pH 7.5+	
11	37				slight to moderate cemented,								
12	40				slightly moist, firm,								
13					(7.5 4/16 6/16) pH 7.5+								
15	29				sandy silty gravel	5	50	45	7.5 4/16	6/16	moder L	pH 7.5	
16.5	50+	80%	SP		slightly moist, soft to friable								
17.5					7.5 4/16 6/16 pH 7.5+								
20					21.5'								
21.5	47	30%	SP		same as above							pH 7.0	
					pH: 7.0								

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSD

LOGGED BY: Steven Schindler

DATE: 7/18/00

JOB NO. 013-1595-002

FILE NAME:



**Golder
Associates**

DRAFT

BOREHOLE LOG 11-5

3A soil Boring

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger	BORING NO.
			SHEET
		SAMPLING METHOD: SPT, Shelby	DRILLING
			START FINISH
NORTHING	EASTING:	WATER LEVEL	DATE
DATUM: amsl	ELEVATION:	TIME	DATE
		DATE	DATE
DRILL RIG:		SURFACE CONDITIONS:	
ANGLE: 90			
BEARING: -			
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.			

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
3'	20	80%	SP		sandy silt, gravel, dry, Firm 7.54IR 6/6 pH=7.0.	10	10	40	50	7.54/2 6/6 slight	np	pH 7.0	
4'	36												
5'	50												
6'													
7'													
8'	48	80%	SP		as above, Firm sandy silt, gravel, dry, (7.54IR 5/6) pH 7.0	10	10	40	50		np	pH 7.0	
13'	40	40%											
14.5'	50				As above, 14.5' TID Hard	10	10	40	50		np	pH 7.0	
18'													
23'													

DRILLING CONTRACTOR CSI

LOGGED BY: Steven Schneider

DATE: 7/18/2006

JOB NO. 013-1595-002

FILE NAME:

Notes:

¹ Percent > 3Inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.



**Golder
Associates**

DRAFT

BOREHOLE LOG 11-6

3A Soil Boring

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

13.55 samples

DRILLING

NORTHING
DATUM: amsl

EASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

START FINISH

DATE 7/13 DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 In. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL: (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/4} CEMENTATION ⁴	PLASTICITY (mp, l, m, h)	OTHER TESTS ⁵
0.0					Soil, brown								
5'	10 14 14	80%	SP		Sandy silty gravel soft, 7.54R (7/6) pH 7.0, dry	10	50	40	7.54R 7/6	soft	np	pH 7.0	
6.5'													
10'	29 36 56	60%	SP		Gravelly sandy silt (104R 6/6) dry, firm, pH=6.0 more gravels, & cementation	20	40	40	104R 6/6	Firm	np	pH 6.0	
15'	50	20%	SP/ GM										
20'					TD 16.5' Gravelly silty sand, (104R 6/6) Hard, dry, pH 6.0	25	35	40	104R 6/6	Hard	np	pH 6.0	

Notes:

¹ Percent > 3Inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR **GSI**

LOGGED BY: **Steven Schindler**

DATE: **7/18/2006**

JOB NO. **013-1595-002**

FILE NAME:



DRAFT

BOREHOLE LOG

11-7

SITE NAME AND LOCATION: name and location

Spursted on fill (+2.5 ft) above
surveyed point

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

SURFACE CONDITIONS:

DRILLING

START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/4} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	9 10 13	70%	SP		Soil, sandy gravelly, silty loam								
10	14 15 20	50%	SP		Sand, gravelly, silty reddish yellow, dry	25	60	15	7.5 yr 5/8	firm	np	PH: 6.5	
15	16 17 35	80%	GP		Sand, silty, gravelly reddish yellow, dry	15	50	25	7.5 yr 6/8	firm	np	PH: 7.0	
20	19 32 32	70%	GP		Gravel, sandy, silty yellowish red, dry	55	25	20	5.4 5/8	hard	np	PH: 6.5	
25	25 32 32	60%	SP		Gravel, sandy, as above - drilling hard	55	25	20	5.4 5/8	hard	np	PH: 6.5 6.5	
25	25 32 32	60%	SP		Sand, silty, gravelly, pink U.S.I. moist	10	85	25	7.5 7/8	hard	np	PH: 7.0	

Notes:

¹ Percent > 3/16 in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, cone, in situ density, etc.

TD-25 ft

DRILLING CONTRACTOR

LOGGED BY: K. New

DATE: 7-15-06

JOB NO.

FILE NAME: Lyone 3A



**Golder
Associates**

DRAFT

BOREHOLE LOG

11-8 Sheet
1 of 2

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
				SHEET	
		SAMPLING METHOD: SPT, Shelby			
				DRILLING	
NORTHING		EASTING:		START	
DATUM: amsl		ELEVATION:		FINISH	
		WATER LEVEL			
		TIME			
		DATE			
		CASING DEPTH			
DRILL RIG:		SURFACE CONDITIONS:			
ANGLE: 90					
BEARING: -					
SAMPLER: 2.0 In. OD Split Spoon, 140 lb hammer.					

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, Interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
					Soil, sandy silty loam dark brown								
5	7 11 15	100%	SP		sand, silty, gravelly reddish yellow, dry	15	65	20	7.5 42 6/6	firm	np		PH: 6.5
10	9 11 11	75%	SP		sand, gravelly, silty, strong brown, dry	25	60	15	7.5 42 5/6	hard	np		PH: 6.5
15	10 12 14	95%	SP		Sand, silty, strong brown, dry	10	65	25	7.5 42 5/8	hard	np		PH: 7.0
20	14 32 24	80%	SP		Gravel, sandy, silty, pinkish grey, sl. moist	40	35	25	7.5 42 7/2				PH: 7.0
25													

Notes:

¹ Percent > 3 inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR **GSI**

LOGGED BY: **K. M. J.**

DATE: **7-19-06**

JOB NO.

FILE NAME: **Hydrom 3A**



DRAFT

BOREHOLE LOG

11-8 *Sheet*
2012

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
25	23 22 18	100	SP		Sand, silty, gravelly, reddish yellow, friable, v. sl. moist	15	65	20	75 42 6/8	hand	np	PH: 7.0	
30	20 28 35	74%	SP		Sand, silty, gravelly reddish yellow, friable sl. moist	15	65	20	75 42 7/8	hand	np	PH: 7.0	
35	50+5%	rock	GP		Gravel, sandy, silty Reddish yellow, dry	50	30	20	75 42 6/8	hand	np	PH: 7.0	
40	50+20%	SP			Sand, gravelly, silty Reddish yellow, dry TD: 40 ft	20	65	15	75 42 6/8	hand	np	PH: 7.0	

GSI

DRILLING CONTRACTOR

Kimber

LOGGED BY:

7-19-06

DATE:

JOB NO.

FILE NAME: Tysons 3A

Notes:

¹ Percent > 3in.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, corevane, in situ density, etc.



**Golder
Associates**

DRAFT

BOREHOLE LOG 11-9 Sheet 1 of 2

SITE NAME AND LOCATION: name and location

Spaldston fill 2' above
survey point

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amsl

EASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/1} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	9 8 9	60%	SP		Soil, sandy loam, clay< brown								
10	11 22 23	60%	SP		Sand, silty, gravelly reddish yellow, dry	15	65	20	75 42 5%	firm	np	PH: 7.0	
15	8 16 19	60%	SP		Sand, silty, gravelly As above	15	65	20	75 42 5%	firm	np	PH: 7.0	
20	18 24 25	50%	SP		Sand, silty, gravelly reddish yellow	15	60	25	75 42 5%	firm	np	PH: 7.0	
25					Drilling hard	15	60	25	75 42 5%	hard	np.	PH: 7.0	

Notes:

¹ Percent > 3/16 in.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soft-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR **GSI**

LOGGED BY: **Kilmen**

DATE: **7-19-06**

JOB NO.

FILE NAME: **TYRONS 3A**



DRAFT

BOREHOLE LOG 11-9 Sheet 2 of 2

SITE NAME AND LOCATION: name and location

DRILLING METHOD: Hollow Stem Auger

BORING NO.

SAMPLING METHOD: SPT, Shelby

SHEET

NORTHING
DATUM: amslEASTING:
ELEVATION:

WATER LEVEL

TIME

DATE

CASING DEPTH

DRILLING

START FINISH

DATE DATE

DRILL RIG:

ANGLE: 90

BEARING: -

SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.

SURFACE CONDITIONS:

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, n)	OTHER TESTS ⁵
25	42 55	60%	SP		Sand; silty, gravelly light brown, dry TD: 25-66		10	65	25	2.5 4 6/4	hard	np.	PH: 7.0
30													
35													

GSI

DRILLING CONTRACTOR

LOGGED BY: K. L. Moore

DATE:

7-19-06

JOB NO.

FILE NAME:

Hydrom 3A

Notes:

¹ Percent > 3Inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torvane, in situ density, etc.



DRAFT

BOREHOLE LOG 11-11

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET			
		SAMPLING METHOD: SPT, Shelby					
				DRILLING			
NORTHING DATUM: amsl		EASTING: ELEVATION:		START		FINISH	
				WATER LEVEL			
				TIME			
				DATE			
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		BEARING: -		CASING DEPTH		DATE	
				DATE		DATE	
SURFACE CONDITIONS:							

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ^{3/1} CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁴
5	17 27 70% 22	SP			Spudged on weathered Gila, soil, sandy silty loam, dark brown								
10	50 20% SP				Sand, silty, gravelly pink, dry	15	65	20	75 40 5/4	Firm	np	PH: 7.0	
15					sand, silty, gravelly, strong brown, sl. moist	10	65	25	75 40 5/6	hard	np.	PH: 7.5	
20					T.D.: 10 ft								

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GST

LOGGED BY: Kim M

DATE: 7-19-06

JOB NO.

FILE NAME: Tyrene 3A



**Golder
Associates**

DRAFT

BOREHOLE LOG 11-12

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET			
		SAMPLING METHOD: SPT, Shelby					
				DRILLING			
NORTHING DATUM: amsl		EASTING: ELEVATION:		START		FINISH	
				WATER LEVEL			
				TIME			
				DATE			
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		SURFACE CONDITIONS:		DATE		DATE	
				CASING DEPTH			

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	50%	SP	Pal	19	Spudded on weathered Gila outcrop, Soil, Sandy, silty loam, dk brown								
10					Sand, silty, gravelly reddish yellow, friable. dry		15	75	10		7.5 yr 6/6	hard	NP.
5					TD: 5 ft								PH: 7.0

Notes:

¹ Percent > 3inch.

² Sum of gravel, sand, and fines = 100%

³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.

⁴ For noncohesive soil: weak, moderate, strong.

⁵ Pocket penetrometer, torevane, in situ density, etc.

GSI

DRILLING CONTRACTOR

LOGGED BY: K. H. M. S. R.

DATE: 7-19-06

JOB NO.

FILE NAME: Tyrens 3A



DRAFT

BOREHOLE LOG 11-13

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.			
				SHEET			
		SAMPLING METHOD: SPT, Shelby					
				DRILLING			
NORTHING DATUM: amsl		EASTING: ELEVATION:		START		FINISH	
				WATER LEVEL			
				TIME			
				DATE			
DRILL RIG: ANGLE: 90 SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.		BEARING: -		CASING DEPTH		DATE	
				SURFACE CONDITIONS:			

DEPTH IN FEET (ELEVATION)	BLOW/ 6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
5	504	30%	SP	Qal Qty	Spudded on weathered gila, soil, sandy, silty loam, dark brown sand, gravelly, silty reddish yellow TD: 5 ft		25	60	15	7.5 yr 6/6	hard	Np	PH: 7.0
10													

Notes:

- ¹ Percent > 3inch.
- ² Sum of gravel, sand, and fines = 100%
- ³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.
- ⁴ For noncohesive soil: weak, moderate, strong.
- ⁵ Pocket penetrometer, torevane, in situ density, etc.

GST

DRILLING CONTRACTOR

LOGGED BY: Kilmse

DATE: 7-19-06

JOB NO.

FILE NAME: Tyrease 3A



DRAFT

BOREHOLE LOG 11-14

SITE NAME AND LOCATION: name and location		DRILLING METHOD: Hollow Stem Auger		BORING NO.	
		SAMPLING METHOD: SPT, Shelby		SHEET 1 of 1	
		WATER LEVEL		DRILLING	
		TIME		START FINISH	
NORTHING		EASTING:		DATE	
DATUM: amsl		ELEVATION:		DATE	
DRILL RIG:		SURFACE CONDITIONS:			
ANGLE: 90					
SAMPLER: 2.0 in. OD Split Spoon, 140 lb hammer.					

DEPTH IN FEET (ELEVATION)	BLOW/6 IN.	RECOVERY	SYMBOL	SAMPLE NO.	SAMPLE NUMBER AND DESCRIPTION OF MATERIAL (i.e., angularity, moisture, HCL reaction, cementation, max. particle size, gravel/cobble hardness, odor, interbeds, laminations)	% OVERSIZE ¹	% GRAVEL ²	% SAND ²	% FINES ²	COLOR	CONSISTENCY ³ / CEMENTATION ⁴	PLASTICITY (np, l, m, h)	OTHER TESTS ⁵
11	11	100%	GP	Gravel sample 0-5	Reddish brown, sandy gravelly loam, reddish brown	25	60	15	54 1/3	soft	L	PH 7.0	
11	11	100%	GP	Gravel sample 5-10	gravel, sandy, silty, reddish brown, silty moist	45	30	25	54 1/4	soft	M	PH 7.0	
5	5	60%	SP	Gravel sample 5-10	Sand, silty, gravelly, dark reddish brown v. silty moist	20	60	20	54 3/2	Firm	M	PH 7.0	
10	8	100%	SP	Gravel sample 10-15		10	75	15	54 3/4	Firm	L	PH 7.0	
15	4	100%	SP		Firm Drilling Top of Gravel?	10	75	15	54 3/4	Firm	L	PH 7.0	
20	38	54%	SP		Sandy, gravelly, silty Reddish yellow, v. silty moist TD = 20 ft	10	75	15	54 3/4	Firm	N	PH 7.0	

Notes:

¹ Percent > 3 inch.² Sum of gravel, sand, and fines = 100%³ For cohesive soil: soil-v. soft, soft, firm, hard, v. hard.⁴ For noncohesive soil: weak, moderate, strong.⁵ Pocket penetrometer, torevane, in situ density, etc.

DRILLING CONTRACTOR GSI

LOGGED BY: K. H. H. H.










DATE: 7-6-06

JOB NO.

FILE NAME: Tysons SP 3A

APPENDIX VI

Stability Output

Material Name	Color	Unit Weight (lbs/ft3)	Sat. Unit Weight (lbs/ft3)	Strength Type	Cohesion (psf)	Phi (deg)	Water Surface	Hu Type	Hu	Ru
QTg - Gila Conglomerate		125	138	Mohr-Coulomb	1000	35	Water Surface	Custom	1	
pCg - Burro Mountain Granite		160	160	Mohr-Coulomb	48960	35	Water Surface	Custom	1	
Tqm - Quartz Monzonite + Intrusive Rocks		160	160	Mohr-Coulomb	96336	43	Water Surface	Custom	1	
Qa - Alluvium		125	138	Mohr-Coulomb	0	29	Piezometric Line 1	Custom	1	
Qa - Alluvium (liquefied)		125	138	Mohr-Coulomb	0	8	Piezometric Line 1	Custom	1	
Waste Rock		125	138	Mohr-Coulomb	1656	30.9	Piezometric Line 1	Custom	1	
Leached Ore		125	138	Mohr-Coulomb	288	35.5	Piezometric Line 1	Custom	1	
Structural Fill		125		Mohr-Coulomb	0	35.5	Piezometric Line 1	Custom	1	
Liner		125	138	Mohr-Coulomb	0	10	None			0



Tyrone Mine Closure Stockpile Stability - Soil and Rock Mass Material Properties

Analysis Description

Soil Legend

Figure


Scale

Company

Golder Associates


Date

File Name




Project			
Tyrone Mine Closure Stockpile Stability - Section 1A			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4021	Golder Associates	
Date	File Name		
1/2/2019	1A.slmd		


SECTION 1A - FIGURE 2




Project			Tyrone Mine Closure Stockpile Stability - Section 1A	
Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:6447	Company	Golder Associates
Date			File Name	1A.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 1A			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4025	Golder Associates	
Date	File Name		
1/2/2019	1A.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 1A			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:6973	Golder Associates	
Date	File Name		
1/2/2019	1A.slmd		



Project			Tyrone Mine Closure Stockpile Stability - Section 1A		
Analysis Description			Seismic - Liquefied Qa - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:4025	Company	Golder Associates	
Date	1/2/2019		File Name	1A.slmd	




Project				Tyrone Mine Closure Stockpile Stability - Section 1A	
Analysis Description				Seismic - Liquefied Qa - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:6973	Company	Golder Associates	
Date	1/2/2019		File Name	1A.slmd	




Project			
Tyrone Mine Closure Stockpile Stability - Section 1B			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5268	Golder Associates	
Date	File Name		
1/2/2019	1B - Modified.slmd		

SECTION 1B - FIGURE 2




Project			Tyrone Mine Closure Stockpile Stability - Section 1B		
Analysis Description			Static - Block Liner Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:4641	Company	Golder Associates	
Date	1/2/2019		File Name	1B - Modified.slmd	


SECTION 1B - FIGURE 3




Project			Tyrnoe Mine Closure Stockpile Stability - Section 1B	
Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:15521	Company	Golder Associates
Date			File Name	1B(2).slmd



Project			
Tyrone Mine Closure Stockpile Stability - Section 1B			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5214	Golder Associates	
Date	File Name		
1/2/2019	1B - Modified.slmd		




Project		Tyrone Mine Closure Stockpile Stability - Section 1B	
Analysis Description		Seismic - Block Liner Failure (GLE / Morgenstern-Price)	
Figure	Scale	Company	
	1:4641	Golder Associates	
Date	1/2/2019	File Name	
		1B - Modified.slmd	




Project			
Tyrone Mine Closure Stockpile Stability - Section 1B			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:9415	Golder Associates	
Date	File Name		
1/2/2019	1B - Modified.slmd		


SECTION 1C - FIGURE 1




Project			Tyrone Mine Closure Stockpile Stability - Section 1C		
Analysis Description			Static - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale		Company		
	1:2788		Golder Associates		
Date	1/2/2019		File Name	1C.slmd	


SECTION 1C - FIGURE 2




 GOLDER	Project			Tyrone Mine Closure Stockpile Stability	
	Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)	
	Figure	Scale	1:2742	Company	Golder Associates
	Date			File Name	1C.slmd
	SLIDEINTERPRET 8.014				




Project			
Tyrone Mine Closure Stockpile Stability - Section 1C			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2788	Golder Associates	
Date	File Name		
1/2/2019	1C.slmd		



Project			
Tyrone Mine Closure Stockpile Stability - Section 1C			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2788	Golder Associates	
Date	File Name		
1/2/2019	1C.slmd		




Project		Tyrone Mine Closure Stockpile Stability - Section 1C	
Analysis Description		Seismic - Liquefied Qa - Block Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:2788	Company Golder Associates
Date	1/2/2019		File Name 1C.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 1C			
Analysis Description			
Seismic - Liquefied Qa - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2788	Golder Associates	
Date	File Name		
1/2/2019	1C.slmd		


SECTION 2A-1 - FIGURE 1




Project				Tyrone Mine Closure Stockpile Stability - Section 2A-1	
Analysis Description				Static - Block Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:4997	Company	Golder Associates	
Date	1/2/2019		File Name	2A-1.slmd	


SECTION 2A-1 - FIGURE 2



 GOLDER	Project			Tyrone Mine Closure Stockpile Stability - Section 2A-1	
	Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)	
	Figure	Scale	1:5318	Company	Golder Associates
	Date			File Name	2A-1.slmd
	SLIDEINTERPRET 8.014				




Project			
Tyrone Mine Closure Stockpile Stability - Section 2A-1			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4994	Golder Associates	
Date	File Name		
1/2/2019	2A-1.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 2A-1			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:7372	Golder Associates	
Date	1/2/2019		File Name
			2A-1.slmd

SECTION 2A-2 - FIGURE 1




Project				Tyrone Mine Closure Stockpile Stability	
Analysis Description				Static - Block Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:5595	Company	Golder Associates	
Date	1/2/2019		File Name	2A-2.slmd	


SECTION 2A-2 - FIGURE 2



Project			Tyrone Mine Closure Stockpile Stability	
Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:7364	Company	Golder Associates
Date			File Name	2A-2.slmd




Project			Tyrone Mine Closure Stockpile Stability		
Analysis Description			Seismic - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:5602	Company	Golder Associates	
Date	1/2/2019		File Name	2A-2.slmd	




Project				Tyrone Mine Closure Stockpile Stability	
Analysis Description				Seismic - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:10040	Company	Golder Associates	
Date	1/2/2019		File Name	2A-2.slmd	


SECTION 2B - FIGURE 1




Project			Tyrone Mine Closure Stockpile Stability - Section 2B		
Analysis Description			Static - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:4106	Company	Golder Associates	
Date	1/2/2019		File Name	2B.slmd	

SECTION 2B - FIGURE 2




	Project		Tyrone Mine Closure Stockpile Stability - Section 2B	
	Analysis Description		Static - Circular Failure (GLE / Morgenstern-Price)	
	Figure	Scale	1:3733	Company
	Date	File Name		Golder Associates
SLIDEINTERPRET 8.014		2B.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 2B			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4530	Golder Associates	
Date	File Name		
1/2/2019	2B.slmd		

SECTION 2B - FIGURE 4




Project			
Tyrone Mine Closure Stockpile Stability - Section 2B			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4530	Golder Associates	
Date	File Name		
1/2/2019	2B.slmd		


SECTION 2C - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 2C			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4157	Golder Associates	
Date	File Name		
1/2/2019	2C.slmd		

SECTION 2C - FIGURE 2




	Project			Tyrone Mine Closure Stockpile Stability	
	Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)	
	Figure	Scale	1:5474	Company	Golder Associates
	Date			File Name	2C.slmd

SLIDEINTERPRET 8.014




Project			
Tyrone Mine Closure Stockpile Stability - Section 2C			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4157	Golder Associates	
Date	1/2/2019		File Name
			2C.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 2C			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:6602	Golder Associates	
Date	File Name		
1/2/2019	2C.slmd		

SECTION 3A - FIGURE 1




Project			Tyrone Mine Closure Stockpile Stability - Section 3A		
Analysis Description			Static - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:7099	Company	Golder Associates	
Date	1/2/2019		File Name	3A.slmd	

SECTION 3A - FIGURE 2



Project		
Tyrone Mine Closure Stockpile Stability - Section 3A		
Analysis Description		
Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	Company
	1:5639	Golder Associates
Date	File Name	
	3A.slmd	



GOLDER

Project

Tyrone Mine Closure Stockpile Stability - Section 3A

Analysis Description

Sesimic - Circular Failure (GLE / Morgenstern-Price)

Figure

Scale

1:6268

Company


Golder Associates

Date


1/2/2019

File Name

3A.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 3A			
Analysis Description			
Seismic - Liquefied Qa - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:7056	Golder Associates	
Date	File Name		
1/2/2019	3A.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 3A			
Analysis Description			
Seismic - Liquefied Qa - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:6964	Golder Associates	
Date	1/2/2019		File Name
			3A.slmd


SECTION 3B - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 3B			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4510	Golder Associates	
Date	File Name		
1/2/2019	3B.slmd		


SECTION 3B - FIGURE 2



		Project		Tyrone Mine Closure Stockpile Stability	
		Analysis Description		Static - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:4013	Company	Golder Associates	
Date				File Name	3B.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 3B			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5488	Golder Associates	
Date	File Name		
1/2/2019	3B.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 3B			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3981	Golder Associates	
Date	File Name		
1/2/2019	3B.slmd		

SECTION 3C (5A) - FIGURE 1




Project			Tyrone Closure Closeout Stability Anaylsis - Section 5C (3A)		
Analysis Description			Static - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3857	Company		
Date	4/8/2019, 10:08:36 AM		File Name	3c5a(2).slmd	


SECTION 3C (5A) - FIGURE 2




Project			Tyrone Mine Closure Stockpile Stability - Section 3C (5A)		
Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3978	Company		
Date	4/8/2019, 10:08:36 AM		File Name	3c5a(2).slmd	




Project			Tyrone Closure Stockpile Stability - Section 5A (3C)		
Analysis Description			Static - Cuckoo Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3675	Company		
Date	4/8/2019, 10:08:36 AM		File Name	3c5a(2).slmd	




Project			Tyrone Closure Closeout Stability Analysis - Section 5C (3A)		
Analysis Description			Seismic - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3808	Company		
Date	4/8/2019, 10:08:36 AM		File Name		
			3c5a(2).slmd		




Project			Tyrone Closure Closeout Stability Analysis - Section 5C (3A)		
Analysis Description			Seismic - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:4663	Company		
Date	4/8/2019, 10:08:36 AM		File Name		
			3c5a(2).slmd		



Project			Tyrone Closure Closeout Stability Analysis - Section 5C (3A)		
Analysis Description			Seismic - Cuckoo Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3811	Company		
Date	4/8/2019, 10:08:36 AM		File Name		
			3c5a(2).slmd		




Project			Tyrone Closure Closeout Stability Anaylsis - Section 5C (3A)		
Analysis Description			Seismic - Liquefied Qa - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3903	Company		
Date	4/8/2019, 10:08:36 AM		File Name	3c5a(2).slmd	




Project			Tyrone Closure Closeout Stability Anaylsis - Section 5C (3A)		
Analysis Description			Seismic - Liquefied Qa - Cuckoo Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3903	Company		
Date	4/8/2019, 10:08:36 AM		File Name	3c5a(2).slmd	

SECTION 4C-1 - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 4C (1 of 2)			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3206	Golder Associates	
Date	File Name		
1/2/2019	4C-1.slmd		

SECTION 4C-1 - FIGURE 2




Project			Tyrone Mine Closure Stockpile Stability - Section 4C (1 of 2)		
Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3766	Company	Golder Associates	
Date			File Name	4C-1.slmd	

SECTION 4C-1 - FIGURE 3




Project			
Tyrone Mine Closure Stockpile Stability - Section 4C (1 of 2)			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3180	Golder Associates	
Date	File Name		
1/2/2019	4C-1.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 4C (1 of 2)			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3958	Golder Associates	
Date	File Name		
1/2/2019	4C-1.slmd		

SECTION 4C-2 - FIGURE 1




Project				Tyrone Mine Closure Stockpile Stability - Section 4C (2 of 2)	
Analysis Description				Static - Block Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:3865	Company	Golder Associates	
Date	1/2/2019			File Name	4C-2.slmd

SECTION 4C-2 - FIGURE 2




Project		
Tyrone Mine Closure Stockpile Stability - Section 4C (2 of 2)		
Analysis Description		
Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	Company
	1:3730	Golder Associates
Date	File Name	
	4C-2.slmd	

SECTION 4C-2 - FIGURE 3




Project			
Tyrone Mine Closure Stockpile Stability - Section 4C (2 of 2)			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3791	Golder Associates	
Date	File Name		
1/2/2019	4C-2.slmd		

SECTION 4C-2 - FIGURE 4




Project			
Tyrone Mine Closure Stockpile Stability - Section 4C (2 of 2)			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3791	Golder Associates	
Date	1/2/2019		File Name
			4C-2.slmd

SECTION 5B - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 5B			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3348	Golder Associates	
Date	File Name		
1/2/2019	5B.slmd		


SECTION 5B - FIGURE 2




Project		
Tyrone Mine Closure Stockpile Stability - Section 5B		
Analysis Description		
Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	Company
	1:4091	Golder Associates
Date		File Name
		5B.slmd




Project			Tyrone Mine Closure Stockpile Stability - Section 5B		
Analysis Description			Seismic - Liquefied Qa - Block Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:4160	Company	Golder Associates	
Date	1/2/2019		File Name	5B.slmd	



Project		Tyrone Mine Closure Stockpile Stability - Section 5B		
Analysis Description		Seismic - Liquefied Qa - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:5772	Company	Golder Associates
Date	1/2/2019		File Name	5B.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 5B			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:4160	Golder Associates	
Date	File Name		
1/2/2019	5B.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 5B			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5772	Golder Associates	
Date	1/2/2019		File Name
			5B.slmd

SECTION 6B - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 6B			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2502	Golder Associates	
Date	File Name		
1/2/2019	6B.slmd		


SECTION 6B - FIGURE 2



Project			
Tyrone Mine Closure Stockpile Stability - Section 6B			
Analysis Description			
Static - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2276	Golder Associates	
Date		File Name	
		6B.slm	




Project			
Tyrone Mine Closure Stockpile Stability - Section 6B			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2208	Golder Associates	
Date	File Name		
1/2/2019	6B.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 6B			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2605	Golder Associates	
Date	1/2/2019		File Name
			6B.slmd

SECTION 6C - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 6C			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:1939	Golder Associates	
Date	File Name		
1/2/2019	6C.slmd		


SECTION 6C - FIGURE 2



Project		
Tyrone Mine Closure Stockpile Stability - Section 6C		
Analysis Description		
Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	Company
	1:2138	Golder Associates
Date	File Name	
	6C.slmd	




Project			
Tyrone Mine Closure Stockpile Stability - Section 6C			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:1993	Golder Associates	
Date	File Name		
1/2/2019	6C.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 6C			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2247	Golder Associates	
Date	File Name		
1/2/2019	6C.slmd		

SECTION 7A WEST - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A West			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:1615	Golder Associates	
Date	File Name		
1/2/2019	7A west (2).slmd		


SECTION 7A WEST - FIGURE 2




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A West			
Analysis Description			
Static - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:1519	Golder Associates	
Date	File Name		
1/2/2019	7A west (2).slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A West			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2038	Golder Associates	
Date	File Name		
1/2/2019	7A west (2).slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A West			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:1714	Golder Associates	
Date	File Name		
1/2/2019	7A west (2).slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A Far West			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2110	Golder Associates	
Date	File Name		
1/2/2019	7A-FW.slmd		




Project		
Tyrone Mine Closure Stockpile Stability - Section 7A Far West		
Analysis Description		
Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	Company
	1:1973	Golder Associates
Date	File Name	
	7A-FW.slmd	



Project			
Tyrone Mine Closure Stockpile Stability - Section 7A Far West			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2137	Golder Associates	
Date	File Name		
1/2/2019	7A-FW.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A Far West			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2459	Golder Associates	
Date	File Name		
1/2/2019	7A-FW.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2418	Golder Associates	
Date	File Name		
1/2/2019	7A-E(2).slmd		


SECTION 7A EAST - FIGURE 2



Project			Tyrone Mine Closure Stockpile Stability - Section 7A East		
Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	1:3086	Company	Golder Associates	
Date			File Name	7A-E(2).slmd	




Project			Tyrone Mine Closure Stockpile Stability - Section 7A	
Analysis Description			Seismic - Block Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:2418	Company	Golder Associates
Date	1/2/2019		File Name	7A-E(2).slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 7A			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3107	Golder Associates	
Date	File Name		
1/2/2019	7A-E(2).slmd		

SECTION 7B - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 7B			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3248	Golder Associates	
Date	File Name		
2/4/2019	7B.slmd		


SECTION 7B - FIGURE 2



Project			Tyrone Mine Closure Stockpile Stability - Section 7B		
Analysis Description			Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	Company			
	1:3619	Golder Associates			
Date		File Name	7B.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 7B			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3186	Golder Associates	
Date	File Name		
2/4/2019	7B.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 7B			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3592	Golder Associates	
Date	File Name		
2/4/2019	7B.slmd		

SECTION 9A - FIGURE 1




Project			
Tyrone Mine Closure Stockpile Stability - Section 9A			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5660	Golder Associates	
Date	File Name		
1/2/2019	9A.slmd		


SECTION 9A - FIGURE 2



Project				Tyrone Mine Closure Stockpile Stability - Section 9A	
Analysis Description				Static - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:4888	Company	Golder Associates	
Date				File Name	9A.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section 9A			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5104	Golder Associates	
Date	File Name		
1/2/2019	9A.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 9A			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5028	Golder Associates	
Date	File Name		
1/2/2019	9A.slmd		


SECTION 9AX-1 - FIGURE 1




Project				Tyrone Mine Closure Stockpile Stability - Section 9AX (1 of 2)					
Analysis Description				Static - Block Failure (GLE / Morgenstern-Price)					
Figure		Scale		1:3148		Company		Golder Associates	
Date		1/2/2019		File Name		9AX-1().slmd			




Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (1 of 2)			
Analysis Description			
Static - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3298	Golder Associates	
Date	File Name		
1/2/2019	9AX-1().slmd		



Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (1 of 2)			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3088	Golder Associates	
Date	File Name		
1/2/2019	9AX-1().slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (1 of 2)			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3298	Golder Associates	
Date	File Name		
1/2/2019	9AX-1().slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (2 of 2)			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2847	Golder Associates	
Date	File Name		
1/2/2019	9AX-2.slmd		


SECTION 9AX-2 - FIGURE 2




Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (2 of 2)			
Analysis Description			
Static - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2602	Golder Associates	
Date	File Name		
1/2/2019	9AX-2.slmd		



Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (2 of 2)			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3483	Golder Associates	
Date	File Name		
1/2/2019	9AX-2.slmd		





Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (2 of 2)			
Analysis Description			
Seismic - Liquefied Qa - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3117	Golder Associates	
Date	File Name		
1/2/2019	9AX-2.slmd		



Project			
Tyrone Mine Closure Stockpile Stability - Section 9AX (2 of 2)			
Analysis Description			
Seismic - Liquefied Qa - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:2602	Golder Associates	
Date	File Name		
1/2/2019	9AX-2.slmd		


SECTION LITTLE ROCK WASTE - FIGURE 1




 GOLDER	Project				
	Tyrone Mine Closure Stockpile Stability - Section Little Rock In-Pit				
	Analysis Description				
	Static- No Pit Lake - Block Failure (GLE / Morgenstern-Price)				
	Figure		Scale	1:5761	Company
				Golder Associates	
	Date		1/2/2019	File Name	LR.slmd

SLIDEINTERPRET 8.014


SECTION LITTLE ROCK WASTE - FIGURE 2




 GOLDER	<i>Project</i>				
	Tyrone Mine Closure Stockpile Stability - Section Little Rock In-Pit				
	<i>Analysis Description</i>				
	Static- No Pit Lake - Circular Failure (GLE / Morgenstern-Price)				
	<i>Figure</i>				
	<i>Scale</i>	1:5687	<i>Company</i>		
			Golder Associates		
	<i>Date</i>		<i>File Name</i>		
	1/2/2019		LR.slmd		


SLIDEINTERPRET 8.014


SECTION LITTLE ROCK WASTE - FIGURE 3




	Project			Tyrone Mine Closure Stockpile Stability - Section Little Rock In-Pit
	Analysis Description			Static-Pit Lake 5700 ft - Block Failure (GLE / Morgenstern-Price)
	Figure	Scale	1:5761	Company Golder Associates
	Date	1/2/2019	File Name	LR.slmd

SECTION LITTLE ROCK WASTE - FIGURE 4




	Project				
	Tyrone Mine Closure Stockpile Stability - Section Little Rock In-Pit				
	Analysis Description				
	Static-Pit Lake 5700 ft - Circular Failure (GLE / Morgenstern-Price)				
	Figure		Scale	1:5687	Company
				Golder Associates	
	Date			1/2/2019	File Name
					LR.slmd


SLIDEINTERPRET 8.014




Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock In-Pit			
Analysis Description			
Seismic- No Pit Lake - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5761	Golder Associates	
Date	File Name		
1/2/2019	LR.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock In-Pit			
Analysis Description			
Seismic- No Pit Lake - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5761	Golder Associates	
Date	File Name		
1/2/2019	LR.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock In-Pit			
Analysis Description			
Seismic-Pit Lake 5700 ft - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5761	Golder Associates	
Date	File Name		
1/2/2019	LR.slmd		







Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD			
Analysis Description			
Static - No Pit Lake condition - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3443	Golder Associates	
Date	File Name		
1/2/2019	LR-n.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD			
Analysis Description			
Static - No Pit Lake condition - Circular Fail (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3013	Golder Associates	
Date	File Name		
1/2/2019	LR-n.slmd		


SECTION LITTLE ROCK NORTH - FIGURE 3




	Project			Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD	
	Analysis Description			Static-Pit Lake 5700 ft - Block Failure (GLE / Morgenstern-Price)	
	Figure	Scale	1:3257	Company	Golder Associates
	Date	1/2/2019		File Name	LR-n.slmd


SECTION LITTLE ROCK NORTH - FIGURE 4



		Project		Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD	
		Analysis Description		Static-Pit Lake 5700 ft - Circular Fail (GLE / Morgenstern-Price)	
Figure		Scale	1:3535	Company	Golder Associates
Date		1/2/2019		File Name	LR-n.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD			
Analysis Description			
Seismic - No Pit Lake condition - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3443	Golder Associates	
Date	File Name		
1/2/2019	LR-n.slmd		




GOLDER


Project		Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD		
Analysis Description		Seismic - No Pit Lake condition - Circular Fail (GLE / Morgenstern-Price)		
Figure	Scale	1:3929	Company	Golder Associates
Date	1/2/2019		File Name	LR-n.slmd




Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD			
Analysis Description			
Seismic - Pit Lake 5700 ft - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3491	Golder Associates	
Date	File Name		
1/2/2019	LR-n.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section Little Rock Pit North WRD			
Analysis Description			
Seismic - Pit Lake 5700 ft - Circular Fail (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:3613	Golder Associates	
Date	File Name		
1/2/2019	LR-n.slmd		




Project			
Tyrone Mine Closure Stockpile Stability - Section South Rim In-Pit WRD			
Analysis Description			
Static - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5516	Golder Associates	
Date	File Name		
1/2/2019	SR.slmd		



Project		
Tyrone Mine Closure Stockpile Stability - Section South Rim In-Pit WRD		
Analysis Description		
Static - Circular Failure (GLE / Morgenstern-Price)		
Figure	Scale	Company
	1:5085	Golder Associates
Date	File Name	
	SR.slmd	




Project			
Tyrone Mine Closure Stockpile Stability - Section South Rim In-Pit WRD			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5410	Golder Associates	
Date	File Name		
1/2/2019	SR.slmd		





Project			
Tyrone Mine Closure Stockpile Stability - Section South Rim In-Pit WRD			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5410	Golder Associates	
Date	File Name		
1/2/2019	SR.slmd		


SECTION SOUTH SALVADOR PIT - FIGURE 1




Project			Tyrone Mine Closure Stockpile Stability - Section San Salvador In-Pit	
Analysis Description			Static - Block Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:5530	Company	Golder Associates
Date	1/2/2019		File Name	SS.slmd



 GOLDER		Project		Tyrone Mine Closure Stockpile Stability - Section San Salvador In-Pit	
		Analysis Description		Static - Circular Failure (GLE / Morgenstern-Price)	
Figure	Scale	1:5459	Company	Golder Associates	
Date			File Name	SS.slmd	



Project			
Tyrone Mine Closure Stockpile Stability - Section San Salvador In-Pit			
Analysis Description			
Seismic - Block Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:6144	Golder Associates	
Date	File Name		
1/2/2019	SS.slmd		



Project			
Tyrone Mine Closure Stockpile Stability - Section San Salvador In-Pit			
Analysis Description			
Seismic - Circular Failure (GLE / Morgenstern-Price)			
Figure	Scale	Company	
	1:5530	Golder Associates	
Date	File Name		
1/2/2019	SS.slmd		



golder.com