

# Gila Mining LLC

---

Termination Report for Minimal Impact Exploration Permit No. LU038EM  
Peru Mill Tailings Exploration Project

July 16, 2020

### Termination Report

Gila Mining submits this termination report, pursuant to §19 .10.4.407 NMAC. The exploration work has been completed as outlined in the Minimal Impact Exploration Permit No. LU038EM.

Gila Mining requests the release of Financial Assurance Bond No. 800047580 in the amount of \$22,550

#### Closeout Items:

**1. A description of the reclamation measures utilized by the Permittee.**

Each drill hole was plugged with bentonite then the tailings were returned to each hold and tamped every five feet to ensure material was compacted at depth. The top of the drill hole was plugged with bentonite up to a depth of 2.5 feet and remaining tailing cuttings were placed in 30-gallon drums and removed from the work site. The cover soil was returned to the hole to fill in the remaining 2.5 feet. The top of each hole was re-graded, raked, seeded, watered and straw was put down in some areas to minimize further erosion where necessary.

Note: All tailings and top soil from drilling operations were carefully maintained on top of tarps to ensure no contamination to the managed cover material while working at each bore hole.

**2. Evidence of the seed mix (seed tags from bags) and its application rate utilized by the Permittee.**

Granite Seed - Lehi

From: 1697 W 2100 N  
 Lehi, UT 84043

Mix Name: **Custom Mix** 1-58837

Mix #: **207146** J11a

% Pure	Common Name	Variety	G + D or H	Origin
38.62	SALTBUSH FOURMING	VNS	42-TZ	MEX
28.67	WHITETHORN ACACIA	VNS	99-TZ	CA
23.04	DESERT GLOBEMALLOW	Black Seed	88-TZ	CC
2.23	SIDECATS GRAMA	Niner	65 + 26 = 91	TX
2.07	BLUE GRAMA	Hachita	97 + 1 = 98	MEX
0.82	SPIKE DROPSEED	VNS	99-TZ	

0.03 Other Crop Date Tested: 06-Dec-19

4.35 Inert Matter Hard Seed: 0.74




0.17 Weed Seed Noxious Weed: amaranthus sp.




---




Net Weight 17.20 Lbs. PLS 24.66 Lbs. Bulk




Coverage: 24.661 Bulk #




3. Photographs of the reclaimed areas, including any BMP's utilized by the Permittee during exploration.

Bore Hole Number	Pictures
Boring 042020-001	
Boring 042020-002	
Boring 042020-003	

<p>Boring 042020-004B</p>	
<p>Boring 042020-005</p>	
<p>Boring 042020-006</p>	

<p>Boring 042020-007</p>	
<p>Boring 042020-008</p>	
<p>Boring 042020-009</p>	

<p>Boring 042020-010</p>	
<p>Boring 042020-011</p>	
<p>Boring 042020-012</p>	

<p>Boring 042020-013</p>	
<p>Boring 042020-014</p>	
<p>Boring 042020-015</p>	



4. Global positioning system (GPS) coordinates for the drill holes and/or well locations drilled under this Permit.

Bore Hole Number	Lat. / Long.
Boring 042020-001	N32° 18' 07.5" W107° 48' 32.6"
Boring 042020-002	N32° 18' 07.2" W107° 48' 29.9"
Boring 042020-003	N32° 18' 06.6" W107° 48' 27.0"
Boring 042020-004B	N32° 18' 02.7" W107° 48' 33.6"
Boring 042020-005	N32° 18' 05.1" W107° 48' 31.8"
Boring 042020-006	N32° 18' 04.6" W107° 48' 29.5"
Boring 042020-007	N32° 18' 04.5" W107° 48' 26.9"
Boring 042020-008	N32° 18' 04.1" W107° 48' 24.0"
Boring 042020-009	N32° 18' 02.7" W107° 48' 31.3"
Boring 042020-010	N32° 18' 02.4" W107° 48' 29.0"
Boring 042020-011	N32° 18' 02.1" W107° 48' 26.4"
Boring 042020-012	N32° 18' 02.1" W107° 48' 23.7"
Boring 042020-013	N32° 17' 59.1" W107° 48' 26.7"
Boring 042020-014	N32° 17' 56.1" W107° 48' 24.6"
Boring 042020-015	N32° 18' 13.8" W107° 48' 38.2"

5. Copies of the drill hole abandonment and plugging records and forms that includes an affidavit signed by a certified driller attesting to the fact that the holes have been plugged and abandoned according to the requirements of this permit.  
 See Addendum to this document



6. **A disposal manifest for the 30-gallon drums containing the excess drill cuttings.**  
All excess drill cuttings were collected into 30-gallon drums and have been incorporated into our sample storage. The excess drill cuttings will be used for future testing and plant design work.

Sincerely,

A handwritten signature in black ink, appearing to read 'Shawn P. Findlan', with a long horizontal flourish extending to the right.

Shawn P. Findlan

Managing Member, CEO

**Addendum to Termination Report  
Drilling Logs**



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-001  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N 32 deg, 18 min, 07.5 sec  
Longitude: W 107 deg, 48 min, 32.6 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 39.5 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
2.5 - 10.5	bentonite chips	0.70 CF	0.70	tremie	
20.5 - 37.5	Cuttings				
37.5 - 39.5	bentonite chips	0.70 CF	0.70	↓	

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

**III. SIGNATURE:**

I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

## I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-002  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031


## II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):  
RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N 32 deg, 18 min, 07.2 sec  
Longitude: W 107 deg, 48 min, 29.9 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? YES If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):





# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:


State Engineer Well Number: 042020-003  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:


- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N32 deg, 18 min, 06.6 sec  
Longitude: W107 deg, 48 min, 27.0 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 37.5 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? YES If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):







# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-004 B  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N32 deg, 18 min, 02.7 sec  
Longitude: W107 deg, 48 min, 33.6 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
25-35	bentonite chips	0.70 CF	0.70	tremie	
25-38	cuttings			↓	
38-40	bentonite chips	0.70 CF	0.70		

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020 - 005  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N32 deg, 18 min, 05.1 sec  
Longitude: W107 deg, 48 min, 31.8 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 39.5 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
25:5	bentonite chips	0.70 CF	0.70	tremie	
25-37.5	cuttings				
37.5-39.5	bentonite chips	.070 CF	0.70		

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

**III. SIGNATURE:**

I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer


Signature of Well Driller

7-13-20

Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020 - 006

Well owner: City of Deming Phone No.: 575 546 8848

Mailing address: PO Box 706

City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N32 deg, 18 min, 04.5 sec  
Longitude: W107 deg, 48 min, 26.9 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
2.5- .5	bentonite chips	0.70 CF	0.70	tremie	
2.5-38	cuttings			↓	
38-40	bentonite chips	0.70 CF	0.70		


MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

**III. SIGNATURE:**


I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-007

Well owner: City of Deming Phone No.: 575 503 546 8848

Mailing address: PO Box 706

City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N 32 deg, 18 min, 04.5 sec  
Longitude: W 107 deg, 48 min, 26.9 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 37.5 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
25.5	bentonite chips	0.70 CF	0.70	tremie	
25.5-35.5	cuttings			↓	
35.5-37.5	bentonite chips	0.70 CF	0.70		

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date





# PLUGGING RECORD



**NOTE:** A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-008

Well owner: City of Deming Phone No.: 575 505 546 8848

Mailing address: PO Box 706

City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N 32 deg, 18 min, 04.1 sec  
Longitude: W 107 deg, 48 min, 24.0 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 37.5 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
25-25	bentonite chips	0.70 CF	.076	tremie	
25-35.5	cuttings			↓	
35.5 - 37.5	bentonite chips	0.70 CF	0.70		

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:


I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer

Signature of Well Driller

7-13-20

Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042620009  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N 32 deg, 18 min, 02.7 sec  
Longitude: W 107 deg, 48 min, 31.3 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 37.5 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
25.5	bentonite chips	0.70 CF	0.70	tremie	
25.5-35.5	cuttings			↓	
35.5-37.5	bentonite chips	0.70 CF	0.70		


MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

**III. SIGNATURE:**


I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



**NOTE:** A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-010  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88001

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):  
RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N33 deg, 18 min, 02.4 sec  
Longitude: W107 deg, 48 min, 29.0 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
2.5-5	bentonite chips	0.70 CF	0.70	tremie	
25-38	cuttings			+	
38-40	bentonite chips	0.70 CF	0.70		


MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-011  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N 32 deg, 18 min, 02.1 sec  
 Longitude: W 107 deg, 48 min, 26.4 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 37.5 ft below ground level (bgl),  
 by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
25.5	bentonite chips	0.70 CF	0.70 CF	tremie	
25.5-35.5	cuttings			↓	
35.5 - 37.5	bentonite chips	0.70 CF	0.70		

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

**III. SIGNATURE:**

I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date





# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-012  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):  
RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N33 deg, 18 min, 02.1 sec  
Longitude: W107 deg, 48 min, 23.7 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
25-5	bentonite chips	0.70 CF	0.70 CF	tremie	
25-38	cuttings			↓	
38-40	bentonite chips	0.70 CF	0.70		


MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

**III. SIGNATURE:**


I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020 - 013  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N33 deg, 17 min, 59.1 sec  
Longitude: W107 deg, 48 min, 26.7 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
25:5	bentonite chips	0.70 CF	0.70	tremie	
25:38	cuttings			↓	
38-40	bentonite chips	0.70 CF	0.70		

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

**III. SIGNATURE:**


I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042030-014  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):  
RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N32 deg, 17 min, 56.1 sec  
Longitude: W107 deg, 48 min, 24.6 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
25-5	bentonite chips	0.70 CF	0.70	tremie	
25-38	cuttings			+	
38-40	bentonite chips	0.70 CF	0.70		


MULTIPLY	BY	AND OBTAIN
cubic feet	x 7.4805	= gallons
cubic yards	x 201.97	= gallons

III. SIGNATURE:


I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date



# PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

### I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: 042020-015  
 Well owner: City of Deming Phone No.: 575 546 8848  
 Mailing address: PO Box 706  
 City: Deming State: NM Zip code: 88031

### II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: ENVIRO-DRILL, INC.
- 2) New Mexico Well Driller License No.: WD 1186 Expiration Date: 03/31/2022
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): RODNEY HAMMER
- 4) Date well plugging began: 06/01/2020 Date well plugging concluded: 06/08/2020
- 5) GPS Well Location: Latitude: N32 deg, 18 min, 13.8 sec  
 Longitude: W107 deg, 48 min, 38.2 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 40 ft below ground level (bgl),  
 by the following manner: tag tape
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: \_\_\_\_\_
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
25-5	bentonite chips	0.70 CF	0.70	tremie	
25 <del>25</del> -38	cuttings			+	
38-40	bentonite chips	0.70 CF	0.70		

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

**III. SIGNATURE:**

I, Rodney Hammer, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Rodney Hammer  
Signature of Well Driller

7-13-20  
Date