

Chino Mines Company PO Box 10 Bayard, NM 88023

June 26, 2024

Certified Mail # 70190140000026680044 Return Receipt Requested

Mr. Kevin Barnes and Mr. DJ Ennis Energy, Minerals & Natural Resources Dept Mining and Minerals Division Mining Act Reclamation Program 1220 South St. Francis Drive Santa Fe, NM 87505

Dear Mr. Barnes and Ennis:

Re: Freeport-McMoRan Chino Mines Company –

Modification Request to Permit No. GR009RE- Southwest Lampbright

Waste Rock Stockpile Buttress

As we have discussed, Freeport-McMoRan Chino Mines Company (Chino) needs to construct a buttress on the north side of the Southwest Lampbright Waste Rock Stockpile to stabilize the stockpile where a toe heave has been observed. The buttress/infill was designed by Knight Piesold Consulting and is included in Attachment 5. Please note that Knight Piesold gave this buttress a new stockpile name, however, it is simply an extension of the existing Southwest Lampbright Waste Rock Stockpile and is being built to stabilize the stockpile. The entire area of the butress/infill is inside the the current Design Limits of the existing Lampbright stockpiles. Attachment 1 is a copy of the current design limits.

During our discussion you raised a question regarding whether there is a change to the Chino Closure-Closeout Plan (CCP) as currently approved. Provided in Attachment 3 are two figures of the area of the Southwest Lampbright Waste Rock Stockpile and the buttress/infill. The first figure shows the current topography of the Southwest Waste Rock Stockpile and the Lampbright Leach Stockpile. This shows a small corridor between the two stockpiles which results in two steep slopes that have to be reclaimed at closure. The current reclamation design (Attachment 2) grades and covers the slopes and maintains a drainage in this corridor. The second figure shows the buttress filling in the corridor between the two stockpiles. Included on these figures are the flat areas in green and the slopes in yellow and pink. As you can see, the slopes are reduced by 28 acres and the flat area increased by 28 acres. As we know, flat areas are less expensive to reclaim than slopes and therefore, our analysis is that the construction of the buttress will result in a slight reduction in cost and associated financial assurance. This buttress was also included in the Renewal and Modification of DP-376 with the New Mexico Environment Department. A map of the Lampbright area including the SW Lampbright Stockpile and the buttress from DP-376 is included in Attachment 4.

After our discussion on June 14, 2024, MMD determined that according to 19.19.5.505 NMAC, the designed buttress/infill will require a permit modification due to a change in the financial assurance associated with the approved closeout plan. A check in the amount of \$1,000 as

Messers. Barnes and Ennis June 26, 2024 Page 2

required by 19.10.2.201 is attached for processing this permit modification request. If you have any questions, please contact me at 575-912-5927.


Sincerely,


Sherry Burt-Kested, Manager Environmental Services

Attachments:


- 1. Chino Mine Design Limits
- 2. Reclamation Design Drawing No. 7, Chino CCP Appendix A
- 3. Closure Design of SW Waste Rock Stockpile Before and After Buttress
- 4. DP-376 Map of SW Waste Rock Stockpile including Buttress
- 5. Knight Piesold Consulting Design of the Southwest Lampbright Waste Rock Stockpile Buttress/Infill
- 6. Check for \$1,000 for permit modification processing

SBK: ml Enclosures 20240626-002







Reclamation Design Drawing No. 7, Chino CCP Appendix A




Closure Design of SW Waste Rock Stockpile Before and After Buttress





DP-376 Map of SW Waste Rock Stockpile including Buttress



Knight Piesold Consulting Design of the Southwest Lampbright Waste Rock Stockpile Buttress/Infill

FREEPORT-MCMORAN CHINO MINES COMPANY **CHINO MINE GRANT COUNTY, NEW MEXICO, USA**

DAM EIGHT WASTE ROCK STOCKPILE **DETAILED DESIGN**

	DRAWINGS INDEX		
DRAWING NUMBER	UMBER DRAWING TITLE		
000	COVER SHEET	В	12/20/2023
005	PROJECT LOCATION MAP	В	12/20/2023
050	OVERALL SITE PLAN	8	12/20/2023
060	EXISTING CONDITIONS PLAN	В	12/20/2023
100	DAM EIGHT WASTE ROCK STOCKPILE GENERAL LAYOUT	C	12/20/2023
102	DAM EIGHT WASTE ROCK STOCKPILE TYPICAL SECTION	С	12/20/2023
105	BUTTRESS FOUNDATION EXCAVATION PLAN	C	12/20/2023
110	BUTTRESS GENERAL LAYOUT	С	12/20/2023
115	UNDERDRAIN PLAN		12/20/2023
116	UNDERDRAIN PROFILE		12/20/2023
120	RESIDUAL SEEPAGE COLLECTION SUMP PLAN, PROFILE, DETAIL, AND SECTION		12/20/2023
125	TYPICAL SECTIONS AND DETAILS		12/20/2023
130	IMPACTED STORMWATER DIVERSION CHANNEL PLAN	8	12/20/2023
132	WEST IMPACTED STORMWATER DIVERSION CHANNEL PLAN AND PROFILE (1 OF 2)	8	12/20/2023
133	WEST IMPACTED STORMWATER DIVERSION CHANNEL PLAN AND PROFILE (2 OF 2)	8	12/20/2023
134	WEST IMPACTED STORMWATER DIVERSION CHANNEL HORIZONTAL CONTROL DATA	8	12/20/2023
135	WEST IMPACTED STORMWATER DIVERSION CHANNEL SECTIONS	8	12/20/2023
136	EAST IMPACTED STORMWATER DIVERSION CHANNEL PLAN AND PROFILE	8	12/20/2023
137	EAST IMPACTED STORMWATER DIVERSION CHANNEL HORIZONTAL CONTROL DATA	8	12/20/2023
138	EAST IMPACTED STORMWATER DIVERSION CHANNEL SECTIONS	В	12/20/2023
145	IMPACTED STORMWATER DIVERSION CHANNEL DETAILS	8	12/20/2023

ISSUED FOR REVIEW DECEMBER 20, 2023

Prepared for:

FREEPORT-MCMORAN **CHINO MINES COMPANY**

PHYSICAL: 99 SANTA RITA MINE ROAD **VANADIUM, NEW MEXICO** USA, 88023


MAILING: P.O. BOX 10 **BAYARD, NEW MEXICO** USA, 88023


Prepared by:





3275 West Ina Road, Suite 109 Tucson, Arizona 85741


460 West Silver Street, Suite 106
































LEGEND:





ELEVATION OF EXISTING GROUND SURFACE AND TOP OF REGRADED GROUND SURFACE AT SPECIFIC STATION


NOTES:


 SCALE BAR MEASURES 3" ON A FULL SIZE PLOT (ANSI-D) AND 1.5" ON A HALF SIZE PLOT (ANSI-B).

REV	DATE	DESCRIPTION	APPO	CADO	KNIGHT PIESOLD AND CO, PRODUCED THE DATA SHOWN HEREON USING	CLIENT		PROJECT		CLINO DAM OU	AOTE BOOK O	POOKEN E	
A	19/04/2023	ISSUED FOR INTERNAL REVIEW	Pa	M	DRAWING DOES NOT IMPART TO THE RECIPIENT ANY RIGHTS TO SUCH		FREEPORT-MCMORAN CHINO MINES COMPANY			CHINO DAM 8 V	VASTE ROCK S	OCKPILE	
•	13/20/2023	IBBUED FOR REVIEW	No.		MODIFICATION OF THE DATA OR DRAWING SHALL BE AT USER'S SOLE RISK			- INDER	DRAIN	PROFILE A	ND DRAIN F	RITTEES	ECTIONS
						ĺ	Knight Diécold		Diotile				
							CONSULTING		AB.	TU101	00636.09	116	REVISION
	-	REV DATE A 1904/2023 B 15/20/2023	A 1904/2023 ISBUED FOR INTERNAL REVIEW	A 1394/2023 ISBUED FOR INTERNAL REVIEW RE	A 19042073 ISSUED FOR INTERNAL REVIEW ING	A 1884/0072 1884/00 FOR INTERNAL REVIEW 18 MILESTON 1884/00 FOR INTERNAL REVIEW 18 MIL	A 1350/2023 SBUILD FOR INTERIORAL REVIEW A 1350/2023 SBUILD FOR INTERIORAL REVIEW A 1550/2023 SBUILD FOR INTERIO	A 1999/2003 188AID FOR INTERNAL NEVERW 1894/20 FOR INTERNA	A 1997/2023 SOUTH FOR INTERNAL MENTION AND AND AND AND AND AND AND AND AND AN	A 1999/2023 SOLUTION ON INTERNAL MENTION B 1999/2023 SOLUTION ON INTERNAL MENTION ON INTERNAL M	A 1996/2012 98-00 FOR INTERNAL SERVICES TO BE DATA SOURCE TO SERVICE AND COLOR PROCESSOR TO S	A 1996/2013 1984/2010 ON NITHWAN, SHAPPY 1994/2014 ON A CONTINUOUS TO MAKE THE COLOR AND COLOR TO THE COLOR TO THE COLOR AND COLOR TO THE COLOR AND COLOR TO THE COLOR AND COLOR TO THE COL	A 1999/2003 188/2010 FOR HETWIND, RAYSHEW 1999/2003 1999/2010 FOR HENDERS OF THE SELECT AND CO.S. PROCESSOR TO FOR HENDERS OF THE SELEC












TABLE 8 WEST IMPACTED STORMWATER DIVERSION CHANNEL HORIZONTAL CONTROL DATA

ID	STATION	NORTHING	EASTING	RADIUS
L1	0+00.00 0+58.55	-7047.05 -7030.58	8293.37 8237.19	
C1	0+58.55 1+18.53	-7030.58 -7005.40	8237.19 8182.99	200.0
L2	1+18.53 2+80.26	-7005.40 -6916.11	8182.99 8048.16	
æ	2+80.26 4+17.75	-6916.11 -6808.15	8048.16 7967.42	200.0
LS	4+17.75 7+53.29	-8808.15 -6487.44	7967.42 7868.78	
cs	7+53.29 8+57.43	-6487.44 -6384.67	7868.76 7866.66	186.2
и	8+57.43 10+77.00	-6384 67 -6172.53	7866.86 7923.52	
C4	10+77.00 11+37.28	-6172.53 -6112.82	7923.52 7929.45	186.2
L6	11+37.28 12+98.84	-6112.82 -5953.57	7929.45 7919.45	1000000
C5	12+96.84 13+44.30	-5953.57 -5907.09	7919.45 7910.50	186.2
L6	13+44.30 15+32.92	-5907.09 -5727.91	7910.50 7851.58	
CS	15+32 92 15+98.71	-6727.91 -6670.29	7851.58 7820.52	186.2
L7	15+98.71 17+03.58	-8670.29 -8588.18	7820.52 7756.32	
C7	17+03.56 17+85.62	-5588.18 -5514.92	7755.32 7719.86	188.2
LB	17+85.62 19+48.08	-5614.92 -5356.75	7719.86 7682.77	
C8	19+48.08 19+85.44	-5356.75 -5319.78	7682.77 7677.94	186.2
LB	19+85.44 22+33.01	-6319.76 -5072.30	7677.94 7870.60	
C9	22+33.01 22+50.88	-5072.30 -5054.45	7670.60 7669.84	709.7
.10	22+60.88 25+61.27	-5054.45 -4744.53	7889.84 7852.83	
10	25+81.27 26+39.05	-4744.53 -4659.98	7852.83 7632.70	186.2
.11	26+39.05 28+67.50	-4669.08 -4466.57	7632.70 7528.71	

TABLE 8 WEST IMPACTED STORMWATER DIVERSION CHANNEL HORIZONTAL CONTROL DATA

ID	STATION	NORTHING	EASTING	RADIUS
C11	28+67.50 29+42.09	-4468.57 -4395.43	7528.71 7507.78	200.0
L12	29+42.09 31+29.58	-4395.43 -4206.87	7507.78 7489.11	
C12	31+29.58 31+62.22	-4208.87 -4176.93	7489.11 7493.94	66.4
L13	31+62.22 32+08.01	-4178.93 -4134.75	7493.94 7511.75	
C13	32+08.01 32+63.67	-4134.75 -4080.20	7511.75 7518.40	100.0
L14	32+63.67 35+19.38	-4080.20 -3827.85	7518.40 7478.40	
C14	35+19.38 35+58.18	-3827.86 -3788.99	7478.40 7478.07	200.0
L15	35+58.16 36+69.01	-3788.90 -3678.22	7476.07 7480.16	
C15	36+69.01 37+15.73	-3678.22 -3631.76	7480.16 7478.44	200.0
L16	37+15.73 38+06.49	-3631.78 -3642.75	7478.44 7458.70	
C16	38+06.49 38+78.90	-3642.75 -3477.51	7458.70 7433.19	200.0
L17	38+78.90 41+43.26	-3477.51 -3250.26	7433.19 7294.24	
C17	41+43.26 42+97.47	-3250.26 -3160.88	7294.24 7173.28	200.0
L18	42+97.47 44+48.47	-3180.88 -3123.36	7173.28 7027.01	
C18	44+48.47 45+62.40	-3123.35 -3065.97	7027.01 6930.36	200.0
.19	45+52.40 48+49.57	-3065.97 -3002.20	6930.36 6870.94	
C19	46+49.67 47+29.43	-3002.20 -2934.59	6870.94 6829.44	200.0
L20	47+29.43 50+13.88	-2934.59 -2667.85	6829.44 6731.74	
C20	50+13.88 50+60.39	-2667.65 -2622.32	6731.74 6720.93	200.0
L21	50+60.39 52+92.84	-2622.32 -2391.47	6720.93 6693.73	

REV	DATE	DESCRIPTION	CADO
A .	10/13/2023	ISSUED FOR INTERNAL REVIEW	ME M
	12/20/2023	ISSUED FOR REVIEW	RB JA


FREEPORT-MCMORAN CHINO MINES COMPANY


Knight Piésold

CHINO DAM 8 WASTE ROCK STOCKPILE

WEST IMPACTED STORMWATER DIVERSION CHANNEL

HORIZONTAL CONTROL DATA
LICOXYCH PROJECT NUMBER DRAWNING NUMBER 134






ID	STATION	NORTHING	EASTING	RADIUS
L1	37+84.91 39+48.06	-7092 94 -7057 02	9078.80 9235.78	
C1	39+48.06 40+17.37	-7057.02 -7035.48	9235.78 9301.52	366.1
L2	40+17.37 43+73.26	-7035.48 -6893.21	9301.52 9827.73	
C2	43+73.26 45+21.24	-8893.21 -6688.37	9627.73 9772.14	195.9
L3	45+21.24 45+57.07	-6888.37 -6900.47	9772.14 9805.87	
СЗ	45+57.07 47+80.26	-8900.47 -8924.06	9805.87 10025.70	470.1
и	47+80.26 52+79.58	-6924.06 -6859.07	10025.70 10520.88	
C4	52+79 68 53+58.31	-6859.07 -6853.44	10520 88 10597.26	671.9
L5	53+58.31 54+29.76	-6853.44 -6852.24	10597.26 10670.70	
C5	54+29.76 55+34.19	-6852.24 -6843.77	10670.70 10774.71	806.6
LS	55+34.19 57+73.94	-6843.77 -6808.91	10774.71 11011.92	
C8	57+73.94 57+87.86	-8808.91 -6806.73	11011.92 11025.67	612.2
L7	57+87.88 60+42.51	-6806.73 -6763.96	11025.67 11276.70	
C7	60+42.51 61+75.77	-8783.98 -8793.63	11276.70 11403.01	186.9
LB	61+75.77 62+63.82	-8793.63 -8857.27	11403.01 11490.34	

REV	DATE	DESCRIPTION	CADO
A	10/13/2023	ISSUED FOR INTERMAL REVIEW	RB
	120000023	ISSUED FOR REVIEW	RE M

FREEPORT-MCMORAN CHINO MINES COMPANY

Knight Piésold

CHINO DAM 8 WASTE ROCK STOCKPILE



LEGEND:

EXISTING GROUND BURFACE PROFILE
DIVERSION CHANNEL EXCAVATION SURFACE PROFILE
TOP OF RIPRAP SURFACE PROFILE

NOTES:

- SCALE BAR MEASURES 3" ON A FULL SIZE PLOT (ANSI-D) AND 1.5" ON A HALF SIZE PLOT (ANSI-B).
- 2. ALL UNITS ARE IN FEET UNLESS OTHERWISE NOTED.
- ALL UNSUITABLE MATERIAL ENCOUNTERED DURING CONSTRUCTION MUST BE REMOVED AND REPLACED WITH COMPACTED RANDOM FILL AS REQUIRED BY THE ENGINEER.
- ALL FILL SHALL BE PLACED IN ACCORDANCE WITH THE TECHNICAL SPECIFICATIONS.

REV	DATE	DESCRIPTION	CADO
	10/13/2028	ISSUED FOR INTERNAL REVIEW	THE JA
	18909083	188UED FOR REVIEW	78 X

ANIGHT PRECIO DIAGO CO, PHODUCED 13 THE CATA SHOWN HER HOT HOMES BOTH TECHNICAL INFORMATION AND METHODS, RECEPT OF THE DRIVING DOCES NOT REPART TO THE RECIPIENT ANY MODIFIES TO SHORT TECHNICAL INFORMATION ON METHODS, ANY ADMITTATION OF AND WITHOUT LIABELITY OF LEGAL EXPOSURE TO KNIGHT PRESCLID AND CO

FREEPORT-MCMORAN CHINO MINES COMPANY

Knight Piésold
CONSULTING


CHINO DAM 8 WASTE ROCK STOCKPILE

EAST IMPACTED STORMWATER DIVERSION
CHANNEL PLAN AND PROFILE

CHANNEL PLAN AND PROFILE

DESCRIPTION AS TOURS PROJECT NAMES PROJECT NAMES NAMED NAM

LAST SAVED BY: RBENDA DRAWING DRY H Langitubinski krualik Projects USH (10 1005/36 09/Design CAD/Drawngs Garribers-detailedda DRAWING DRY HOLL AND BENDA - AND BEN



V PW PV PV PV PV PV	D _m = 9" RIPRAP	EXISTING GROUND
PREPARED SUBGRADE -		
	4 - X -	NON-WOVEN

(7)	RIPRAP CUTOFF TRENCH
133	TYPICAL DETAIL
	NTS

STATIONING	BOTTOM WIDTH B (R)	FLOW DEPTH Y (ft)	MINIMUM CHANNEL DEPTH D (R)	RIPRAP D50 (in)	RIPRAP THICKNESS t (in)
00+00 TO 11+93	12	2.3	3.3		18
11+93 TO 11+98		TRANSITION		9	18
11+98 TO 13+87	12	2.0	3.0	0	18
13+67 TO 13+72		TRANSITION		12	24
13+72 TO 15+06	12	1.6	2.6	12	24
15+06 TO 15+11		TRANSITION	ė.	12	24
15+11 TO 15+69	12	1.7	2.7	12	24
15+69 TO 15+74		TRANSITION		12	24
15+74 TO 18+06	12	1.8	2.8	12	24
18+06 TO 18+11		TRANSITION		12	24
18+11 TO 18+91	12	1.6	2.6	12	24
18+91 TO 18+96		TRANSITION		12	24
18+96 TO 23+31	12	1.7	2.7	12	24
23+31 TO 23+38		TRANSITION		12	24
23+36 TO 26+96	12	1.8	2.8	12	24
28+95 TO 27+00		TRANSITION		12	24
27+00 TO 31+01	12	2.6	3.6	0	18
31+01 TO 31+06		TRANSITION		18	36
31+06 TO 32+94	12	2.1	3.1	18	36
32+94 TO 32+99		TRANSITION		16	36
32+99 TO 45+03	12	3.0	4.0	9	18
46+03 TO 46+08		TRANSITION		9	16
46+08 TO 49+39	12	2.2	3.2	9	18
49+39 TO 49+44		TRANSITION		12	24
49+44 TO 51+00	12	1.6	2.6	12	24
51+00 TO 51+05		TRANSITION		12	24
51+05 TO 52+90	12	3.0	4.0	9	18

STATIONING	BOTTOM WIDTH B (R)	FLOW DEPTH Y (R)	MINIMUM CHANNEL DEPTH D (R)	RIPRAP D50 (in)	RIPRAP THICKNESS t (in)
37+90 TO 43+08	20	1.8	2.8	18	36
43+06 TO 43+11		TRANSITION			36
43+11 TO 48+55	20	1.9	2.9	18	36
48+55 TO 48+80		TRANSITION		18	38
48+60 TO 61+77	20	2	3.0	15	30
81+77 TO 51+82		TRANSITION		15	30
61+62 TO 62+04	20	2	3.0	18	36
62+04 TO 62+09		TRANSITION		18	36
52+09 TO 52+29	20	2.3	3.3	9	18

NOTES:

1. ALL UNITS ARE IN FEET UNLESS OTHERWISE NOTED.

EV	DATE	DESCRIPTION	APPD GADO	DISCLAMER — DISCLAMER — NORTH PERSON DIANO CO. PRINCIPEO THE DATA SHIN
A	10/13/2023	ISSUED FOR INTERNAL REVIEW	100	BOTH TECHNICAL INFORMATION AND METHODS. DRAWING DOES NOT BAPART TO THE RECEMENT AN TECHNICAL INFORMATION OR METHODS, ANY A
	12/20/2023	ISSUED FOR REVIEW	NE A	MODIFICATION OF THE DATA OR DRAWING SHALL BE A AND WITHOUT LIABILITY OR LEGAL EXPOSURE TO KNK
	0.1			

FREEPORT-MCMORAN CHINO MINES COMPANY

Knight Piésold
CONSULTING

2 PATM: Nangtraiseold bounds Projects US10100636.09/Design CAD/bravings/damburs-dotaileodesign/TU101-00639 pv: projects by projects about material and occurs on a second contract.



Freeport-McMoRan Inc. Attention: Accounts Payable 333 N Central Ave, Room 23.306 Phoenix, AZ. 85004

RETURN SERVICE REQUESTED

Check No.

0001040481

Check Date

06/14/2024

Check Amount Vendor No. \$1,000.00 0000805500

Payment Reference No.

20608835621899



OD-000005 0001 0001 000011

STATE OF NEW MEXICO NM ENRGY MNRLS & NAT RES DPT 1220 S SAINT FRANCIS DR SANTA FE, NM 87505-4225 PLEASE DIRECT ANY INQUIRIES TO THE AP HELP DESK: AP@FMI.COM

Invoice Date	Invoice Number	PO#/Freeport Site/ Description	Invoice Amount	Discount Amount	Net Amount
06/13/2024	06132024SM	FM Chino Mines Company THIS FEE IS NEEDED FOR A MODIF	\$1,000.00	Amount	\$1,000.00
		TOTAL			\$1,000.00

♣ PLEASE FOLD ON PERFORATION AND DETACH HERE ♣

Page 1 of 1

VERIFY THE AUTHENTICITY OF THIS MULTI-TONE SECURITY DOCUMENT.

■ CHECK BACKGROUND AREA CHANGES COLOR GRADUALLY FROM TOP TO BOTTOM

FREEPORT MINERALS CORPORATION 333 NORTH CENTRAL AVE PHOENIX, AZ 85004-2121

FIT FREEPORT-MCMORAN

June 14, 2024 64-1278/611 VOID AFTER 180 DAYS

0001040481

ようないないない。 Amount: **One Thousand dollars and 00 cents** PAY IN US DOLLARS

Pay to the order of

STATE OF NEW MEXICO NM ENRGY MNRLS & NAT RES DPT **\$1,000.00**

AUTHORIZED SIGNATURE

Bank of America N.A. Atlanta, Dekalb County, Georgia