

Wagner Equipment Co. - Rental Quote

Customer: SRK Consulting Date: 5/14/2018 Quote good for 30 days from date.

Prepared by: HENRY VARGAS

Contact: Filiz Toprak **Phone:** 915-771-6000 **Fax:** 915-779-7599

Phone: 775-742-7299 Email: vargas henry@wagnerequipment.com

Salesman:

Jobsite: FLAT COPPER MINES Phone:

		•		ng upon machine location. the quoted amount.	. Freight may be		Rental Rates		PMC
# of Units	CAT Model Subject to availability	Deliver From	Delivery Cost	Return To	Return Cost	Day	Week	4-Week	Monthly Charge
1	730					\$1,870.00	\$5,230.00	\$14,640.00	\$485.00
1	740					\$2,400.00	\$6,720.00	\$18,820.00	\$522.00

Prices do not include sales tax / To Re-fuel is \$6.75 per gallon

- Customer must select a Preventative Maintenance Option.

Option 1: Customer performs basic maintenance using Cat Care Filter Kits delivered to them directly at required intervals at no additional fee.

Option 2: A Wagner Maintenance Technician performs scheduled maintenance when appropriate for an additional fee. Fee listed as PM Charge above.

- Assembly/Disassembly costs associated with the transport of machines are the customers responsibility.
- Estimated transport rates do not include extra or special permits, pilot escort fees, or other unseen incidental costs.
- Overtime Rate is 100% of the regular rental rate.
- 4-Week/Monthly billing cycle.

Email:

Wagner Equipment / Wagner Rents Certificate of Insurance Requirements:

- General Liability must show at least \$1,000,000 for each occurrence
- Auto Liability must show at least \$1,000,000 for Any Auto or Hired Auto if the customer is looking to rent a water or dump truck or transport Wagner equipment.
- Wagner must be listed as Additional Insured
- Show Workers Compensation limits
- Certificate Holder must read: Wagner Equipment Co. / Wagner Rents Inc.
- Physical Damage is optional but must cover at least the replacement cost of machine or a 16% damage waiver will be charged when renting from Wagner Equipment Co. and a 14% damage waiver will be charged when renting from Wagner Rents. The damage waiver is a fee for not having physical damage coverage; it is not a substitute for physical damage coverage.



WAGNER RENTS

2501 W. Amador Avenue Las Cruces, N.M. 88005

Tel: 575-647-9700 Fax: 575-647-9381 thamilton@wagnerequipment.com

RENTAL EQUIPMENT QUOTE

DATE:	May 3, 2018
TIME:	
JOB:	Copper Flat Mine

QUOTED BY:	Todd Hamilton
QUOTED TO:	SRK Consulting
PRICES VALID THROUGH:	8/3/2018

CONTACT NAME:	Filiz Toprak
	SRK Consulting
COMPANY / ADDRESS:	Copper Flat Mine Hillsboro, NM 88042
CUSTOMER PHONE #:	775-742-7299
CUSTOMER FAX #:	

EQUIPMENT DESCRIPTION	Day	Week	MONTH
Cat 420F 4WD Backhoe			\$3,240.00
Cat 420F 4WD IT Backhoe			\$3,370.00
Cat 430F 4WD Ext Backhoe			\$3,870.00
Cat 312EL Excavator			\$5,610.00
Cat 320EL Excavator			\$7,750.00
Cat 924K Loader			\$5,610.00
Cat 930M Loader			\$6,530.00
Cat 120M2 Motor Grader			\$8,670.00
Cat D6K2XL Dozer			\$6,570.00
Delivery and Pickup (per machine)			\$1,000.00
Refill Fuel charge: \$6.75 per gallon			

- 1. RENTAL RATES REFLECT 8 HOURS OF USE ON MACHINES PER 24 HOUR PERIOD, 40 HOURS IN A 7 DAY PERIOD, OR 160 HOURS IN A 4 WEEK PERIOD.
- 2. RATES **DO NOT** INCLUDE DAMAGE WAIVER, TAXES, ENVIRONMENTAL CHARGE, DIESEL SURCHARGE, or S.M.M.
- 3. DISCOUNTS **DO NOT** APPLY ON RE-RENTED EQUIPMENT Rev. April 2005



COPPER FLAT MINE/HILLSBORO NM 88042

Customer: SRK CONSULTING

Contact:

Phone:

Email:

Jobsite:

FILIZ TOPRAK

775.742.7299

FTOPRAK@SRK.COM

Wagner Equipment Co. - Rental Quote

Date: 5/4/2018

Quote good for 30 days from date.

Prepared by: NATALIE SMITH

Phone: 575.393.2148 **Fax:** 575.393.3665

Email: <u>nsmith@wagnerequipment.com</u>

Salesman: TODD HAMILTON Phone: 575.343.2455

Prices do not include sales tay

		Р	rices do not inclu	ide sales tax					
		Transportation costs ma	ay vary depending ore or less than the		n. Freight may be		Rental Rates		
# of Units	CAT Model Subject to availability	Deliver From	Delivery Cost	Return To	Return Cost	Daily (8 hrs.)	Weekly (40 hrs.)	Monthly (176 hrs.)	PM Charge
1	329	LCS	\$815.00	LCS	\$815.00	\$1,370.00	\$3,840.00	\$10,750.00	\$464.00
1	336	LCS	\$815.00	LCS	\$815.00	\$1,460.00	\$4,100.00	\$11,500.00	\$530.00
1	349	LCS	\$1,253.00	LCS	\$1,253.00	\$2,140.00	\$5,980.00	\$16,730.00	\$591.00
1	14M	LCS	\$678.00	LCS	\$678.00	\$1,890.00	\$5,280.00	\$14,790.00	\$425.00
1	160M3	LCS	\$678.00	LCS	\$678.00	\$1,500.00	\$4,190.00	\$11,730.00	\$458.00
1	950	LCS	\$678.00	LCS	\$678.00	\$1,210.00	\$3,400.00	\$9,520.00	\$405.00
1	972	LCS	\$678.00	LCS	\$678.00	\$1,720.00	\$4,810.00	\$13,480.00	\$446.00
1	980	LCS	\$678.00	LCS	\$678.00	\$2,000.00	\$5,600.00	\$15,690.00	\$452.00
1	D7	LCS	\$678.00	LCS	\$678.00	\$2,340.00	\$6,540.00	\$18,300.00	\$473.00
1	D8	LCS	\$815.00	LCS	\$815.00	\$2,570.00	\$7,200.00	\$20,180.00	\$614.00
1	D9	LCS	\$678.00	LCS	\$678.00	\$3,840.00	\$10,750.00	\$30,100.00	\$636.00
1	D10	TBD	TBD	TBD	TBD	\$5,675.00	\$15,890.00	\$44,500.00	\$667.00
1	631	LCS	\$678.00	LCS	\$678.00	\$3,530.00	\$9,890.00	\$27,700.00	\$567.00

Please note the following information:

- Standard Wagner Rental Terms and Conditions apply.
- Customer must select a Preventative Maintenance Option.
 - **Option 1:** Customer performs basic maintenance using Cat Care Filter Kits delivered to them directly at required intervals at no additional fee.
 - **Option 2:** A Wagner Maintenance Technician performs scheduled maintenance when appropriate for an additional fee. Fee listed as PM Charge above.
- $\hbox{-} \textit{Assembly/Disassembly costs associated with the transport of machines are the customers \textit{responsibility}.}$
- Estimated transport rates do not include extra or special permits, pilot escort fees, or other unseen incidental costs.
- Overtime Rate is 100% of the regular rental rate.
- 4-Week/Monthly billing cycle.

Wagner Equipment / Wagner Rents Certificate of Insurance Requirements:

- General Liability must show at least \$1,000,000 for each occurrence
- Auto Liability must show at least \$1,000,000 for Any Auto or Hired Auto if the customer is looking to rent a water or dump truck or transport Wagner equipment.
- Wagner must be listed as Additional Insured
- Show Workers Compensation limits
- Certificate Holder must read: Wagner Equipment Co. / Wagner Rents Inc.
- Physical Damage is not optional and must cover at least the replacement cost of machine or a 16% damage waiver will be charged when renting from Wagner Equipment Co.
- Quote for equipment does not guarantee availability

no distribution in the second	perations hours per month:	176
---	----------------------------	-----

			EQUIPMENT RATE TABLE			
	Monthly	PREVENTATIVE	GROUND ENGAGING TOOLS			
ltem	Owner/Rental	MAINTENANCE COST [Cost	CONSUMPTION [Cost Per Hour]	TIRE COST TABLE [Cost Per Hour]	Notes	
Dulldanasa	Rate w/o Fuel	Per Hour]	(Wear Items)			
Bulldozers D6T	\$ 12,033.12	\$ 34.60	\$ 2.61	\$ -		
D6R w/ Winch	\$ 6,717.92				Standard D6R, winch not included	
D7E D8T	\$ 16,202.56 \$ 22,211.20					
D9T	\$ 27,084.64					
D10T2 D11T	\$ 28,698.56 \$ 56,233.76				D10T2 Blue Book not available, D10T shown	
Wheeled Dozers	\$ 50,233.76	\$ 160.74	Φ 10.00	5		
824K	\$ 19,849.28				Cat 824H	
834K 844K	\$ 24,928.64 \$ 33,733.92				Cat 844H	
854K	\$ 33,802.56				Cat 854G	
Motor Graders 12M2	\$ 7,555.68	\$ 20.32	\$ 0.62	\$ 3.15		
14M	\$ 14,199.68					
16M3	\$ 18,805.60	\$ 50.42	\$ 2.00		Cat 16M	
24M Track Excavators	-				Blue Book not available	
312F	\$ 7,978.08					
320F 325F	\$ 10,215.04 \$ 8,986.56				320C	
330F	\$ 14,388.00	\$ 46.52	·			
349F	\$ 17,353.60	<u>'</u>	· ·	·	0-4-074D-1	
374F 390F	\$ 23,119.36 \$ 28,471.52			\$ - \$ -	Cat 374D L Cat 390D L	
Scrapers						
631K 637K	\$ 28,022.72 \$ 36,819.20				Cat 631G Cat 637G	
Wheeled Loaders	Ψ 30,819.20	Ψ 116.00	Σ.11	Ψ 7.57		
926M	\$ 2,383.04	<u> </u>				
930M 950M	\$ 5,712.96 \$ 8,272.00				930K 950K	
966M	\$ 8,976.00	\$ 29.61	\$ 0.87	\$ 5.35	966K	
972M	\$ 10,135.84 \$ 13,036.33		·		972K	
980M 988K	\$ 13,036.32 \$ 19,588.80				980K 988H	
990K	\$ 28,299.04	\$ 85.58	\$ 3.71	\$ 26.71	990H	
992K 993K	\$ 41,067.84 \$ -	\$ 102.33	\$ 4.54		992K Blue Book not available	
994K	\$ -				Blue Book not available	
L2350	\$ 82,607.36	\$ 203.53	\$ 9.30	\$ 67.04		
Shovels PC2000	\$ 70,917.44	\$ 183.38	\$ 13.87	\$ -	EX1900	
PC3000	\$ -				**See EX2500 below	
PC4000 PC5500	\$ 74,134.72 \$ -	\$ 254.21	\$ 19.91		EX3600 EX5600 - Blue Book not available	
PC8000	\$ -				EX8000 - Blue Book not available	
EX2500	\$ 87,876.80	\$ 277.02	\$ 25.00	\$ -	EX2500-6	
Hydraulic Hammers H120Es (fits 325)	\$ 3,419.68	\$ 11.57	\$ -	\$ -		
H160Es (fits 349)	\$ 7,027.68	\$ 23.24	\$	\$ -		
H180Es (fits 374/390) Demolition Shears	\$ 8,168.16	\$ 24.96	\$	-		
S3050 (fits 320/325/330)	\$ 3,523.52	\$ 20.50	\$	\$ -	BTI SH310R	
S3070 (fits 330/349)	\$ 4,130.72		·		BTI SH410R	
S3090 (fits 374/390) Demolition Grapples	\$ 6,592.96	\$ 31.61	\$	-	BTI SH700R	
G315B (fits 320/325)	\$ -				Blue Book not available	
G320B (fits 325/330) G330 (fits 349/374)	\$ - \$ -				Blue Book not available Blue Book not available	
Other Equipment	Ψ				Did Dook not available	
420F2	\$ 4,083.20				Cat 420F Tractor-Loader-Backhoe	
430F2 CS54B	\$ 4,042.72 \$ 4,401.76			\$ 1.61 \$ 0.79	Cat 430E Tractor-Loader-Backhoe	
CS64B	\$ 4,290.88	\$ 20.65	\$ -	\$ 0.81	Amann AC110	
CP54B CP68B	\$ 4,084.96 \$ 6,587.68		·		Bomag BW211 PD-5 Bomag BW213 PDH-4	
Light Truck - 1.5 Ton	\$ 2,184.16	\$ 8.67	\$	\$ 1.38	Single Axle Lube Truck	
Supervisor's Truck Flatbed Truck	\$ 834.24 \$ 621.28	·	·		3/4 Ton 4x4 On-Highway Flatbed Trucks	
Air Compressor + tools	\$ 596.64			\$ 0.13	185 CFM Diesel Air Compressor (not adjusted for tools)	
Welding Equipment	\$ 404.80				4 Pack Welding System	
Heavy Duty Drill Rig Pump (plugging) Drill Rig	\$ 52,018.56 \$ -	\$ 278.95	\$ 9.60		IR DMM3 Blue Book not available	
Concrete Pump	\$ -				Blue Book not available	
Gas Engine Vibrator Generator 5KW	\$ 357.28 \$ 938.08	\$ 1.46 \$ 3.58	·		Hand Held Vibratory Plate Compactor Small Generator Set (0-22 kw)	
HDEP Welder (pipe or liner)	\$ -	, 0.00	,		Blue Book not available	
5 Ton Crane	\$ -	\$	•		Blue Book not available	
20 Ton Crane 50 Ton Crane	\$ 7,955.20 \$ 15,153.60				Tadan GR-150XL-1 (15 ton crane) Grove TMS700E	
120 Ton Crane	\$ 28,943.20				Grove GMK5120B	
Trucks 725C	\$ 10,824.00	\$ 28.22	\$	\$ 6.86	Cat 725, model not specified. Only BB rate supplied	
730C	\$ 11,300.96	\$ 31.45	\$	\$ 7.49		
735C	\$ 11,753.28 \$ 12,473.12				Cat 735B	
740C 770G	\$ 12,473.12 \$ 15,155.36			\$ 8.62 \$ 10.74		
773G	\$ 18,267.04	\$ 47.92	\$	\$ 13.86		
777G 785D	\$ 37,225.76 \$ -	\$ 95.60	-	\$ 31.52	Blue Book not available	
789D	\$ -				Blue Book not available	
793F	\$ -	\$ 004.70	•		Blue Book not available	
797F 613E (5,000 gal)	\$ 89,159.84 \$ 8,726.08			\$ 80.70 \$ 3.14	Used Cat 613E scraper rate, water wagon not available	
621E (8,000 gal)	\$ 10,005.60		\$ 0.57	\$ 4.87	Used Cat 621E scraper rate, water wagon not available	
773G Water Truck 777D H2O Truck	\$ 18,267.04 \$ 37,225.76		\$ -		Used Cat 773 haul truck rate, water truck not available Used Cat 777 haul truck rate, water truck not available	
785C H2O Truck	\$ -		¥		Blue Book not available	
Dump Truck (10-12 m3)	\$ 3,752.32 \$ 5,258.88				10 CY Dump Truck	
Tractor/Trailer (18 ton) Tractor/Trailer (45 ton)	\$ 5,258.88 \$ 10,862.72	\$ 22.04 \$ 25.70			25 ton tractor & trailer 45 ton tractor & trailer	
Tractor/Trailer (75 ton)	\$ 27,096.96				75 ton trailer & Cat 770 haul truck	

<u>Notes</u>

-Location Setting: New Mexico DOT with focus on Las Cruces, NM area

-Costs in Column E (Preventative Maintenance) are already inclusive of columns F and G (GET & Tires)

-Fuel costs have been omitted in ownership and preventative maintenance costs

-Tire costs originally requested on a cost per hour basis, tires costs have been changed to report on a cost per hour basis

Kelley Erosion Control Quote July 28, 2015

\$ 67.50 /hr \$ 25 /hr \$ 185.00 /ac \$ 185.00 /ac 67.50/hr \$ 140.00 /hr \$ 40 /hr \$ 120.00 /ac 140.00/hr \$ 140.00 /hr \$ 100 /hr \$ 100 /hr \$ 140.00 /hr \$ 1250.00 /hr \$ 125 /hr			Labor		Equipment	ment		Total	Labor		Provide Equipment	Provided Values pment	Production
3.5 ft \$ 67.50 /hr \$ 25 /hr 1.2 mph 6223 ft/hr 21780 sf/hr 0.50 ac/hr \$ 135.00 /ac \$ 140.00 /hr 6 ft \$ 140.00 /hr \$ 40 /hr 1.50 ac/hr \$ 93.33 /ac \$ 27 /ac \$ 120.00 /ac 140.00/hr 1.50 ac/hr \$ 140.00 /hr \$ 100 /hr 1.50 ac/hr \$ 140.00 /hr \$ 100 /hr 25 ft \$ 250.00 /hr \$ 125 /hr 25 ft \$ 250.00 /hr \$ 125 /hr	Hand												
1.2 mph 6223 fthr 21780 sfhr 5.135.00 /ac \$ 50 /ac \$ 185.00 /ac 67.50/hr 5.34 ac/hr \$ 140.00 /hr \$ 40 /hr 65340 sfhr 1.50 ac/hr \$ 93.33 /ac \$ 27 /ac \$ 120.00 /ac 140.00 /hr \$ 100 /hr 1.4 mph 7260 fthr 43560 sfhr 1.00 ac/hr \$ 125 /hr 5.250.00 /hr			67.50	/hr	ક્ક	25 //	=						
6223 fthr 21780 sfhr 21780 sfhr 6.50 ac/hr \$ 135.00 /ac \$ 50 /ac \$ 185.00 /ac 67.50/hr 6.51 mph 14520 fthr 65340 sfhr 1.50 ac/hr \$ 140.00 /hr \$ 100 /hr 1.50 ac/hr \$ 140.00 /hr \$ 100 /hr 1.50 ac/hr \$ 140.00 /hr \$ 100 /hr 2.8 mph 14520 fthr 1.50 ac/hr \$ 140.00 /hr \$ 100 /hr 2.8 mph 2.8 ft \$ 140.00 /hr \$ 100 /hr 2.8 mph 2.8 fthr 2.9 3.33 /ac \$ 100 /hr 3.2 100 /hr 3.2 27 /ac \$ 120.00 /hr 3.2 27 /ac \$ 140.00 /hr 3.3 mph 3.2 25.0 0 /hr \$ 125 /hr 3.3 mph 3.3 250.00 /hr \$ 125 /hr		늄											
21780 sthr 0.50 ac/hr \$ 135.00 /ac \$ 50 /ac \$ 185.00 /ac 67.50/hr 6 ft \$ 140.00 /hr \$ 40 /hr 1.50 ac/hr \$ 93.33 /ac \$ 27 /ac \$ 120.00 /ac 140.00/hr 1.44 mph 1.44 mph 1.44 mph 1.45 mph 1.55 ac/hr \$ 140.00 /hr \$ 100 /hr 25 ft \$ 250.00 /hr \$ 125 /hr 25 ft \$ 250.00 /hr \$ 125 /hr		<u>_</u>											
6 ft \$ 135.00 /ac \$ 50 /ac \$ 185.00 /ac 67.50/hr 2.8 mph 14520 ft/hr 65340 sf/hr 1.50 ac/hr \$ 93.33 /ac \$ 27 /ac \$ 120.00 /ac 140.00/hr 1.4 mph 7260 ft/hr 43560 sf/hr 1.00 ac/hr \$ 100 /hr 5 1250.00 /hr \$ 125 /hr 25 ft \$ 250.00 /hr \$ 125 /hr		ָבָּ בָּי											
6 ft \$ 140.00 /hr \$ 40 /hr 2.8 mph 14520 ft/hr 65340 st/hr 1.50 ac/hr \$ 93.33 /ac \$ 27 /ac \$ 120.00 /ac 6 ft \$ 140.00 /hr \$ 100 /hr 7260 ft/hr 43560 st/hr 1.00 ac/hr 25 ft \$ 250.00 /hr \$ 125 /hr 25 ft \$ 250.00 /hr 8 125 /hr			135.00	/ac	₩		20	35.00 /ac	(05.20)		pick up	25.00/hr	0.5 ac/hr
6 ft \$ 140.00 /hr \$ 40 /hr 2.8 mph 14520 tt/hr 65340 sr/hr 1.50 ac/hr 6 ft \$ 140.00 /hr 7.260 tt/hr 43560 sr/hr 1.00 ac/hr 2.5 ft \$ 250.00 /hr 8 125 /hr 1.20 mph 140.00/hr 2.5 ft \$ 250.00 /hr 8 125 /hr	Broadcast												
mph st/hr s 93.33 /ac \$ 27 /ac \$ 120.00 /ac 140.00/hr 140.00 /hr 125 /hr 140.00/hr 140.00/h	Width 6 ft	0,	140.00 /	/hr	↔	40 //	¥.						
thr ac/hr \$ 93.33 /ac \$ 27 /ac \$ 120.00 /ac 140.00/hr 140.00 /hr 125 /hr 140.00 /hr 140.0		p											
th sthr s 140.00 /hr s 100 /hr mph tt/hr s 140.00 /ac st/hr s 250.00 /hr s 125 /hr mph tt/hr s 140.00 /hr s 125 /hr mph tt/hr s 140.00 /hr s 125 /hr mph tt/hr s 125 /hr s 125 /hr		Æ							1,01				
### ### ### ### ######################		'n							00000		atv	15.00/hr	
tt \$ 140.00 /hr \$ 100 /hr mph 10 st/hr ac/hr \$ 140.00 /ac \$ 100 /ac \$ 240.00 /ac 140.00/hr tt \$ 250.00 /hr \$ 125 /hr mph		_		/ac	69	27 /	30	20.00 /ac	140.00		pick up	25.00/hr	1.5 ac/hr
th \$ 140.00 /hr \$ 100 /hr mph tthr so sthr ac/hr \$ 140.00 /ac \$ 100 /ac \$ 240.00 /ac 140.00/hr tt \$ 250.00 /hr \$ 125 /hr mph	Drill												
mph (1/hr so st/hr ac/hr \$ 140.00 /ac \$ 100 /ac \$ 240.00 /ac 140.00/hr the solution of the s	Width 6 ft	0,	140.00	/hr	ક્ક	100 /	_						
140.00/hr		ρh							-		(e		
30 sfhr		<u>-</u>											
ac/hr \$ 140.00 /ac \$ 100 /ac \$ 240.00 /ac 140.00/hr t \$ 250.00 /hr \$ 125 /hr mbh		'n											
25 ft \$ 250.00 /hr \$ 0.3 mph			140.00	/ac	49	100 /	၁၉	t0.00 /ac	140.0(tractor	100.00/hr	1 ac/hr
ft \$ 250.00 /hr \$ mph	Hydro												
			\$ 250.00	/hr		125 //	-		- 115				
12.4		5 F							pe 1000				
Coverage 43560 sf/hr	_	<u></u>							8				
Coverage 1.00 ac/hr \$ 250.00 /ac \$ 125 /ac \$ 375.00 /ac 250.00/hr			\$ 250.00	/ac		125 /	30	75.00 /ac	250.00	J/hr	hydroseede	250.00/hr hydroseeder 125.00/hr	1 ac/hr

New Mexico Copper Corp, Copper Flat Mine Solution Evaporator Preliminary Quote

Evaporator Estimate

Evaporator	\$92,000
Setup – 30%	26,000
Freight – 2.5%	\$2,120
NM Compensating Tax - 5.5%	\$5,000
Total Cost per Unit	\$125,120

Note

Per discussion with Jeff Smith (NMCC technical representative), special coating not needed and all components needed for the turnkey system (pump, piping, skid, electrical, etc) will be available in mine inventory with assembly, setup and operation coming from the on-site contractor. Limit estimate to the evaporator assembly, freight and NM compensating taxes; individual rates for cost components provided by Jeff Smith.

Filiz Toprak

From: Duane Thompson <duane.thompson@minetek.com>

Sent: Friday, August 3, 2018 10:31 PM

To: Filiz Toprak

Cc: 'jsmith@themacresourcesgroup.com' **Subject:** RE: Request for quote for evaporators

Hello Feliz,

Based on your requirement of each evaporator to be able to handle a flow of 380 GPM please see below details.

Is it only 1 unit that you require for your application?

The model 400/200 evaporator has a water flow of 400 GPM, this unit I would assume is the most suitable for your needs.

400/200 Specifications:

Minetek model 400/200 Evaporator

- 75kw (100 HP)electric motor
- 25 Ltrs/sec (400 GPM) water flow
- 10 bar (145 PSI) pressure requirement
- Mobile skid mounted unit
- Galvanised steel construction
- Stainless steel wetted parts
- Globally patented technology
- USD \$92,000.00 HDG Steel

Cost per unit for the epoxy coating for moderate corrosion protection is USD \$112,500.00

Please see below turnkey system package cost for a 1 x 400/200 unit system.

System includes:

- 1 x 400/200 evaporator (100 HP motor, 400 GPM flow) special epoxy coating
- 1 x land based booster pump (400 GPM @ 145 PSI)
- 1 x skid mounted electrical control board
- 1 x HDPE poly pipe
- 1 x Electrical cable
- 1 x design & engineering
- 1 x Freight to Copper Flat Mine

USD \$290,000.00 (+/- 15%)

Option items include:

- Commissioning
- Automation control system & weather station
- Spares and other options

I trust that this will assist you.

What further details can I provide?

I look forward to hearing from you and working with you further on this project.

Many thanks,

Kind regards,

Duane Thompson

Regional Sales Manager - Water Division | North America



Tel: +1 213 330 3343 Mobile: +61 427 567 725 Web: www.minetek.com

601 South Figueroa Street, Suite 4050 Los Angeles, CA



SYDNEY | BRISBANE | SINGLETON | JOHANNESBURG | BUENOS AIRES | LOS ANGELES | GLASGOW

This email and any files transmitted with it are intended solely for the use of the individual or entity to which they are addressed. It may contain confidential or proprietary information and may be subject to the attorney-client privilege, solicitor/client privilege or other confidentiality protections. If you have received this e-mail in error, you should not retain, copy or use this e-mail or any files transmitted with it for any purpose, nor disclose all or part of the contents to any other person. In such case, please notify the sender and permanently delete the e-mail and any files transmitted with it immediately.

From: Filiz Toprak <ftoprak@srk.com> Sent: Saturday, 14 July 2018 3:40 AM

To: Duane Thompson <duane.thompson@minetek.com>

Cc: 'jsmith@themacresourcesgroup.com' <jsmith@themacresourcesgroup.com>

Subject: RE: Request for quote for evaporators

Duane,

Upon discussion, we decided we would like an option for including coating for moderate corrosion.

Regards, Filiz

From: Filiz Toprak

Sent: Friday, July 13, 2018 7:59 AM

To: Duane Thompson <duane.thompson@minetek.com>

Cc: 'jsmith@themacresourcesgroup.com' <jsmith@themacresourcesgroup.com>

Subject: RE: Request for quote for evaporators

Duane,

Per your question about water chemistry during our chat yesterday, we expect draindown pH to be around 9-10. Please advise if you need anything else.

Regards,

Filiz

From: Duane Thompson [mailto:duane.thompson@minetek.com]

Sent: Thursday, July 12, 2018 2:22 PM **To:** Filiz Toprak < ftoprak@srk.com>

Cc: 'jsmith@themacresourcesgroup.com' <<u>jsmith@themacresourcesgroup.com</u>> **Subject:** RE: Request for quote for evaporators

Hello Feliz,

Many thanks for your email.

Please see below my contact details.

Kind regards,

Duane Thompson

Regional Sales Manager - Water Division | North America



Tel: +1 213 330 3343 Mobile: +61 427 567 725 Web: www.minetek.com

601 South Figueroa Street, Suite 4050 Los Angeles, CA



SYDNEY | BRISBANE | SINGLETON | JOHANNESBURG | BUENOS AIRES | LOS ANGELES | GLASGOW

This email and any files transmitted with it are intended solely for the use of the individual or entity to which they are addressed. It may contain confidential or proprietary information and may be subject to the attorney-client privilege, solicitor/client privilege or other confidentiality protections. If you have received this e-mail in error, you should not retain, copy or use this e-mail or any files transmitted with it for any purpose, nor disclose all or part of the contents to any other person. In such case, please notify the sender and permanently delete the e-mail and any files transmitted with it immediately.

From: Filiz Toprak [mailto:ftoprak@srk.com]

Sent: Friday, 13 July 2018 4:14 AM

To: Sales USA | MINETEK <sales.usa@minetek.com>

Cc: 'jsmith@themacresourcesgroup.com' <jsmith@themacresourcesgroup.com>

Subject: Request for quote for evaporators

To whom it may concern,

I am contacting you on behalf of our client, THEMAC Resources (CC'ed), to request a quote for Model 1210 evaporator systems or equivalent that can handle flows up to 380 gpm per unit.

Could you please provide a quote for delivery to the Copper Flat Mine?

For any additional information required, please feel free to contact me at (775)742-7299.

Regards,

Filiz Toprak

Mining Consultant



SRK Consulting (U.S.), Inc.

Suite 300, 5250 Neil Road, Reno, NV, 89502, USA

Tel: +1-775-828-6800; Fax: +1-775-828-6820

Email: ftoprak@srk.com

www.srk.com

This transmission is intended for the sole use of the addressee, and may contain information that by its privileged and confidential nature is exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution or duplication of this transmission by someone other than the intended recipient

or its designated agent is strictly prohibited. If you have received this transmission in error, please notify the sender immediately by replying to this transmission, or by collect call to the above phone number.

Please consider the environment before printing this e-mail.