


BAT\_CUPOLA\_DETAILS.DWG PLOT SCALE 1 = 8



**GENERAL NOTES:**

1. STEEL PLATES, SHAPES AND BARS SHALL BE WEATHERING STEEL WELD ALL JOINTS. CONSTRUCT THE CUPOLA TO ELIMINATE SURFACES ON WHICH MOISTURE OR DEBRIS CAN BE TRAPPED. PLIES OF MATERIAL SHALL BE TIGHT TO PREVENT THE INCURSION OF MOISTURE. ALL TUBULAR MEMBERS SHALL BE HERMETICALLY SEALED TO PREVENT THE INCURSION OF MOISTURE, EXCEPT AS OTHERWISE NOTED. ROUND OR CHAMFER ALL EXPOSED SHARP CORNERS AND EDGES.
2. TOLERANCES ON THE CENTER-TO-CENTER DIMENSION BETWEEN CROSSBARS FOR BAT PASSAGE SHALL BE  $\pm 1/8$  INCH.

<b>ABANDONED MINE LAND PROGRAM</b> <b>MINING AND MINERALS DIVISION</b> ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT		
SCALE: 1/2" = 1'-0"	045-122S AND 046-115S	DRAWN BY: JAK/JRS
DATE: NOV. 1, 2006		REVISED:
<b>BAT CUPOLA DETAILS</b>		
LAKE VALLEY MINE SAFEGUARD PROJECT - PHASE II		DRAWING NUMBER: <b>FIGURE 40</b>