PART 3 MINIMAL IMPACT EXPLORATION OPERATION

PERMIT APPLICATION

Accompanying instructions for this permit application are available from MMD, and on MMD webpage:

http://www.emnrd.state.nm.us/MMD/MARP/MARPApplicationandReportingForms.htm

Send 6 copies of the completed application to:

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Director
Mining and Minerals Division
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505
Telephone: (505) 476-3400

Webpage: www.emnrd.state.nm.us/MMD/index.htm

CHECK OFF LIST TO DETERMINE YOUR PROJECT'S STATUS AS A MINIMAL IMPACT EXPLORATION OPERATION:

☐ Yes	☐ No	My project will exceed 1000 cubic yards of excavation, per permit.
☐ Yes	□ No	Surface disturbances for constructed roads, drill pads and mud pits <u>will</u> <u>exceed 5 acres</u> total for my project.
☐ Yes	□No	My project is located in or is expected to have a direct surface impact on wetlands, springs, perennial or intermittent streams, lakes, rivers reservoirs or riparian areas.
☐ Yes	□No	My project is located in designated critical habitat areas as determined in accordance with the federal Endangered Species Act of 1973 or in areas determined by the Department of Game and Fish likely to result in an adverse impact on an endangered species designated in accordance with the Wildlife Conservation Act, Sections 17-2-37 through 17-2-46 NMSA 1978 or by the State Forestry Division for the Endangered Plants Act, section 75-6-1 NMSA 1978.
☐ Yes	□No	My project is located in an area designated as Federal Wilderness Area,

		wilderness Study Area, Area of Critical Environmental Concern, or an area within the National Wild and Scenic River System.
☐ Yes	☐ No	My project is located in a known cemetery or other burial ground.
☐ Yes	□ No	My project is located in an area with cultural resources listed on either the National Register of Historic Places or the State Register of Cultural Properties.
☐ Yes	□ No	My project will or is expected to have a direct impact on ground water that has a total dissolved solids concentration of less than 10,000 mg/L, except exploratory drilling intersecting ground water may be performed as a minimal impact operation.
☐ Yes	□No	My project is expected to use or using cyanide, mercury amalgam, heap leaching or dump leaching in its operations.
☐ Yes	□No	My project is expected to result in point or non-point source surface or subsurface releases of acid or other toxic substances from the permit area.
☐ Yes	☐ No	My project requires a variance from any part of the Mining Act Rules as part of the permit application.
-	swer <u>yes</u> to ploration op	any of the above questions, your project does not qualify as a minimal peration.
Confider	ntial Inforr	mation
☐ Yes	□ No	Is any of the information submitted in this application considered by the applicant to be confidential in nature? If yes, please provide this information separately and marked as "confidential."
Timeline		
	-	oplications must be provided no less than 45 days prior to the anticipated ions desired by the applicant.

- Renewal applications shall be filed at least 30 days preceding expiration of the current permit. Permits are valid for one year.
- Approved permit is valid for one year from the date of approval.

SECTION 1 – OPERATOR INFORMATION (§304.D.1)

Project Name:						
Nearest Town To Project:						
Applicant Name and Contact Information (entity	obligated under the Mining Act):					
Name:						
Address:						
Office Phone:	Cell Phone:					
Fax Number:	Email:					
Name of On-Site Contact, Representative, or Consultant:						
Name:						
Address:						
Office Phone:	Cell Phone:					
Fax Number:	Email:					

SECTION 2 – RIGHT TO ENTER INFORMATION (§302.D.1)

A.	to conduct the exploration and re	uments that give the applicant the righ eclamation, include: lease agreements owner agreements, and claim numbe	s, access agreements,
Att	achment		
B.		f surface and mineral ownership within ineral, indicate as federal mineral, bu	
Su	rface Estate Owner(s):		
Na	nme	Address	Phone #
	U.S. BLM		
	U.S. Forest Service		
	State of NM		
	Private/Corporate		
Na	me:		
	Other		
Na	me:		

Lease Holder(s) of Surface Estate (if applicable):

Name	Address	Phone #
Mineral Estate Owner(s):		
Name	Address	Phone #
☐ Bureau of Land Management		
☐ US Forest Service		
☐ State of NM		
☐ Claim/Lease Holder		
Name:		
Claim Numbers:		
☐ Claim/Lease Holder		
Name:		
Claim Numbers:		
☐ Other		
_		· · · · · · · · · · · · · · · · · · ·

C. Has a Cultural Resource Survey been performed on the site?
If yes, please provide the author, title, date and report number, and include a copy of the survey with this application, if possible:
Attachment
D. Has a wildlife survey or vegetation survey been performed for the permit area?
☐ Yes ☐ No If yes, please provide the author, title, date and report number, and include a copy of the survey with this application, if possible:
Attachment

SECTION 3 – MAPS AND PROJECT LOCATION (§302.D.2)

A. Project	Location:						
Townsh	nip	Range		Section _			
Townsh	nip	Range		Section _			
Townsh	nip	Range		Section _			
List the drill	l hole/exploration n	ame and the GPS o	coordinates fo	or each site.			
I.D. Number	Northing / Latitude	Easting / Longitude	I.D. Number	Northing / Latitude	Easting / Longitude		
Coordinate	Coordinate system used to collect GPS data points:						
☐ NAD83	Geographic		IAD27 Geogr	aphic			
☐ NAD83	UTM Zone 13 (or	12) <u> </u>	IAD27 UTM 2	Zone 13 (or 12)			
☐ WGS 1	ઝ૦ ૧		линет				
Attachment	Attachment (for listing additional boreholes)						
B. Maps (s	B. Maps (see application form instructions for examples of maps to be included):						

Are topographic maps included with the application that show the following items:				
☐ Yes – The boundary of the proposed exploration project Permit Area				
☐ Yes – The proposed exploration locations (i.e., borehole locations)				
☐ Yes – Existing roads, new roads and overland travel routes				
☐ Yes ☐ N/A — Areas of proposed road improvement				
Attachments				
Are maps or figures included with the application showing the approximate dimensions an locations of drill pads and other disturbances:				
☐ Yes – Drill pad dimensions and constructed drill pad locations				
Attachments				
C. Provide detailed driving directions to access the site:				

SECTION 4 – EXPLORATION DESCRIPTION (§302.D.3 & 4)

۹.	Anticipated exploration: Start Date: End Date:
3.	List the mineral(s)/element(s) to be explored for:
С.	Proposed method(s) of exploration:
	Air drilling (air rotary, coring, etc.):
	# of holesDepth (ft.)Diameter (in.)
	# of drill padsLength (ft.)Width (ft.)
	Will drill pads be graded/bladed or overland: Graded/bladed Overland
	Will drill pads need some mechanical leveling (grading/blading): ☐ Yes ☐ No
	Approx. Weight of Drill Rig (lbs.) Number of Axles:
	Total length of drill stem that can be carried on the rig:
	Is a support pipe truck anticipated? Yes No Weight (lbs.)
	Weight of support compressor (lbs.):Trailer mounted?
	Anticipated Drilling Contractor: License No
	Mud/fluid drilling:
	# of holesDepth (ft.)Diameter (in.)
	# of drill padsLength (ft.)Width (ft.)
	Will drill pads be graded/bladed or overland: Graded/bladed Overland
	Will drill pads need some mechanical leveling (grading/blading): ☐ Yes ☐ No
	Will a closed loop system be used or will mud/fluid pits be used?

	if mud/fluid pits are proposed:	
	# of pitsLength (ft.)Width (ft.)	_Depth (ft.)
	Anticipated excavating equipment:	
	How will excavating equipment be transported to the site (i.e., driven, low	-boy, etc.):
	Will mud pits be lined?: ☐ Yes ☐ No	
	If yes, proposed material to line the mud pits:	
	Approx. Weight of Drill Rig (lbs.) Number of Axles:	
	Anticipated Drilling Contractor: License No	
	Test pits / exploratory trenches:	
	# of pitsLength (ft.)Width (ft.)[epth (ft.)
	Anticipated excavating equipment:	
	How will excavating equipment be transported to the site (i.e., driven, low-boy	, etc.):
	Other methods of exploration (i.e., cuts, shafts, tunnels, adits, decline etc.). Indicate method and details:	es, blasting
	TAL ACREAGE TO BE DISTURBED DUE TO DRILL PADS =	acres
1111 (1)	COOVER TO SCIES, MUNION INISESSIBLE INDISADE OF ARM DARG DV (1 (1010/279)).	

	agre activ	is exploration project is forces to perform a gamma ravities. Applicant/Owner/Operto pre-exploration levels.	diation survey at erator agrees to r	each drill site prior to, estore gamma radiation	and after, exploration
		excess drill cuttings be bur at each drill pad location	ied at each drill si		single disposal pit?
	I	f a <u>single disposal pit</u> is pro	oposed, please pr	ovide the following:	
	[Description or GPS coording	ates of the propos	sed cuttings disposal p	it location:
	[Dimensions of the single pr	oposed cuttings o	isposal pit (length, wid	th, and depth):
	_	Length (ft.)		Width (ft.)	Depth (ft.)
		ACREAGE TO BE DIST vert to acres, multiply total			
E.	Othe	er Supporting Equipment (c	check all that apply	/):	
		4x4 Trucks/Vehicles	Quantity:		
		Water Truck	Weight (lbs.):		
		Geophysical Truck	Weight (lbs.):		
		Pipe Truck (rig support)	Weight (lbs.):		
		Bulldozer	Type:		
		Backhoe	Type:		
		Trackhoe	Type:		
		Scaper/Grader	Type:		
		Trailers	Quantity/Type:		
		Portable Toilet	Quantity:		
		Other	List:		
			_		
			_		
			_		

D. Disposal of drill cuttings

_	Roads	I	○		T 1	
_	PAGAG	วทศ	(N/Orl	วทส	I raval	•
	IN COOLS	<i>a</i> 1110.1	COCCII	ai II i	Have	

List of <u>new</u> roads to be constructed for this exploration project:

Description of <i>NEW</i> Roads	Length (ft.)	Width (ft.)	Total Acres (length x width x 0.0000229)
TOTAL ACRES DISTURBED BY NEW ROAD O	ONSTRU	ICTION:	

Describe how new roads will be constructed:

List for <u>extension or widening of existing</u> roads:

Description of Modification to EXISTING Roads	Length (ft.)	Width (ft.)	Total Acres (length x width x 0.0000229)
TOTAL ACRES DISTURBED BY ROAD IN	MPROVE	MENTS:	

Describe how existing roads will be extended or widened:

List for routes of overland travel:

Description of OVERLAND TRAVEL Routes	Length (ft.)	Width (ft.)	Acres (length x width x 0.0000229)
			X 3.0000220)
TOTAL ACRES DISTURBED BY OVE	RLAND T	RAVEL :	
G. Support Facilities			
Describe (location and size) any support facility disturbances (equipment staging, equipment and material storage and/or lay down areas, vehicle parking, temporary housing and/or trailers) to be created or situated on the site during exploration operations.			
H. TOTAL ACREAGE TO BE DISTURBED BY PRO	JECT = _		acres

(include all disturbed acreage from drill pads, cuttings disposal pit, new roads, improved

roads and overland travel routes)

SECTION 5 - CHEMICAL USE (§302.D.4)

A.	Check any and all chemicals that wi	ll be used for this proje	ct.
	☐ Drilling Mud (i.e., EZ Mud)	Type/Quantity:	
	☐ Diesel Fuel	Quantity:	
	☐ Down-hole Lubricants	Type/Quantity:	
	Lost Circulation Materials	Type/Quantity:	
	☐ Oils/Grease	Quantity:	
	Gasoline	Quantity:	
	☐ Hydraulic Fluid	Quantity:	
	☐ Ethylene Glycol	Quantity:	
	Cement	Type/Quantity:	
	☐ Water	Source:	
	☐ Bentonite	Quantity:	
	Fertilizer	Type/Quantity:	
	Other	Type/Quantity:	
		_	
В.	Describe, in detail, a plan for the	containment, use and	disposal of all chemicals listed
	above:	,	
C.	Describe where equipment fueling/re	efueling will occur:	
_	Describe how howendays marked at	المراجعة عاللي وباوواروانو	. J.
υ.	Describe how hazardous material sp	oilis/leaks will be nandie	eu:

E.	Identify spill cleanup materials that will be kept on-site (check all that apply):
	☐ Bentonite clay or cat litter
	Adsorbent pads, rolls, mats, socks, pillows, dikes, etc.
	☐ Drum or barrel for containing contaminated soil/adsorbent materials
	Other/list:
	Other/list:
	Other/list:
F.	Applicant/owner/representative agrees to immediately notify the State of New Mexico immediately of any spills of hazardous materials (see page 1 of this application for phone numbers to notify).

SECTION 6 – GROUNDWATER/SURFACE WATER INFORMATION (§302.D.5)

A.	Provide an estimate of depth to ground water and the total dissolved solids (TDS) concentration.
	Depth to groundwater (ft.): TDS concentration (mg/L):
	Describe the source of this information:
В.	Will dewatering activities be conducted: ☐ Yes ☐ No
	If yes, please describe:
C.	Is groundwater anticipated to be encountered during exploration:
	If <u>YES</u> :
	Have you completed Form WR-07 (Application for permit to drill a well with no consumptive use of water) and mailed it to the District Office of the State Engineer? Yes
	Have you completed Form WD-08 (Well plugging plan of operations) and mailed it to the District Office of the State Engineer? \square Yes
	Attachment (copies of the completed WR-07 and WD-08 forms)
D.	Exploration Borehole Abandonment
	Dry Boreholes
	Dry hole abandonment (option 1): 100% bentonite pellets/chips (i.e. HOLEPLUG® manufactured by Baroid Industrial Products), dropped from surface then hydrated in place according to the manufacturer's recommendations, emplaced from total depth to within 12 feet of the original ground surface, followed by 10 feet of neat cement, followed by 2 feet of topsoil/topdressing

	<u>Dry hole abandonment (option 2):</u> Neat cement slurry, mixed according to the manufacturer's recommendations, emplaced with a tremie pipe from total depth to within 2 feet of the original ground surface, followed by 2 feet of topsoil/topdressing.
	<u>Dry hole abandonment (option 3):</u> Cement + 6% bentonite slurry, mixed according to the manufacturer's recommendations, emplaced with a tremie pipe from total depth to within 2 feet of the original ground surface, followed by 2 feet of topsoil/topdressing.
	<u>Dry hole abandonment (option 4):</u> High-density bentonite clay (\geq 20% active solids; i.e. QUIK-GROUT® manufactured by Baroid Industrial Products), mixed according to the manufacturer's recommendations, emplaced with a tremie pipe from total depth to within 12 feet of the original ground surface, followed by 10 feet of neat cement, followed by 2 feet of topsoil/topdressing.
	<u>Dry hole abandonment (option 5):</u> Other materials / describe and justify use:
We	et Boreholes
	Wet hole abandonment (option 1): Neat cement slurry, mixed according to the manufacturer's recommendations, emplaced with a tremie pipe from total depth to within 2 feet of the original ground surface, followed by 2 feet of topsoil/topdressing.
	Wet hole abandonment (option 2): High-density bentonite clay (≥ 20% active solids; i.e. QUIK-GROUT® manufactured by Baroid Industrial Products), mixed according to the manufacturer's recommendations, emplaced with a tremie pipe from total depth to within 12 feet of the original ground surface, followed by 10 feet of neat cement, followed by 2 feet of topsoil/topdressing.
	Wet hole abandonment (option 3): Other sealing material approved by the Office of the State Engineer. Describe and include well plugging plan approval by the State Engineer:
and	olicant agrees to contain any water produced from the exploration borehole at the drill site d acknowledges that discharge of this water to a watercourse may be a violation of the deral Clean Water Act: Yes No

D.

	ephemeral streams?
F.	Is any drilling anticipated to occur within 100 feet of any perennial, intermittent, or ephemeral streams? \square Yes \square No

Section 7 – Reclamation & Operation Plan (§302.D.6 and 302.I.K)

A. Salvage/Preservation of Topsoil

	Before any grading/blading or similar activities occur in relation to this project, operator agrees to salvage and preserve all topsoil and topdressing for use in future reclamation of this project Yes No			
	Describe how topsoil will be salvaged prior to initiation of exploration activities (check all that apply):			
	 N/A – no construction work will occur, therefore no soil salvage is needed. □ Excavated from drill pads and stored at each drill pad □ Excavated from road improvements/construction and stored adjacent to road □ Excavated from mud/fluid pits and storage at each pit □ Other, describe: 			
В.	Ero	sion Control		
	Des	scribe the best manage	ement practices th	at will be implemented to control erosion:
		Silt fencing	Location:	
		Straw waddles	Location:	
		Straw bales	Location:	
		Ditches/swales	Location:	
		Berms/dikes/dams	Location:	
		Sediment basins	Location:	
		Other or N/A	Type/Location:	

C.	Wildlife Protection / Noxious Weed Prevention
	Will the perimeter of drill pits be fenced to prevent wildlife entrapment? Yes No
	Proposed pit perimeter fence material:
	Describe how the pit perimeter fencing will be installed and secured (i.e., T-posts, wooden stakes, etc.):
	Will at least one side of the interior of the drill pits be sloped at 3:1 as a ramp for wildlife escape? $\ \ \ \ \ \ \ \ \ \ \ \ \ $
	If No, will another type of constructed escape ramp be installed? Describe:
	Applicant/Owner/Operator commits to pressure-washing or steam-clean all equipment prior to entering the permit area:
D.	Reclamation Details
	Describe in general how re-contouring or re-establishment of the surface topography will be restored:

Describe how the reclamation of portals ponds, roads and other disturbances will	s, adits, drilling fluid/mud and/or waste pits, shafts, be performed:
Is seeding of the reclaimed areas propos If no, provide a justification as to why	
Plant mix to be used in the re-establishm US Forest Service specified mix appli BLM specified mix applied through brother:	ed through broadcast at their recommended rate
Plant Name	Seeding Rate (lbs./acre)
	j -
	;
Broadcast applied or drill-seeded: B	roadcast Drill-seeded

	Scarification Methods (check all that apply): Primary tillage to greater than 6-inches depth of all constructed drill pads and roads Secondary tillage of all constructed drill pads and roads, and/or overland travel routes Chain drag or tire drag over seeds in areas used for overland travel Light raking of soil over seeds in areas used for overland travel None Other/describe:
	Mulch Use: ☐ Certified weed-free straw mulch will be placed over areas that have been tilled/disced or ripped at a rate of 2 tons per acre, and will be crimped in place ☐ No mulch is proposed
E.	Reclamation Timeline
	Applicant/Owner/Operator commits to reclamation of the disturbed area as soon as possible following the completion or abandonment of the exploration operation, unless the disturbed area is included within a complete permit application for a new mining permit: Yes No
	Anticipated Start of Reclamation:
	 □ 0-30 days after completion of drilling □ 31-60 days after completion of drilling □ Other/specify:

SECTION 8 – PERMIT FEES AND FINANCIAL ASSURANCE (§302.I.2 AND 5)

A.	Financial assurance must be posted with Mining and Minerals Division prior to approval of this application. The acceptable forms of financial assurance are surety bonds, letters of credit, and certificates of deposit. Provide an estimate of, and an instrument for, the proposed financial assurance required by Subpart 3.
	 ☐ Surety Bond ☐ Letter of Credit ☐ Cash Account / Certificate of Deposit
	Estimated amount of financial assurance:
	Or
	☐ Applicant will provide the amount of financial assurance calculated by MMD.
В.	Attach the permit fees as determined pursuant to Subpart 2. The application fee for a minimal impact exploration permit is \$500.00.
	☐ Money Order/Cashier's Check☐ Check
	Check Number :
	Financial Institution:

SECTION 9 - CERTIFICATION REQUIREMENT (§302.1.3 & 4)

I certify that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals responsible for obtaining the information; I believe the submitted information is true, accurate, and complete. I agree to comply with the reclamation requirements set forth in this permit application and related correspondence, the New Mexico Mining Act and the Rules. Further, I certify that I am not in violation of any other obligation under the New Mexico Mining Act or the Rules adopted pursuant to that Act and I allow the Director to enter the permit area, without delay, for the purposes of conducting inspections during exploration and reclamation.

	K
Signature of Permittee or	Authorized Agent: Rull
Name (type or print):	Richard Kern
Title/Position:	President
Date:	Reno, NV 89511 1 /17 /24